

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 10

Total Line Qty: 1

Line Count : 1 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	104
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.375
Height	58.250
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.7500
Tube Width	43.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.7500
Fabric Drop Total	67.7350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317380100000100242

Tube Cut Width



43.7500

Fab Cut Width



43.7500

BR Cut Width



43.7500

Fabric



010 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 20

Total Line Qty: 1

Line Count : 2 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	105
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317380200000200242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



020 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 30

Total Line Qty: 1

Line Count : 3 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	106
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.250
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.7350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317380300000300242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



030 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 40

Total Line Qty: 1

Line Count : 4 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	107
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.625
Height	59.000
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.0000
Tube Width	44.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.0000
Fabric Drop Total	68.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.5000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317380400000400242

Tube Cut Width



44.0000

Fab Cut Width



44.0000

BR Cut Width



44.0000

Fabric



040 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 50

Total Line Qty: 1

Line Count : 5 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	108
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.625
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.0000
Tube Width	44.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.0000
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317380500000500242

Tube Cut Width



44.0000

Fab Cut Width



44.0000

BR Cut Width



44.0000

Fabric



050 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 60

Total Line Qty: 1

Line Count : 6 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	109
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317380600000600242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



060 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 70

Total Line Qty: 1

Line Count : 7 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	110
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	58.250
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	67.7350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317380700000700242

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



070 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 80

Total Line Qty: 1

Line Count : 8 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	111
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.625
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317380800000800242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



080 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 90

Total Line Qty: 1

Line Count : 9 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	124
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.625
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



13231738090000900242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



090 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 100

Total Line Qty: 1

Line Count : 10 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	125
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.500
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317381000001000242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



100 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 110

Total Line Qty: 1

Line Count : 11 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	126
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.375
Height	58.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.7500
Tube Width	43.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.7500
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317381100001100242

Tube Cut Width



43.7500

Fab Cut Width



43.7500

BR Cut Width



43.7500

Fabric



110 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 120

Total Line Qty: 1

Line Count : 12 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	127
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317381200001200242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



120 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 130

Total Line Qty: 1

Line Count : 13 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	128
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.375
Height	58.500
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.7500
Tube Width	43.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.7500
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317381300001300242

Tube Cut Width



43.7500

Fab Cut Width



43.7500

BR Cut Width



43.7500

Fabric



130 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 140

Total Line Qty: 1

Line Count : 14 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	129
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.625
Height	58.500
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.0000
Tube Width	44.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.0000
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317381400001400242

Tube Cut Width



44.0000

Fab Cut Width



44.0000

BR Cut Width



44.0000

Fabric



140 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 150

Total Line Qty: 1

Line Count : 15 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	130
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317381500001500242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



150 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 160

Total Line Qty: 1

Line Count : 16 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	132LIV
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	58.500
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317381600001600242

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



160 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 170

Total Line Qty: 1

Line Count : 17 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	132BED
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.875
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.3600
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.3125
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317381700001700242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



170 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 180

Total Line Qty: 1

Line Count : 18 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	203LIV
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	58.500
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317381800001800242

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



180 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 190

Total Line Qty: 1

Line Count : 19 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	203BED
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317381900001900242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



190 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 200

Total Line Qty: 1

Line Count : 20 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	204
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.625
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317382000002000242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



200 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 210

Total Line Qty: 1

Line Count : 21 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	205
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.625
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317382100002100242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



210 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 220

Total Line Qty: 1

Line Count : 22 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	206
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.250
Height	58.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.6250
Tube Width	43.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.6250
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317382200002200242

Tube Cut Width



43.6250

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



220 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 230

Total Line Qty: 1

Line Count : 23 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	207
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317382300002300242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



230 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 240

Total Line Qty: 1

Line Count : 24 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	208
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.250
Height	58.500
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.6250
Tube Width	43.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.6250
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317382400002400242

Tube Cut Width



43.6250

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



240 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 250

Total Line Qty: 1

Line Count : 25 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	209
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.250
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.6250
Tube Width	43.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.6250
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317382500002500242

Tube Cut Width



43.6250

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



250 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 260

Total Line Qty: 1

Line Count : 26 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	210
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.250
Height	58.625
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.6250
Tube Width	43.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.6250
Fabric Drop Total	68.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317382600002600242

Tube Cut Width



43.6250

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



260 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 270

Total Line Qty: 1

Line Count : 27 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	211
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317382700002700242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



270 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 280

Total Line Qty: 1

Line Count : 28 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	212
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.375
Height	58.625
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.7500
Tube Width	43.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.7500
Fabric Drop Total	68.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317382800002800242

Tube Cut Width



43.7500

Fab Cut Width



43.7500

BR Cut Width



43.7500

Fabric



280 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 290

Total Line Qty: 1

Line Count : 29 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	213
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.375
Height	58.625
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.7500
Tube Width	43.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.7500
Fabric Drop Total	68.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317382900002900242

Tube Cut Width



43.7500

Fab Cut Width



43.7500

BR Cut Width



43.7500

Fabric



290 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 300

Total Line Qty: 1

Line Count : 30 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	214
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.250
Height	58.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.6250
Tube Width	43.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.6250
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317383000003000242

Tube Cut Width



43.6250

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



300 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 310

Total Line Qty: 1

Line Count : 31 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	216
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.625
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.0000
Tube Width	44.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.0000
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317383100003100242

Tube Cut Width



44.0000

Fab Cut Width



44.0000

BR Cut Width



44.0000

Fabric



310 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 320

Total Line Qty: 1

Line Count : 32 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	217
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.250
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.6250
Tube Width	43.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.6250
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317383200003200242

Tube Cut Width



43.6250

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



320 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 330

Total Line Qty: 1

Line Count : 33 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	218
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.250
Height	58.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.6250
Tube Width	43.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.6250
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317383300003300242

Tube Cut Width



43.6250

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



330 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 340

Total Line Qty: 1

Line Count : 34 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	219
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.875
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.3600
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.3125
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317383400003400242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



340 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 350

Total Line Qty: 1

Line Count : 35 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	220
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	59.000
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.5000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317383500003500242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



350 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 360

Total Line Qty: 1

Line Count : 36 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	223
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	59.000
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.5000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317383600003600242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



360 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 370

Total Line Qty: 1

Line Count : 37 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	224
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.625
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317383700003700242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



370 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 380

Total Line Qty: 1

Line Count : 38 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	225
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317383800003800242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



380 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 390

Total Line Qty: 1

Line Count : 39 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	226
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317383900003900242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



390 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 400

Total Line Qty: 1

Line Count : 40 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	227
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317384000004000242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



400 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 410

Total Line Qty: 1

Line Count : 41 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	228
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.500
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317384100004100242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



410 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 420

Total Line Qty: 1

Line Count : 42 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	229
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317384200004200242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



420 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 430

Total Line Qty: 1

Line Count : 43 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	230
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.250
Height	58.375
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.6250
Tube Width	43.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.6250
Fabric Drop Total	67.8600
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.5625
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317384300004300242

Tube Cut Width



43.6250

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



430 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 440

Total Line Qty: 1

Line Count : 44 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	231
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.250
Height	58.875
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.6250
Tube Width	43.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.6250
Fabric Drop Total	68.3600
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.3125
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317384400004400242

Tube Cut Width



43.6250

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



440 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 450

Total Line Qty: 1

Line Count : 45 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	232LIV
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.375
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.7500
Tube Width	43.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.7500
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317384500004500242

Tube Cut Width



43.7500

Fab Cut Width



43.7500

BR Cut Width



43.7500

Fabric



450 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 460

Total Line Qty: 1

Line Count : 46 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	232BED
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.000
Height	59.000
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.3750
Tube Width	43.3750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.3750
Fabric Drop Total	68.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.5000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317384600004600242

Tube Cut Width



43.3750

Fab Cut Width



43.3750

BR Cut Width



43.3750

Fabric



460 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 470

Total Line Qty: 1

Line Count : 47 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	233
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.250
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.6250
Tube Width	43.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.6250
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317384700004700242

Tube Cut Width



43.6250

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



470 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 480

Total Line Qty: 1

Line Count : 48 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	303LIV
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317384800004800242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



480 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 490

Total Line Qty: 1

Line Count : 49 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	303BED
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.375
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.7500
Tube Width	43.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.7500
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317384900004900242

Tube Cut Width



43.7500

Fab Cut Width



43.7500

BR Cut Width



43.7500

Fabric



490 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 500

Total Line Qty: 1

Line Count : 50 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	304
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317385000005000242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



500 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 510

Total Line Qty: 1

Line Count : 51 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	305
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.375
Height	58.500
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.7500
Tube Width	43.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.7500
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317385100005100242

Tube Cut Width



43.7500

Fab Cut Width



43.7500

BR Cut Width



43.7500

Fabric



510 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 520

Total Line Qty: 1

Line Count : 52 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	306
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.125
Height	58.375
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.5000
Tube Width	43.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.5000
Fabric Drop Total	67.8600
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.5625
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317385200005200242

Tube Cut Width



43.5000

Fab Cut Width



43.5000

BR Cut Width



43.5000

Fabric



520 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 530

Total Line Qty: 1

Line Count : 53 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	307
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317385300005300242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



530 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 540

Total Line Qty: 1

Line Count : 54 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	308
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.625
Height	58.625
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.0000
Tube Width	44.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.0000
Fabric Drop Total	68.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317385400005400242

Tube Cut Width



44.0000

Fab Cut Width



44.0000

BR Cut Width



44.0000

Fabric



540 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 550

Total Line Qty: 1

Line Count : 55 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	309
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.250
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.6250
Tube Width	43.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.6250
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317385500005500242

Tube Cut Width



43.6250

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



550 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 560

Total Line Qty: 1

Line Count : 56 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	310
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.625
Height	58.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.0000
Tube Width	44.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.0000
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317385600005600242

Tube Cut Width



44.0000

Fab Cut Width



44.0000

BR Cut Width



44.0000

Fabric



560 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 570

Total Line Qty: 1

Line Count : 57 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	311
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317385700005700242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



570 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 580

Total Line Qty: 1

Line Count : 58 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	312
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.625
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.0000
Tube Width	44.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.0000
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317385800005800242

Tube Cut Width



44.0000

Fab Cut Width



44.0000

BR Cut Width



44.0000

Fabric



580 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 590

Total Line Qty: 1

Line Count : 59 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	313
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.375
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.8600
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.5625
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317385900005900242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



590 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 600

Total Line Qty: 1

Line Count : 60 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	314
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.625
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317386000006000242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



600 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 610

Total Line Qty: 1

Line Count : 61 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	316
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.250
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.6250
Tube Width	43.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.6250
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317386100006100242

Tube Cut Width



43.6250

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



610 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 620

Total Line Qty: 1

Line Count : 62 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	317
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317386200006200242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



620 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 630

Total Line Qty: 1

Line Count : 63 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	318
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317386300006300242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



630 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 640

Total Line Qty: 1

Line Count : 64 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	319
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.625
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317386400006400242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



640 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 650

Total Line Qty: 1

Line Count : 65 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	320
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.500
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317386500006500242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



650 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 660

Total Line Qty: 1

Line Count : 66 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	323
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317386600006600242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



660 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 670

Total Line Qty: 1

Line Count : 67 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	324
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.375
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.7500
Tube Width	43.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.7500
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317386700006700242

Tube Cut Width



43.7500

Fab Cut Width



43.7500

BR Cut Width



43.7500

Fabric



670 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 680

Total Line Qty: 1

Line Count : 68 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	325
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.500
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317386800006800242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



680 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 690

Total Line Qty: 1

Line Count : 69 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	326
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317386900006900242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



690 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 700

Total Line Qty: 1

Line Count : 70 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	327
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.625
Height	58.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.0000
Tube Width	44.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.0000
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317387000007000242

Tube Cut Width



44.0000

Fab Cut Width



44.0000

BR Cut Width



44.0000

Fabric



700 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 710

Total Line Qty: 1

Line Count : 71 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	328
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.250
Height	58.625
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.6250
Tube Width	43.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.6250
Fabric Drop Total	68.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317387100007100242

Tube Cut Width



43.6250

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



710 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 720

Total Line Qty: 1

Line Count : 72 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	329
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.875
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.3600
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.3125
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317387200007200242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



720 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 730

Total Line Qty: 1

Line Count : 73 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	330
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.625
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317387300007300242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



730 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 740

Total Line Qty: 1

Line Count : 74 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	331
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317387400007400242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



740 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 750

Total Line Qty: 1

Line Count : 75 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	332LIV
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.250
Height	58.625
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.6250
Tube Width	43.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.6250
Fabric Drop Total	68.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317387500007500242

Tube Cut Width



43.6250

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



750 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 760

Total Line Qty: 1

Line Count : 76 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	332BED
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.375
Height	58.375
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.7500
Tube Width	43.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.7500
Fabric Drop Total	67.8600
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.5625
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317387600007600242

Tube Cut Width



43.7500

Fab Cut Width



43.7500

BR Cut Width



43.7500

Fabric



760 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 770

Total Line Qty: 1

Line Count : 77 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	333
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	59.000
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.5000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317387700007700242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



770 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 780

Total Line Qty: 1

Line Count : 78 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	403LIV
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.500
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317387800007800242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



780 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 790

Total Line Qty: 1

Line Count : 79 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	403BED
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.250
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.7350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317387900007900242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



790 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 800

Total Line Qty: 1

Line Count : 80 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	404
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.000
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317388000008000242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



800 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 810

Total Line Qty: 1

Line Count : 81 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	405
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.250
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.7350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317388100008100242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



810 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 820

Total Line Qty: 1

Line Count : 82 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	406
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.250
Height	58.000
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.6250
Tube Width	43.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.6250
Fabric Drop Total	67.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317388200008200242

Tube Cut Width



43.6250

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



820 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 830

Total Line Qty: 1

Line Count : 83 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	407
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317388300008300242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



830 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 840

Total Line Qty: 1

Line Count : 84 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	408
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.375
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.8600
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.5625
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317388400008400242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



840 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 850

Total Line Qty: 1

Line Count : 85 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	409
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.500
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317388500008500242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



850 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 860

Total Line Qty: 1

Line Count : 86 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	410
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.250
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.7350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317388600008600242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



860 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 870

Total Line Qty: 1

Line Count : 87 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	411
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317388700008700242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



870 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 880

Total Line Qty: 1

Line Count : 88 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	412
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.625
Height	58.000
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.0000
Tube Width	44.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.0000
Fabric Drop Total	67.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317388800008800242

Tube Cut Width



44.0000

Fab Cut Width



44.0000

BR Cut Width



44.0000

Fabric



880 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 890

Total Line Qty: 1

Line Count : 89 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	413
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317388900008900242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



890 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 900

Total Line Qty: 1

Line Count : 90 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	414
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.375
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.8600
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.5625
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



13231738900009000242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



900 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 910

Total Line Qty: 1

Line Count : 91 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	416
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.250
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.7350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317389100009100242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



910 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 920

Total Line Qty: 1

Line Count : 92 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	417
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.500
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317389200009200242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



920 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 930

Total Line Qty: 1

Line Count : 93 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	418
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.375
Height	58.000
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.7500
Tube Width	43.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.7500
Fabric Drop Total	67.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317389300009300242

Tube Cut Width



43.7500

Fab Cut Width



43.7500

BR Cut Width



43.7500

Fabric



930 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 940

Total Line Qty: 1

Line Count : 94 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	419
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317389400009400242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



940 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 950

Total Line Qty: 1

Line Count : 95 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	420
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.000
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317389500009500242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



950 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 960

Total Line Qty: 1

Line Count : 96 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	421
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.625
Height	58.500
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.0000
Tube Width	44.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.0000
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317389600009600242

Tube Cut Width



44.0000

Fab Cut Width



44.0000

BR Cut Width



44.0000

Fabric



960 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 970

Total Line Qty: 1

Line Count : 97 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	423
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.625
Height	58.625
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.0000
Tube Width	44.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.0000
Fabric Drop Total	68.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317389700009700242

Tube Cut Width



44.0000

Fab Cut Width



44.0000

BR Cut Width



44.0000

Fabric



970 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 980

Total Line Qty: 1

Line Count : 98 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	424
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.125
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.6100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.1875
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317389800009800242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



980 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 990

Total Line Qty: 1

Line Count : 99 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	425
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.375
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.8600
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.5625
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317389900009900242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



990 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 1000

Total Line Qty: 1

Line Count : 100 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	426
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317380000010000242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



000 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 1010

Total Line Qty: 1

Line Count : 101 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	427
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.375
Height	58.250
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.7500
Tube Width	43.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.7500
Fabric Drop Total	67.7350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317380100010100242

Tube Cut Width



43.7500

Fab Cut Width



43.7500

BR Cut Width



43.7500

Fabric



010 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 1020

Total Line Qty: 1

Line Count : 102 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	428
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.375
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.8600
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.5625
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317380200010200242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



020 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 1030

Total Line Qty: 1

Line Count : 103 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	429
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.500
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317380300010300242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



030 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 1040

Total Line Qty: 1

Line Count : 104 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	430
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.250
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.7350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317380400010400242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



040 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 1050

Total Line Qty: 1

Line Count : 105 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	431
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.375
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.8600
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.5625
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317380500010500242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



050 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 1060

Total Line Qty: 1

Line Count : 106 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	432LIV
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.625
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317380600010600242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



060 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 1070

Total Line Qty: 1

Line Count : 107 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	432BED
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	58.125
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	67.6100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.1875
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317380700010700242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



070 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 1080

Total Line Qty: 1

Line Count : 108 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	433
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.250
Height	58.250
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.6250
Tube Width	43.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.6250
Fabric Drop Total	67.7350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317380800010800242

Tube Cut Width



43.6250

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



080 1019641

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1090

Total Line Qty: 1

Line Count : 109 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		Tube Bearing Plug	2471290952T@1.0000
SPECIAL INSTRUCTIONS	COM FABRIC	Installation Label	SAFETY100@2.0000
GENERAL INFORMATION		PREPACK	
Location	215	SPECIAL INSTRUCTIONS	COM FABRIC
Shade Configuration	Single, NonCoupled, NonBanded	Install Bracket Label	2478007052@1.0000
Width	45.500	Screws	4450000021@1.0000
Height	59.000	Instl Screw	2-70-9021@4.0000
Cord Position	R	Bracket Cover	2471100155T@2.0000
Mount Type	Inside Mount	Chain Stop	2474180027
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std	UL MOTOR	
		Production Model	RB500CO
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	43.1250		
Tube Width	43.8750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	55.2500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	19.7500		
Side Chnl Hole Loc 3	35.5000		
Side Chnl Hole Loc 4	51.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	43.1250		
Fabric Drop Total	68.5856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	88.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		

PTS Bar Code



132317380900010900242

Tube Cut Width



43.8750

Fab Cut Width



43.1250

BR Cut Width



43.1250

Fabric



090 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1100

Total Line Qty: 1

Line Count : 110 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		Tube Bearing Plug	2471290952T@1.0000
SPECIAL INSTRUCTIONS	COM FABRIC	Installation Label	SAFETY100@2.0000
GENERAL INFORMATION		PREPACK	
Location	315	SPECIAL INSTRUCTIONS	COM FABRIC
Shade Configuration	Single, NonCoupled, NonBanded	Install Bracket Label	2478007052@1.0000
Width	45.750	Screws	4450000021@1.0000
Height	58.500	Instl Screw	2-70-9021@4.0000
Cord Position	R	Bracket Cover	2471100155T@2.0000
Mount Type	Inside Mount	Chain Stop	2474180027
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std	UL MOTOR	
		Production Model	RB500CO
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	43.3750		
Tube Width	44.1250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	54.7500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	19.6250		
Side Chnl Hole Loc 3	35.2500		
Side Chnl Hole Loc 4	50.7500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	43.3750		
Fabric Drop Total	68.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	87.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		

PTS Bar Code



132317381000011000242

Tube Cut Width



44.1250

Fab Cut Width



43.3750

BR Cut Width



43.3750

Fabric



100 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1110

Total Line Qty: 1

Line Count : 111 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		Tube Bearing Plug	2471290952T@1.0000
SPECIAL INSTRUCTIONS	COM FABRIC	Installation Label	SAFETY100@2.0000
GENERAL INFORMATION		PREPACK	
Location	415	SPECIAL INSTRUCTIONS	COM FABRIC
Shade Configuration	Single, NonCoupled, NonBanded	Install Bracket Label	2478007052@1.0000
Width	45.250	Screws	4450000021@1.0000
Height	58.500	Instl Screw	2-70-9021@4.0000
Cord Position	R	Bracket Cover	2471100155T@2.0000
Mount Type	Inside Mount	Chain Stop	2474180027
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std	UL MOTOR	
		Production Model	RB500CO
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	42.8750		
Tube Width	43.6250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	54.7500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	19.6250		
Side Chnl Hole Loc 3	35.2500		
Side Chnl Hole Loc 4	50.7500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	42.8750		
Fabric Drop Total	68.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	87.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		

PTS Bar Code



132317381100011100242

Tube Cut Width



43.6250

Fab Cut Width



42.8750

BR Cut Width




42.8750

Fabric



110 INIF2598PG1

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 1120

Total Line Qty: 1

Line Count : 112 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION		Washer Lbl	RC450068@4.0000
Location	102ADA	Bracket Adapter	2473550952@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Bracket Cover	2473040952T@2.0000
Width	44.125	Leveler	2473447060@1.0000
Height	57.250	Leveling Bracket	@0.0000
Cord Position	R	Leveler Key	2473590000
Mount Type	Inside Mount	Dry Contact Options	N
Mount Type 2	Ceiling Mount	Power Supply Option	N
Operating System	Motorized	Sensor Options	N
		Switch	N
		Timer	N
		Transmitter	N
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	42.0000	Motor UL	1001809
Tube Width	42.0000	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fab Cut Width	42.0000		
Fabric Drop Total	71.5192		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Plug In	1019543		
Tube Bearing Plug	2473110952@1.0000		
MOTOR ASSY			
Plug In Length	10		
Label: Wire Length	10.0000		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		

PTS Bar Code



Tube Cut Width



Fab Cut Width




BR Cut Width



Fabric



Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 1130

Total Line Qty: 1

Line Count : 113 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION		Washer Lbl	RC450068@4.0000
Location	131ADALIV	Bracket Adapter	2473550952@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Bracket Cover	2473040952T@2.0000
Width	45.500	Leveler	2473447060@1.0000
Height	58.500	Leveling Bracket	@0.0000
Cord Position	R	Leveler Key	2473590000
Mount Type	Inside Mount	Dry Contact Options	N
Mount Type 2	Ceiling Mount	Power Supply Option	N
Operating System	Motorized	Sensor Options	N
		Switch	N
		Timer	N
		Transmitter	N
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	43.3750	Motor UL	1001809
Tube Width	43.3750	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fab Cut Width	43.3750		
Fabric Drop Total	72.7692		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Plug In	1019543		
Tube Bearing Plug	2473110952@1.0000		
MOTOR ASSY			
Plug In Length	10		
Label: Wire Length	10.0000		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		

PTS Bar Code



Tube Cut Width



Fab Cut Width



BR Cut Width



Fabric



Special Messages:

*** UL MOTOR ***

Quote Number: 13231738

Cust Reference: 99185

Line item: 1140

Total Line Qty: 1

Line Count : 114 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION		Washer Lbl	RC450068@4.0000
Location	131ADABED	Bracket Adapter	2473550952@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Bracket Cover	2473040952T@2.0000
Width	45.500	Leveler	2473447060@1.0000
Height	58.750	Leveling Bracket	@0.0000
Cord Position	R	Leveler Key	2473590000
Mount Type	Inside Mount	Dry Contact Options	N
Mount Type 2	Ceiling Mount	Power Supply Option	N
Operating System	Motorized	Sensor Options	N
		Switch	N
		Timer	N
		Transmitter	N
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	43.3750	Motor UL	1001809
Tube Width	43.3750	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fab Cut Width	43.3750		
Fabric Drop Total	73.0192		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Plug In	1019543		
Tube Bearing Plug	2473110952@1.0000		
MOTOR ASSY			
Plug In Length	10		
Label: Wire Length	10.0000		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		

PTS Bar Code



132317381400011400242

Tube Cut Width



43.3750

Fab Cut Width



43.3750

BR Cut Width




43.3750

Fabric



140 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 1150

Total Line Qty: 1

Line Count : 115 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION		Washer Lbl	RC450068@4.0000
Location	202ADA	Bracket Adapter	2473550952@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Bracket Cover	2473040952T@2.0000
Width	45.500	Leveler	2473447060@1.0000
Height	58.500	Leveling Bracket	@0.0000
Cord Position	R	Leveler Key	2473590000
Mount Type	Inside Mount	Dry Contact Options	N
Mount Type 2	Ceiling Mount	Power Supply Option	N
Operating System	Motorized	Sensor Options	N
		Switch	N
		Timer	N
		Transmitter	N
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	43.3750	Motor UL	1001809
Tube Width	43.3750	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fab Cut Width	43.3750		
Fabric Drop Total	72.7692		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Plug In	1019543		
Tube Bearing Plug	2473110952@1.0000		
MOTOR ASSY			
Plug In Length	10		
Label: Wire Length	10.0000		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		

PTS Bar Code



Tube Cut Width



Fab Cut Width




BR Cut Width



Fabric



Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 1160

Total Line Qty: 1

Line Count : 116 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION		Washer Lbl	RC450068@4.0000
Location	221ADA	Bracket Adapter	2473550952@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Bracket Cover	2473040952T@2.0000
Width	45.500	Leveler	2473447060@1.0000
Height	58.750	Leveling Bracket	@0.0000
Cord Position	R	Leveler Key	2473590000
Mount Type	Inside Mount	Dry Contact Options	N
Mount Type 2	Ceiling Mount	Power Supply Option	N
Operating System	Motorized	Sensor Options	N
		Switch	N
		Timer	N
		Transmitter	N
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	43.3750	Motor UL	1001809
Tube Width	43.3750	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fab Cut Width	43.3750		
Fabric Drop Total	73.0192		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Plug In	1019543		
Tube Bearing Plug	2473110952@1.0000		
MOTOR ASSY			
Plug In Length	10		
Label: Wire Length	10.0000		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		

PTS Bar Code



Tube Cut Width



Fab Cut Width



BR Cut Width



Fabric



Special Messages:

*** UL MOTOR ***

Quote Number: 13231738

Cust Reference: 99185

Line item: 1170

Total Line Qty: 1

Line Count : 117 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION		Washer Lbl	RC450068@4.0000
Location	302ADA	Bracket Adapter	2473550952@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Bracket Cover	2473040952T@2.0000
Width	45.500	Leveler	2473447060@1.0000
Height	58.750	Leveling Bracket	@0.0000
Cord Position	R	Leveler Key	2473590000
Mount Type	Inside Mount	Dry Contact Options	N
Mount Type 2	Ceiling Mount	Power Supply Option	N
Operating System	Motorized	Sensor Options	N
		Switch	N
		Timer	N
		Transmitter	N
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	43.3750	Motor UL	1001809
Tube Width	43.3750	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fab Cut Width	43.3750		
Fabric Drop Total	73.0192		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Plug In	1019543		
Tube Bearing Plug	2473110952@1.0000		
MOTOR ASSY			
Plug In Length	10		
Label: Wire Length	10.0000		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		

PTS Bar Code



132317381700011700242

Tube Cut Width



43.3750

Fab Cut Width



43.3750

BR Cut Width




43.3750

Fabric



170 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 1180

Total Line Qty: 1

Line Count : 118 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION		Washer Lbl	RC450068@4.0000
Location	321ADA	Bracket Adapter	2473550952@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Bracket Cover	2473040952T@2.0000
Width	45.250	Leveler	2473447060@1.0000
Height	58.500	Leveling Bracket	@0.0000
Cord Position	R	Leveler Key	2473590000
Mount Type	Inside Mount	Dry Contact Options	N
Mount Type 2	Ceiling Mount	Power Supply Option	N
Operating System	Motorized	Sensor Options	N
		Switch	N
		Timer	N
		Transmitter	N
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	43.1250	Motor UL	1001809
Tube Width	43.1250	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fab Cut Width	43.1250		
Fabric Drop Total	72.7692		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Plug In	1019543		
Tube Bearing Plug	2473110952@1.0000		
MOTOR ASSY			
Plug In Length	10		
Label: Wire Length	10.0000		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		

PTS Bar Code



Tube Cut Width



Fab Cut Width




BR Cut Width



Fabric



Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 1190

Total Line Qty: 1

Line Count : 119 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION		Washer Lbl	RC450068@4.0000
Location	402ADA	Bracket Adapter	2473550952@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Bracket Cover	2473040952T@2.0000
Width	45.250	Leveler	2473447060@1.0000
Height	58.250	Leveling Bracket	@0.0000
Cord Position	R	Leveler Key	2473590000
Mount Type	Inside Mount	Dry Contact Options	N
Mount Type 2	Ceiling Mount	Power Supply Option	N
Operating System	Motorized	Sensor Options	N
		Switch	N
RAIL CUT		Timer	N
Bottomrail Type	Fab Wrap Extrud Hem Bar	Transmitter	N
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	43.1250	Motor UL	1001809
Tube Width	43.1250	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fab Cut Width	43.1250		
Fabric Drop Total	72.5192		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Plug In	1019543		
Tube Bearing Plug	2473110952@1.0000		
MOTOR ASSY			
Plug In Length	10		
Label: Wire Length	10.0000		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		

PTS Bar Code



Tube Cut Width



Fab Cut Width



BR Cut Width



Fabric



Special Messages:

Quote Number: **13231738**Cust Reference: **99185**

Line item: 1200

Total Line Qty: 1

Line Count : 120 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	104	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.375	Side Channel Clip	2471630000@10.0000
Height	64.250		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.1250		
Tube Width	48.8750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.6250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.1250		
Fabric Drop Total	73.8356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.3750		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317382000012000242

Tube Cut Width



48.8750

Fab Cut Width



48.1250

BR Cut Width



48.1250

Fabric



200 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1210

Total Line Qty: 1

Line Count : 121 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	105	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317382100012100242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



210 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1220

Total Line Qty: 1

Line Count : 122 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	106	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.250		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.6250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	73.8356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.3750		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317382200012200242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



220 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1230

Total Line Qty: 1

Line Count : 123 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	107	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.625	Side Channel Clip	2471630000@10.0000
Height	65.000		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.3750		
Tube Width	49.1250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.3750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.3750		
Fabric Drop Total	74.5856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317382300012300242

Tube Cut Width



49.1250

Fab Cut Width



48.3750

BR Cut Width



48.3750

Fabric



230 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1240

Total Line Qty: 1

Line Count : 124 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	108	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.625	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.3750		
Tube Width	49.1250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.3750		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317382400012400242

Tube Cut Width



49.1250

Fab Cut Width



48.3750

BR Cut Width



48.3750

Fabric



240 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1250

Total Line Qty: 1

Line Count : 125 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	109	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317382500012500242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



250 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1260

Total Line Qty: 1

Line Count : 126 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	110	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.750	Side Channel Clip	2471630000@10.0000
Height	64.250		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	49.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.6250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.5000		
Fabric Drop Total	73.8356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.3750		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317382600012600242

Tube Cut Width



49.2500

Fab Cut Width



48.5000

BR Cut Width



48.5000

Fabric



260 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1270

Total Line Qty: 1

Line Count : 127 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	111	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.625		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317382700012700242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



270 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1280

Total Line Qty: 1

Line Count : 128 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	124	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.625		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317382800012800242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



280 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1290

Total Line Qty: 1

Line Count : 129 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	125	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317382900012900242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



290 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1300

Total Line Qty: 1

Line Count : 130 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	126	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.375	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.1250		
Tube Width	48.8750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.1250		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317383000013000242

Tube Cut Width



48.8750

Fab Cut Width



48.1250

BR Cut Width



48.1250

Fabric



300 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1310

Total Line Qty: 1

Line Count : 131 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	127	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317383100013100242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



310 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1320

Total Line Qty: 1

Line Count : 132 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	128	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.375	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.1250		
Tube Width	48.8750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.1250		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317383200013200242

Tube Cut Width



48.8750

Fab Cut Width



48.1250

BR Cut Width



48.1250

Fabric



320 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1330

Total Line Qty: 1

Line Count : 133 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	129	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.625	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.3750		
Tube Width	49.1250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.3750		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317383300013300242

Tube Cut Width



49.1250

Fab Cut Width



48.3750

BR Cut Width



48.3750

Fabric



330 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1340

Total Line Qty: 1

Line Count : 134 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	130	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317383400013400242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



340 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1350

Total Line Qty: 1

Line Count : 135 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	132LIV	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.750	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	49.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.5000		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317383500013500242

Tube Cut Width



49.2500

Fab Cut Width



48.5000

BR Cut Width



48.5000

Fabric



350 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1360

Total Line Qty: 1

Line Count : 136 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	132BED	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.875		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.4606		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.3125		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317383600013600242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



360 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1370

Total Line Qty: 1

Line Count : 137 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	203LIV	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.750	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	49.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.5000		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317383700013700242

Tube Cut Width



49.2500

Fab Cut Width



48.5000

BR Cut Width



48.5000

Fabric



370 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1380

Total Line Qty: 1

Line Count : 138 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	203BED	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317383800013800242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



380 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1390

Total Line Qty: 1

Line Count : 139 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	204	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.625		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317383900013900242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



390 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1400

Total Line Qty: 1

Line Count : 140 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	205	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.625		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317384000014000242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



400 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1410

Total Line Qty: 1

Line Count : 141 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	206	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.250	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.0000		
Tube Width	48.7500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317384100014100242

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



410 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1420

Total Line Qty: 1

Line Count : 142 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	207	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317384200014200242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



420 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1430

Total Line Qty: 1

Line Count : 143 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	208	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.250	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.0000		
Tube Width	48.7500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317384300014300242

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



430 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1440

Total Line Qty: 1

Line Count : 144 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	209	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.250	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.0000		
Tube Width	48.7500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317384400014400242

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



440 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1450

Total Line Qty: 1

Line Count : 145 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	210	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.250	Side Channel Clip	2471630000@10.0000
Height	64.625		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.0000		
Tube Width	48.7500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	74.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317384500014500242

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



450 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1460

Total Line Qty: 1

Line Count : 146 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	211	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317384600014600242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



460 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1470

Total Line Qty: 1

Line Count : 147 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	212	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.375	Side Channel Clip	2471630000@10.0000
Height	64.625		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.1250		
Tube Width	48.8750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.1250		
Fabric Drop Total	74.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317384700014700242

Tube Cut Width



48.8750

Fab Cut Width



48.1250

BR Cut Width



48.1250

Fabric



470 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1480

Total Line Qty: 1

Line Count : 148 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	213	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.375	Side Channel Clip	2471630000@10.0000
Height	64.625		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.1250		
Tube Width	48.8750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.1250		
Fabric Drop Total	74.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317384800014800242

Tube Cut Width



48.8750

Fab Cut Width



48.1250

BR Cut Width



48.1250

Fabric



480 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1490

Total Line Qty: 1

Line Count : 149 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	214	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.250	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.0000		
Tube Width	48.7500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317384900014900242

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



490 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1500

Total Line Qty: 1

Line Count : 150 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	216	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.625	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.3750		
Tube Width	49.1250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.3750		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317385000015000242

Tube Cut Width



49.1250

Fab Cut Width



48.3750

BR Cut Width



48.3750

Fabric



500 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1510

Total Line Qty: 1

Line Count : 151 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	217	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.250	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.0000		
Tube Width	48.7500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317385100015100242

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



510 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1520

Total Line Qty: 1

Line Count : 152 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	218	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.250	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.0000		
Tube Width	48.7500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317385200015200242

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



520 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1530

Total Line Qty: 1

Line Count : 153 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	219	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.875		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.4606		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.3125		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317385300015300242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



530 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1540

Total Line Qty: 1

Line Count : 154 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	220	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	65.000		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.3750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.5856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317385400015400242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



540 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1550

Total Line Qty: 1

Line Count : 155 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	223	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	65.000		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.3750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.5856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317385500015500242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



550 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1560

Total Line Qty: 1

Line Count : 156 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	224	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.625		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317385600015600242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



560 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1570

Total Line Qty: 1

Line Count : 157 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	225	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317385700015700242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



570 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1580

Total Line Qty: 1

Line Count : 158 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	226	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317385800015800242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



580 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1590

Total Line Qty: 1

Line Count : 159 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	227	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317385900015900242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



590 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1600

Total Line Qty: 1

Line Count : 160 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	228	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317386000016000242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



600 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1610

Total Line Qty: 1

Line Count : 161 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	229	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317386100016100242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



610 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1620

Total Line Qty: 1

Line Count : 162 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	230	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.250	Side Channel Clip	2471630000@10.0000
Height	64.375		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.0000		
Tube Width	48.7500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.7500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	73.9606		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.5625		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317386200016200242

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



620 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1630

Total Line Qty: 1

Line Count : 163 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	231	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.250	Side Channel Clip	2471630000@10.0000
Height	64.875		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.0000		
Tube Width	48.7500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	74.4606		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.3125		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317386300016300242

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



630 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1640

Total Line Qty: 1

Line Count : 164 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	232LIV	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.375	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.1250		
Tube Width	48.8750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.1250		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317386400016400242

Tube Cut Width



48.8750

Fab Cut Width



48.1250

BR Cut Width



48.1250

Fabric



640 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1650

Total Line Qty: 1

Line Count : 165 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	232BED	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.000	Side Channel Clip	2471630000@10.0000
Height	65.000		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	47.7500		
Tube Width	48.5000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.3750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	47.7500		
Fabric Drop Total	74.5856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317386500016500242

Tube Cut Width



48.5000

Fab Cut Width



47.7500

BR Cut Width



47.7500

Fabric



650 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1660

Total Line Qty: 1

Line Count : 166 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	233	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.250	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.0000		
Tube Width	48.7500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317386600016600242

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



660 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1670

Total Line Qty: 1

Line Count : 167 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	303LIV	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317386700016700242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



670 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1680

Total Line Qty: 1

Line Count : 168 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	303BED	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.375	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.1250		
Tube Width	48.8750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.1250		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317386800016800242

Tube Cut Width



48.8750

Fab Cut Width



48.1250

BR Cut Width



48.1250

Fabric



680 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1690

Total Line Qty: 1

Line Count : 169 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	304	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317386900016900242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



690 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1700

Total Line Qty: 1

Line Count : 170 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	305	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.375	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.1250		
Tube Width	48.8750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.1250		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317387000017000242

Tube Cut Width



48.8750

Fab Cut Width



48.1250

BR Cut Width



48.1250

Fabric



700 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1710

Total Line Qty: 1

Line Count : 171 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	306	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.125	Side Channel Clip	2471630000@10.0000
Height	64.375		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	47.8750		
Tube Width	48.6250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.7500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	47.8750		
Fabric Drop Total	73.9606		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.5625		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317387100017100242

Tube Cut Width



48.6250

Fab Cut Width



47.8750

BR Cut Width



47.8750

Fabric



710 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1720

Total Line Qty: 1

Line Count : 172 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	307	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317387200017200242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



720 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1730

Total Line Qty: 1

Line Count : 173 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	308	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.625	Side Channel Clip	2471630000@10.0000
Height	64.625		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.3750		
Tube Width	49.1250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.3750		
Fabric Drop Total	74.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317387300017300242

Tube Cut Width



49.1250

Fab Cut Width



48.3750

BR Cut Width



48.3750

Fabric



730 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1740

Total Line Qty: 1

Line Count : 174 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	309	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.250	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.0000		
Tube Width	48.7500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317387400017400242

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



740 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1750

Total Line Qty: 1

Line Count : 175 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	310	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.625	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.3750		
Tube Width	49.1250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.3750		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317387500017500242

Tube Cut Width



49.1250

Fab Cut Width



48.3750

BR Cut Width



48.3750

Fabric



750 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1760

Total Line Qty: 1

Line Count : 176 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	311	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317387600017600242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



760 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1770

Total Line Qty: 1

Line Count : 177 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	312	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.625	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.3750		
Tube Width	49.1250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.3750		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317387700017700242

Tube Cut Width



49.1250

Fab Cut Width



48.3750

BR Cut Width



48.3750

Fabric



770 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1780

Total Line Qty: 1

Line Count : 178 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	313	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.375		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.7500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	73.9606		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.5625		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317387800017800242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



780 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1790

Total Line Qty: 1

Line Count : 179 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	314	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.625		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317387900017900242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



790 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1800

Total Line Qty: 1

Line Count : 180 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	316	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.250	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.0000		
Tube Width	48.7500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317388000018000242

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



800 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1810

Total Line Qty: 1

Line Count : 181 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	317	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317388100018100242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



810 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1820

Total Line Qty: 1

Line Count : 182 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	318	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317388200018200242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



820 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1830

Total Line Qty: 1

Line Count : 183 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	319	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.625		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317388300018300242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



830 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1840

Total Line Qty: 1

Line Count : 184 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	320	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317388400018400242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



840 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1850

Total Line Qty: 1

Line Count : 185 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	323	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317388500018500242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



850 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1860

Total Line Qty: 1

Line Count : 186 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	324	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.375	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.1250		
Tube Width	48.8750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.1250		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317388600018600242

Tube Cut Width



48.8750

Fab Cut Width



48.1250

BR Cut Width



48.1250

Fabric



860 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1870

Total Line Qty: 1

Line Count : 187 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	325	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317388700018700242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



870 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1880

Total Line Qty: 1

Line Count : 188 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	326	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317388800018800242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



880 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1890

Total Line Qty: 1

Line Count : 189 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	327	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.625	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.3750		
Tube Width	49.1250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.3750		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317388900018900242

Tube Cut Width



49.1250

Fab Cut Width



48.3750

BR Cut Width



48.3750

Fabric



890 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1900

Total Line Qty: 1

Line Count : 190 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	328	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.250	Side Channel Clip	2471630000@10.0000
Height	64.625		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.0000		
Tube Width	48.7500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	74.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317389000019000242

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



900 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1910

Total Line Qty: 1

Line Count : 191 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	329	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.875		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.4606		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.3125		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317389100019100242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



910 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1920

Total Line Qty: 1

Line Count : 192 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	330	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.625		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317389200019200242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



920 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1930

Total Line Qty: 1

Line Count : 193 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	331	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317389300019300242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



930 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1940

Total Line Qty: 1

Line Count : 194 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	332LIV	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.250	Side Channel Clip	2471630000@10.0000
Height	64.625		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.0000		
Tube Width	48.7500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	74.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317389400019400242

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



940 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1950

Total Line Qty: 1

Line Count : 195 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	332BED	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.375	Side Channel Clip	2471630000@10.0000
Height	64.375		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.1250		
Tube Width	48.8750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.7500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.1250		
Fabric Drop Total	73.9606		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.5625		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317389500019500242

Tube Cut Width



48.8750

Fab Cut Width



48.1250

BR Cut Width



48.1250

Fabric



950 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1960

Total Line Qty: 1

Line Count : 196 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	333	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	65.000		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.3750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.5856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317389600019600242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



960 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1970

Total Line Qty: 1

Line Count : 197 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	403LIV	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317389700019700242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



970 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1980

Total Line Qty: 1

Line Count : 198 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	403BED	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.250		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.6250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	73.8356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.3750		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317389800019800242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



980 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 1990

Total Line Qty: 1

Line Count : 199 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	404	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.000		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.3750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	73.5856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317389900019900242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



990 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2000

Total Line Qty: 1

Line Count : 200 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	405	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.250		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.6250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	73.8356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.3750		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317380000020000242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



000 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2010

Total Line Qty: 1

Line Count : 201 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	406	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.250	Side Channel Clip	2471630000@10.0000
Height	64.000		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.0000		
Tube Width	48.7500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.3750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	73.5856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317380100020100242

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



010 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2020

Total Line Qty: 1

Line Count : 202 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	407	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317380200020200242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



020 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2030

Total Line Qty: 1

Line Count : 203 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	408	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.375		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.7500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	73.9606		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.5625		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317380300020300242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



030 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2040

Total Line Qty: 1

Line Count : 204 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	409	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317380400020400242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



040 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2050

Total Line Qty: 1

Line Count : 205 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	410	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.250		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.6250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	73.8356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.3750		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317380500020500242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



050 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2060

Total Line Qty: 1

Line Count : 206 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	411	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317380600020600242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



060 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2070

Total Line Qty: 1

Line Count : 207 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	412	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.625	Side Channel Clip	2471630000@10.0000
Height	64.000		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.3750		
Tube Width	49.1250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.3750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.3750		
Fabric Drop Total	73.5856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317380700020700242

Tube Cut Width



49.1250

Fab Cut Width



48.3750

BR Cut Width



48.3750

Fabric



070 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2080

Total Line Qty: 1

Line Count : 208 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	413	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.750		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	97.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317380800020800242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



080 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2090

Total Line Qty: 1

Line Count : 209 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	414	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.375		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.7500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	73.9606		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.5625		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317380900020900242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



090 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2100

Total Line Qty: 1

Line Count : 210 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	416	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.250		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.6250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	73.8356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.3750		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317381000021000242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



100 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2110

Total Line Qty: 1

Line Count : 211 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	417	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317381100021100242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



110 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2120

Total Line Qty: 1

Line Count : 212 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	418	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.375	Side Channel Clip	2471630000@10.0000
Height	64.000		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.1250		
Tube Width	48.8750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.3750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.1250		
Fabric Drop Total	73.5856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317381200021200242

Tube Cut Width



48.8750

Fab Cut Width



48.1250

BR Cut Width



48.1250

Fabric



120 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2130

Total Line Qty: 1

Line Count : 213 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	419	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317381300021300242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



130 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2140

Total Line Qty: 1

Line Count : 214 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	420	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.000		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.3750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	73.5856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317381400021400242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



140 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2150

Total Line Qty: 1

Line Count : 215 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	421	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.625	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.3750		
Tube Width	49.1250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.3750		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317381500021500242

Tube Cut Width



49.1250

Fab Cut Width



48.3750

BR Cut Width



48.3750

Fabric



150 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2160

Total Line Qty: 1

Line Count : 216 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	423	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.625	Side Channel Clip	2471630000@10.0000
Height	64.625		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.3750		
Tube Width	49.1250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.3750		
Fabric Drop Total	74.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317381600021600242

Tube Cut Width



49.1250

Fab Cut Width



48.3750

BR Cut Width



48.3750

Fabric



160 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2170

Total Line Qty: 1

Line Count : 217 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	424	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.125		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.5000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	73.7106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.1875		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317381700021700242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



170 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2180

Total Line Qty: 1

Line Count : 218 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	425	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.375		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.7500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	73.9606		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.5625		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317381800021800242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



180 INIF2598PG1

Special Messages:

Quote Number: **13231738**Cust Reference: **99185**

Line item: 2190

Total Line Qty: 1

Line Count : 219 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	426	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317381900021900242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



190 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2200

Total Line Qty: 1

Line Count : 220 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	427	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.375	Side Channel Clip	2471630000@10.0000
Height	64.250		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.1250		
Tube Width	48.8750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.6250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.1250		
Fabric Drop Total	73.8356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.3750		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317382000022000242

Tube Cut Width



48.8750

Fab Cut Width



48.1250

BR Cut Width



48.1250

Fabric



200 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2210

Total Line Qty: 1

Line Count : 221 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	428	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.375		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.7500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	73.9606		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.5625		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317382100022100242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



210 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2220

Total Line Qty: 1

Line Count : 222 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	429	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.500		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317382200022200242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



220 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2230

Total Line Qty: 1

Line Count : 223 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	430	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.250		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.6250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	73.8356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.3750		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317382300022300242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



230 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2240

Total Line Qty: 1

Line Count : 224 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	431	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.375		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.7500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	73.9606		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.5625		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317382400022400242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



240 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2250

Total Line Qty: 1

Line Count : 225 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	432LIV	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.625		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	61.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	74.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317382500022500242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



250 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2260

Total Line Qty: 1

Line Count : 226 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	432BED	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	64.125		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.5000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	73.7106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.1875		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317382600022600242

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



260 INIF2598PG1

Special Messages:

Quote Number: 13231738

Cust Reference: 99185

Line item: 2270

Total Line Qty: 1

Line Count : 227 OF 242

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478007052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	433	Bracket Cover	2471100155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.250	Side Channel Clip	2471630000@10.0000
Height	64.250		
Cord Position	L	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.0000		
Tube Width	48.7500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	60.6250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	73.8356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.3750		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



132317382700022700242

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



270 INIF2598PG1

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 2280

Total Line Qty: 1

Line Count : 228 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	215
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	59.000
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	68.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	88.5000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317382800022800242

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



280 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 2290

Total Line Qty: 1

Line Count : 229 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	315
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	58.500
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317382900022900242

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



290 1019641

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 2300

Total Line Qty: 1

Line Count : 230 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	415
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.250
Height	58.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.6250
Tube Width	43.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.6250
Fabric Drop Total	67.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	87.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317383000023000242

Tube Cut Width



43.6250

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



300 1019641

Special Messages:

Quote Number: **13231738**

Cust Reference: 99185

Line item: 2310

Total Line Qty: 1

Line Count : 231 OF 242



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		Switch Type		5CHSW	
SPECIAL INSTRUCTIONS	COM FABRIC	Label: Wire Length		10.0000	
		Channel 1		N	
		Channel 2		N	
GENERAL INFORMATION		Channel 3		N	
Location	102ADA	Channel 4		N	
Shade Configuration	Single, NonCoupled, NonBanded	Channel 5		N	
Width	49.125				
Height	63.250				
Cord Position	R	PREPACK			
Mount Type	Outside Mount	SPECIAL INSTRUCTIONS		COM FABRIC	
Mount Type 2	Wall Mount	Instl Bracket		2473017052T@2.0000	
Operating System	Motorized	Instl Screw		RC450067@4.0000	
		Screw Cover		2473080155T@2.0000	
RAIL CUT		Washer Lbl		RC450068@4.0000	
Bottomrail Type	RB500 Bottom Bar	Bracket Adapter		2473550952@1.0000	
Bottomrail Color	0199	Bracket Cover		2473040155T@2.0000	
Bottomrail	247011019921	Leveler		2473447060@1.0000	
Bottomrail Color Over Opt	N	Leveling Bracket		@0.0000	
Bottomrail Width	46.3750	Leveler Key		2473590000	
Tube Width	47.1250	Side Channel Clip		2471630000@8.0000	
Tube Size Label	62MM	Dry Contact Options		N	
Motor Type Label	RTS3	Power Supply Option		N	
UL Motor	YES	Sensor Options		N	
Motor	QT506R	Switch		5CHSW	
Motor Unit Quantity	1	Timer		N	
Motor Unit PCN	1001809	Transmitter		N	
Crown Drive Set	2473540000				
Plate 2	2473480003	UL MOTOR			
Side Channel Color	WHITE	Motor Description		506S2 Sonesse RTS	
Side Channel Override	N	Motor UL		1001809	
Side Channel Meas	58.5000	Production Model		RB500M	
PCN Side Channel	247012019921				
Wool Pile Side	445010				
Bo Side Chan Ec	2471690155				
Sgl Sc Bo Ins Set	2471680155				
FABRIC CUT					
Front Shade Roll Dir	Standard Roll				
Fabric	SAMPLE3				
Color	0155				
Fabric PCN	INIF2598PG1				
Fabric Description	Sheerweave Infinity2 5%				
Color Description	Cotton				
Fab Cut Width	46.3750				
Fabric Drop Total	77.6198				
Cut Method	CRUSH CUT				
Sealing Tape Front	N				
SHADE ASSY					
Bottomrail Type	RB500 Bottom Bar				
Bottomrail End Cap	2471660155@2.0000				
Bottomrail Spline	2471780000				
Plug In	1019543				
Tube Bearing Plug	2473110155@1.0000				
MOTOR ASSY					
Plug In Length	10				

PTS Bar Code



132317383100023100242

Tube Cut Width



47.1250

Fab Cut Width



46.3750

BR Cut Width



46.3750

Fabric



310 INIF2598PG1

Special Messages:

*** UL MOTOR ***

*** SPECIAL INSTRUCTIONS ***

Quote Number: 13231738

Cust Reference: 99185

Line item: 2320

Total Line Qty: 1

Line Count : 232 OF 242



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		Switch Type	5CHSW
SPECIAL INSTRUCTIONS	COM FABRIC	Label: Wire Length	10.0000
		Channel 1	N
		Channel 2	N
GENERAL INFORMATION		Channel 3	N
Location	131ADALIV	Channel 4	N
Shade Configuration	Single, NonCoupled, NonBanded	Channel 5	N
Width	50.500		
Height	64.500		
Cord Position	R	PREPACK	
Mount Type	Outside Mount	SPECIAL INSTRUCTIONS	COM FABRIC
Mount Type 2	Wall Mount	Instl Bracket	2473017052T@2.0000
Operating System	Motorized	Instl Screw	RC450067@4.0000
		Screw Cover	2473080155T@2.0000
RAIL CUT		Washer Lbl	RC450068@4.0000
Bottomrail Type	RB500 Bottom Bar	Bracket Adapter	2473550952@1.0000
Bottomrail Color	0199	Bracket Cover	2473040155T@2.0000
Bottomrail	247011019921	Leveler	2473447060@1.0000
Bottomrail Color Over Opt	N	Leveling Bracket	@0.0000
Bottomrail Width	47.7500	Leveler Key	2473590000
Tube Width	48.5000	Side Channel Clip	2471630000@8.0000
Tube Size Label	62MM	Dry Contact Options	N
Motor Type Label	RTS3	Power Supply Option	N
UL Motor	YES	Sensor Options	N
Motor	QT506R	Switch	5CHSW
Motor Unit Quantity	1	Timer	N
Motor Unit PCN	1001809	Transmitter	N
Crown Drive Set	2473540000		
Plate 2	2473480003	UL MOTOR	
Side Channel Color	WHITE	Motor Description	506S2 Sonesse RTS
Side Channel Override	N	Motor UL	1001809
Side Channel Meas	59.7500	Production Model	RB500M
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	47.7500		
Fabric Drop Total	78.8698		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Plug In	1019543		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Plug In Length	10		

PTS Bar Code



132317383200023200242

Tube Cut Width



48.5000

Fab Cut Width



47.7500

BR Cut Width



47.7500

Fabric



320 INIF2598PG1

Special Messages:

Quote Number: **13231738**

Cust Reference: 99185

Line item: 2330

Total Line Qty: 1

Line Count : 233 OF 242



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		Switch Type		5CHSW	
SPECIAL INSTRUCTIONS	COM FABRIC	Label: Wire Length		10.0000	
		Channel 1		N	
		Channel 2		N	
GENERAL INFORMATION		Channel 3		N	
Location	131ADABED	Channel 4		N	
Shade Configuration	Single, NonCoupled, NonBanded	Channel 5		N	
Width	50.500				
Height	64.750				
Cord Position	R	PREPACK			
Mount Type	Outside Mount	SPECIAL INSTRUCTIONS		COM FABRIC	
Mount Type 2	Wall Mount	Instl Bracket		2473017052T@2.0000	
Operating System	Motorized	Instl Screw		RC450067@4.0000	
		Screw Cover		2473080155T@2.0000	
RAIL CUT		Washer Lbl		RC450068@4.0000	
Bottomrail Type	RB500 Bottom Bar	Bracket Adapter		2473550952@1.0000	
Bottomrail Color	0199	Bracket Cover		2473040155T@2.0000	
Bottomrail	247011019921	Leveler		2473447060@1.0000	
Bottomrail Color Over Opt	N	Leveling Bracket		@0.0000	
Bottomrail Width	47.7500	Leveler Key		2473590000	
Tube Width	48.5000	Side Channel Clip		2471630000@8.0000	
Tube Size Label	62MM	Dry Contact Options		N	
Motor Type Label	RTS3	Power Supply Option		N	
UL Motor	YES	Sensor Options		N	
Motor	QT506R	Switch		5CHSW	
Motor Unit Quantity	1	Timer		N	
Motor Unit PCN	1001809	Transmitter		N	
Crown Drive Set	2473540000				
Plate 2	2473480003	UL MOTOR			
Side Channel Color	WHITE	Motor Description		506S2 Sonesse RTS	
Side Channel Override	N	Motor UL		1001809	
Side Channel Meas	60.0000	Production Model		RB500M	
PCN Side Channel	247012019921				
Wool Pile Side	445010				
Bo Side Chan Ec	2471690155				
Sgl Sc Bo Ins Set	2471680155				
FABRIC CUT					
Front Shade Roll Dir	Standard Roll				
Fabric	SAMPLE3				
Color	0155				
Fabric PCN	INIF2598PG1				
Fabric Description	Sheerweave Infinity2 5%				
Color Description	Cotton				
Fab Cut Width	47.7500				
Fabric Drop Total	79.1198				
Cut Method	CRUSH CUT				
Sealing Tape Front	N				
SHADE ASSY					
Bottomrail Type	RB500 Bottom Bar				
Bottomrail End Cap	2471660155@2.0000				
Bottomrail Spline	2471780000				
Plug In	1019543				
Tube Bearing Plug	2473110155@1.0000				
MOTOR ASSY					
Plug In Length	10				

PTS Bar Code



132317383300023300242

Tube Cut Width



48.5000

Fab Cut Width



47.7500

BR Cut Width



47.7500

Fabric



330 INIF2598PG1

Special Messages:

*** UL MOTOR ***

*** SPECIAL INSTRUCTIONS ***

Quote Number: 13231738

Cust Reference: 99185

Line item: 2340

Total Line Qty: 1

Line Count : 234 OF 242



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		Switch Type	5CHSW
SPECIAL INSTRUCTIONS	COM FABRIC	Label: Wire Length	10.0000
		Channel 1	N
		Channel 2	N
GENERAL INFORMATION		Channel 3	N
Location	202ADA	Channel 4	N
Shade Configuration	Single, NonCoupled, NonBanded	Channel 5	N
Width	50.500		
Height	64.500		
Cord Position	R	PREPACK	
Mount Type	Outside Mount	SPECIAL INSTRUCTIONS	COM FABRIC
Mount Type 2	Wall Mount	Instl Bracket	2473017052T@2.0000
Operating System	Motorized	Instl Screw	RC450067@4.0000
		Screw Cover	2473080155T@2.0000
RAIL CUT		Washer Lbl	RC450068@4.0000
Bottomrail Type	RB500 Bottom Bar	Bracket Adapter	2473550952@1.0000
Bottomrail Color	0199	Bracket Cover	2473040155T@2.0000
Bottomrail	247011019921	Leveler	2473447060@1.0000
Bottomrail Color Over Opt	N	Leveling Bracket	@0.0000
Bottomrail Width	47.7500	Leveler Key	2473590000
Tube Width	48.5000	Side Channel Clip	2471630000@8.0000
Tube Size Label	62MM	Dry Contact Options	N
Motor Type Label	RTS3	Power Supply Option	N
UL Motor	YES	Sensor Options	N
Motor	QT506R	Switch	5CHSW
Motor Unit Quantity	1	Timer	N
Motor Unit PCN	1001809	Transmitter	N
Crown Drive Set	2473540000		
Plate 2	2473480003	UL MOTOR	
Side Channel Color	WHITE	Motor Description	506S2 Sonesse RTS
Side Channel Override	N	Motor UL	1001809
Side Channel Meas	59.7500	Production Model	RB500M
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	47.7500		
Fabric Drop Total	78.8698		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Plug In	1019543		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Plug In Length	10		

PTS Bar Code



132317383400023400242

Tube Cut Width



48.5000

Fab Cut Width



47.7500

BR Cut Width



47.7500

Fabric



340 INIF2598PG1

Special Messages:

*** UL MOTOR ***

*** SPECIAL INSTRUCTIONS ***

Quote Number: 13231738

Cust Reference: 99185

Line item: 2350

Total Line Qty: 1

Line Count : 235 OF 242



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		Switch Type	5CHSW
SPECIAL INSTRUCTIONS	COM FABRIC	Label: Wire Length	10.0000
		Channel 1	N
		Channel 2	N
GENERAL INFORMATION		Channel 3	N
Location	221ADA	Channel 4	N
Shade Configuration	Single, NonCoupled, NonBanded	Channel 5	N
Width	50.500		
Height	64.750		
Cord Position	R	PREPACK	
Mount Type	Outside Mount	SPECIAL INSTRUCTIONS	COM FABRIC
Mount Type 2	Wall Mount	Instl Bracket	2473017052T@2.0000
Operating System	Motorized	Instl Screw	RC450067@4.0000
		Screw Cover	2473080155T@2.0000
RAIL CUT		Washer Lbl	RC450068@4.0000
Bottomrail Type	RB500 Bottom Bar	Bracket Adapter	2473550952@1.0000
Bottomrail Color	0199	Bracket Cover	2473040155T@2.0000
Bottomrail	247011019921	Leveler	2473447060@1.0000
Bottomrail Color Over Opt	N	Leveling Bracket	@0.0000
Bottomrail Width	47.7500	Leveler Key	2473590000
Tube Width	48.5000	Side Channel Clip	2471630000@8.0000
Tube Size Label	62MM	Dry Contact Options	N
Motor Type Label	RTS3	Power Supply Option	N
UL Motor	YES	Sensor Options	N
Motor	QT506R	Switch	5CHSW
Motor Unit Quantity	1	Timer	N
Motor Unit PCN	1001809	Transmitter	N
Crown Drive Set	2473540000		
Plate 2	2473480003	UL MOTOR	
Side Channel Color	WHITE	Motor Description	506S2 Sonesse RTS
Side Channel Override	N	Motor UL	1001809
Side Channel Meas	60.0000	Production Model	RB500M
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	47.7500		
Fabric Drop Total	79.1198		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Plug In	1019543		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Plug In Length	10		

PTS Bar Code



132317383500023500242

Tube Cut Width



48.5000

Fab Cut Width



47.7500

BR Cut Width



47.7500

Fabric



350 INIF2598PG1

Special Messages:

*** UL MOTOR ***

*** SPECIAL INSTRUCTIONS ***

Quote Number: 13231738

Cust Reference: 99185

Line item: 2360

Total Line Qty: 1

Line Count : 236 OF 242



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		Switch Type	5CHSW
SPECIAL INSTRUCTIONS	COM FABRIC	Label: Wire Length	10.0000
		Channel 1	N
		Channel 2	N
GENERAL INFORMATION		Channel 3	N
Location	302ADA	Channel 4	N
Shade Configuration	Single, NonCoupled, NonBanded	Channel 5	N
Width	50.500		
Height	64.750		
Cord Position	R	PREPACK	
Mount Type	Outside Mount	SPECIAL INSTRUCTIONS	COM FABRIC
Mount Type 2	Wall Mount	Instl Bracket	2473017052T@2.0000
Operating System	Motorized	Instl Screw	RC450067@4.0000
		Screw Cover	2473080155T@2.0000
RAIL CUT		Washer Lbl	RC450068@4.0000
Bottomrail Type	RB500 Bottom Bar	Bracket Adapter	2473550952@1.0000
Bottomrail Color	0199	Bracket Cover	2473040155T@2.0000
Bottomrail	247011019921	Leveler	2473447060@1.0000
Bottomrail Color Over Opt	N	Leveling Bracket	@0.0000
Bottomrail Width	47.7500	Leveler Key	2473590000
Tube Width	48.5000	Side Channel Clip	2471630000@8.0000
Tube Size Label	62MM	Dry Contact Options	N
Motor Type Label	RTS3	Power Supply Option	N
UL Motor	YES	Sensor Options	N
Motor	QT506R	Switch	5CHSW
Motor Unit Quantity	1	Timer	N
Motor Unit PCN	1001809	Transmitter	N
Crown Drive Set	2473540000		
Plate 2	2473480003	UL MOTOR	
Side Channel Color	WHITE	Motor Description	506S2 Sonesse RTS
Side Channel Override	N	Motor UL	1001809
Side Channel Meas	60.0000	Production Model	RB500M
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	47.7500		
Fabric Drop Total	79.1198		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Plug In	1019543		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Plug In Length	10		

PTS Bar Code

132317383600023600242

Tube Cut Width

48.5000

Fab Cut Width

47.7500

BR Cut Width

47.7500

Fabric

360 INIF2598PG1

Special Messages:

Quote Number: **13231738**

Cust Reference: 99185

Line item: 2370

Total Line Qty: 1

Line Count : 237 OF 242



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		Switch Type	5CHSW
SPECIAL INSTRUCTIONS	COM FABRIC	Label: Wire Length	10.0000
		Channel 1	N
		Channel 2	N
GENERAL INFORMATION		Channel 3	N
Location	321ADA	Channel 4	N
Shade Configuration	Single, NonCoupled, NonBanded	Channel 5	N
Width	50.250		
Height	64.500		
Cord Position	R	PREPACK	
Mount Type	Outside Mount	SPECIAL INSTRUCTIONS	COM FABRIC
Mount Type 2	Wall Mount	Instl Bracket	2473017052T@2.0000
Operating System	Motorized	Instl Screw	RC450067@4.0000
		Screw Cover	2473080155T@2.0000
RAIL CUT		Washer Lbl	RC450068@4.0000
Bottomrail Type	RB500 Bottom Bar	Bracket Adapter	2473550952@1.0000
Bottomrail Color	0199	Bracket Cover	2473040155T@2.0000
Bottomrail	247011019921	Leveler	2473447060@1.0000
Bottomrail Color Over Opt	N	Leveling Bracket	@0.0000
Bottomrail Width	47.5000	Leveler Key	2473590000
Tube Width	48.2500	Side Channel Clip	2471630000@8.0000
Tube Size Label	62MM	Dry Contact Options	N
Motor Type Label	RTS3	Power Supply Option	N
UL Motor	YES	Sensor Options	N
Motor	QT506R	Switch	5CHSW
Motor Unit Quantity	1	Timer	N
Motor Unit PCN	1001809	Transmitter	N
Crown Drive Set	2473540000		
Plate 2	2473480003	UL MOTOR	
Side Channel Color	WHITE	Motor Description	506S2 Sonesse RTS
Side Channel Override	N	Motor UL	1001809
Side Channel Meas	59.7500	Production Model	RB500M
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	47.5000		
Fabric Drop Total	78.8698		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Plug In	1019543		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Plug In Length	10		

PTS Bar Code



132317383700023700242

Tube Cut Width



48.2500

Fab Cut Width



47.5000

BR Cut Width



47.5000

Fabric



370 INIF2598PG1

Special Messages:

*** UL MOTOR ***

*** SPECIAL INSTRUCTIONS ***

Quote Number: 13231738

Cust Reference: 99185

Line item: 2380

Total Line Qty: 1

Line Count : 238 OF 242



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		Switch Type	5CHSW
SPECIAL INSTRUCTIONS	COM FABRIC	Label: Wire Length	10.0000
		Channel 1	N
GENERAL INFORMATION		Channel 2	N
Location	402ADA	Channel 3	N
Shade Configuration	Single, NonCoupled, NonBanded	Channel 4	N
Width	50.250	Channel 5	N
Height	64.250		
Cord Position	R	PREPACK	
Mount Type	Outside Mount	SPECIAL INSTRUCTIONS	COM FABRIC
Mount Type 2	Wall Mount	Instl Bracket	2473017052T@2.0000
Operating System	Motorized	Instl Screw	RC450067@4.0000
		Screw Cover	2473080155T@2.0000
RAIL CUT		Washer Lbl	RC450068@4.0000
Bottomrail Type	RB500 Bottom Bar	Bracket Adapter	2473550952@1.0000
Bottomrail Color	0199	Bracket Cover	2473040155T@2.0000
Bottomrail	247011019921	Leveler	2473447060@1.0000
Bottomrail Color Over Opt	N	Leveling Bracket	@0.0000
Bottomrail Width	47.5000	Leveler Key	2473590000
Tube Width	48.2500	Side Channel Clip	2471630000@8.0000
Tube Size Label	62MM	Dry Contact Options	N
Motor Type Label	RTS3	Power Supply Option	N
UL Motor	YES	Sensor Options	N
Motor	QT506R	Switch	5CHSW
Motor Unit Quantity	1	Timer	N
Motor Unit PCN	1001809	Transmitter	N
Crown Drive Set	2473540000		
Plate 2	2473480003	UL MOTOR	
Side Channel Color	WHITE	Motor Description	506S2 Sonesse RTS
Side Channel Override	N	Motor UL	1001809
Side Channel Meas	59.5000	Production Model	RB500M
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	47.5000		
Fabric Drop Total	78.6198		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Plug In	1019543		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Plug In Length	10		

PTS Bar Code



132317383800023800242

Tube Cut Width



48.2500

Fab Cut Width



47.5000

BR Cut Width



47.5000

Fabric



380 INIF2598PG1

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 2390

Total Line Qty: 1

Line Count : 239 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	LBYLEFT
Shade Configuration	Single, NonCoupled, NonBanded
Width	80.250
Height	73.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	78.2500
Tube Width	78.2500
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	006
Fabric PCN	1019645
Fabric Description	Bleecker 6%
Color Description	Steel
Fab Cut Width	78.2500
Fabric Drop Total	85.7385
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	110.6250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100952@1.0000
Installation Label	SAFETY100@3.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080952T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317383900023900242

Tube Cut Width



78.2500

Fab Cut Width



78.2500

BR Cut Width



78.2500

Fabric



390 1019645

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 2400

Total Line Qty: 1

Line Count : 240 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	LBYMID
Shade Configuration	Single, NonCoupled, NonBanded
Width	80.000
Height	73.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	78.0000
Tube Width	78.0000
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	006
Fabric PCN	1019645
Fabric Description	Bleecker 6%
Color Description	Steel
Fab Cut Width	78.0000
Fabric Drop Total	85.7385
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	110.6250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100952@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080952T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317384000024000242

Tube Cut Width



78.0000

Fab Cut Width



78.0000

BR Cut Width



78.0000

Fabric



400 1019645

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 2410

Total Line Qty: 1

Line Count : 241 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	LBYRIGHT
Shade Configuration	Single, NonCoupled, NonBanded
Width	80.500
Height	73.745
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	78.5000
Tube Width	78.5000
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	006
Fabric PCN	1019645
Fabric Description	Bleecker 6%
Color Description	Steel
Fab Cut Width	78.5000
Fabric Drop Total	85.7335
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	110.6175
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100952@1.0000
Installation Label	SAFETY100@3.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080952T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317384100024100242

Tube Cut Width



78.5000

Fab Cut Width



78.5000

BR Cut Width



78.5000

Fabric



410 1019645

Special Messages:



Quote Number: 13231738

Cust Reference: 99185

Line item: 2420

Total Line Qty: 1

Line Count : 242 OF 242



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	FITNESS
Shade Configuration	Single, NonCoupled, NonBanded
Width	50.625
Height	63.000
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	48.6250
Tube Width	48.6250
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	006
Fabric PCN	1019645
Fabric Description	Bleecker 6%
Color Description	Steel
Fab Cut Width	48.6250
Fabric Drop Total	74.9885
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	94.5000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100952@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080952T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132317384200024200242

Tube Cut Width



48.6250

Fab Cut Width



48.6250

BR Cut Width



48.6250

Fabric



420 1019645