

## Special Messages:

Quote Number: **13291000**Cust Reference: **PO# 100180**

Line item: 10

Total Line Qty: 1

Line Count : 1 OF 6

\*\*\* SPECIAL INSTRUCTIONS \*\*\*



Standard/Ground

## Hilton Supply Management

|                             |                               |                       |                    |
|-----------------------------|-------------------------------|-----------------------|--------------------|
| <b>SPECIAL INSTRUCTIONS</b> |                               | Installation Label    | SAFETY100@2.0000   |
| SPECIAL INSTRUCTIONS        | COM FABRIC                    |                       |                    |
| <b>GENERAL INFORMATION</b>  |                               | <b>PREPACK</b>        |                    |
| Location                    | ROOM 233                      | SPECIAL INSTRUCTIONS  | COM FABRIC         |
| Shade Configuration         | Single, NonCoupled, NonBanded | Install Bracket Label | 2478007052@1.0000  |
| Width                       | 58.750                        | Screws                | 4450000021@1.0000  |
| Height                      | 55.125                        | Instl Screw           | 2-70-9021@4.0000   |
| Cord Position               | R                             | Bracket Cover         | 2471100155T@2.0000 |
| Mount Type                  | Inside Mount                  | Chain Stop            | 2474180027         |
| Mount Type 2                | Ceiling Mount                 | <b>UL MOTOR</b>       |                    |
| Operating System            | Clutch Operated Std           | Production Model      | RB500CO            |
| <b>RAIL CUT</b>             |                               |                       |                    |
| Bottomrail Type             | RB500 Bottom Bar              |                       |                    |
| Bottomrail Color            | 0199                          |                       |                    |
| Bottomrail                  | 247011019921                  |                       |                    |
| Bottomrail Color Over Opt   | N                             |                       |                    |
| Bottomrail Width            | 56.3750                       |                       |                    |
| Tube Width                  | 57.1250                       |                       |                    |
| Tube Size Label             | 37MM                          |                       |                    |
| Side Channel Color          | BLACK                         |                       |                    |
| Side Channel Override       | N                             |                       |                    |
| Side Channel Meas           | 51.3750                       |                       |                    |
| Side Chnl Hole Loc 1        | 4.0000                        |                       |                    |
| Side Chnl Hole Loc 2        | 25.7500                       |                       |                    |
| Side Chnl Hole Loc 3        | 47.3750                       |                       |                    |
| PCN Side Channel            | 247012185821                  |                       |                    |
| Wool Pile Side              | 445010                        |                       |                    |
| Bo Side Chan Ec             | 2471691858                    |                       |                    |
| Sgl Sc Bo Ins Set           | 2471681858                    |                       |                    |
| <b>FABRIC CUT</b>           |                               |                       |                    |
| Front Shade Roll Dir        | Standard Roll                 |                       |                    |
| Fabric                      | SAMPLE3                       |                       |                    |
| Color                       | 0155                          |                       |                    |
| Fabric PCN                  | INIF2598PG1                   |                       |                    |
| Fabric Description          | Sheerweave Infinity2 5%       |                       |                    |
| Color Description           | Cotton                        |                       |                    |
| Fab Cut Width               | 56.3750                       |                       |                    |
| Fabric Drop Total           | 64.7106                       |                       |                    |
| Cut Method                  | CRUSH CUT                     |                       |                    |
| Sealing Tape Front          | N                             |                       |                    |
| <b>SHADE ASSY</b>           |                               |                       |                    |
| Bottomrail Type             | RB500 Bottom Bar              |                       |                    |
| Bottomrail End Cap          | 2471660155@2.0000             |                       |                    |
| Bottomrail Spline           | 2471780000                    |                       |                    |
| Chain Color                 | STAINLESS                     |                       |                    |
| Chain Length                | 82.6875                       |                       |                    |
| Chain                       | 2474180025                    |                       |                    |
| Chain Connector             | 1048513                       |                       |                    |
| Tensioner                   | 1049552@1.0000                |                       |                    |
| Clutch Type                 | STD                           |                       |                    |
| Clutch Assy                 | 94105388                      |                       |                    |
| Clutch Position             | R                             |                       |                    |
| Tube Bearing Plug           | 2471290952T@1.0000            |                       |                    |

PTS Bar Code



132910000100000100008

Tube Cut Width



57.1250

Fab Cut Width



56.3750

BR Cut Width



56.3750

Fabric



010 INIF2598PG1

## Special Messages:



Quote Number: 13291000

Cust Reference: PO# 100180

Line item: 20

Total Line Qty: 1

Line Count : 2 OF 6



Standard/Ground

## Hilton Supply Management

| GENERAL INFORMATION       |                               |
|---------------------------|-------------------------------|
| Location                  | ROOM 233                      |
| Shade Configuration       | Single, NonCoupled, NonBanded |
| Width                     | 60.750                        |
| Height                    | 63.375                        |
| Cord Position             | R                             |
| Mount Type                | Outside Mount                 |
| Mount Type 2              | Wall Mount                    |
| Operating System          | Clutch Operated Std           |
| RAIL CUT                  |                               |
| Bottomrail Type           | Fab Wrap Extrud Hem Bar       |
| Bottomrail Color          | 7052                          |
| Bottomrail                | 147RC7052                     |
| Bottomrail Color Over Opt | N                             |
| Bottomrail Width          | 59.2500                       |
| Tube Width                | 59.2500                       |
| Tube Size Label           | 37MM                          |
| FABRIC CUT                |                               |
| Front Shade Roll Dir      | Standard Roll                 |
| Fabric                    | BLEEC6                        |
| Color                     | 002                           |
| Fabric PCN                | 1019641                       |
| Fabric Description        | Bleecker 6%                   |
| Color Description         | White                         |
| Fab Cut Width             | 59.2500                       |
| Fabric Drop Total         | 72.8600                       |
| Cut Method                | CRUSH CUT                     |
| Sealing Tape Front        | N                             |
| SHADE ASSY                |                               |
| Bottomrail Type           | Fab Wrap Extrud Hem Bar       |
| Bottomrail End Cap        | 147RC443000@2.0000            |
| Chain Color               | STAINLESS                     |
| Chain Length              | 95.0625                       |
| Chain                     | 2474180025                    |
| Chain Connector           | 1048513                       |
| Tensioner                 | 1049552@1.0000                |
| Clutch Type               | STD                           |
| Clutch Assy               | 94105388                      |
| Clutch Position           | R                             |
| Tube Bearing Plug         | 2471290952T@1.0000            |
| Installation Label        | SAFETY100@2.0000              |
| PREPACK                   |                               |
| Install Bracket Label     | 2478007052@1.0000             |
| Screws                    | 4450000021@1.0000             |
| Instl Screw               | 2-70-9021@4.0000              |
| Bracket Cover             | 2471100952T@2.0000            |
| Chain Stop                | 2474180027                    |
| UL MOTOR                  |                               |
| Production Model          | RB500CO                       |

PTS Bar Code



132910000200000200008

Tube Cut Width



59.2500

Fab Cut Width



59.2500

BR Cut Width



59.2500

Fabric



020 1019641

## Special Messages:

Quote Number: **13291000**Cust Reference: **PO# 100180**

Line item: 30

Total Line Qty: 1

Line Count : 3 OF 6

\*\*\* SPECIAL INSTRUCTIONS \*\*\*



Standard/Ground

## Hilton Supply Management

|                             |                               |                       |                    |
|-----------------------------|-------------------------------|-----------------------|--------------------|
| <b>SPECIAL INSTRUCTIONS</b> |                               | Installation Label    | SAFETY100@2.0000   |
| SPECIAL INSTRUCTIONS        | COM FABRIC                    |                       |                    |
| <b>GENERAL INFORMATION</b>  |                               | <b>PREPACK</b>        |                    |
| Location                    | ROOM 333                      | SPECIAL INSTRUCTIONS  | COM FABRIC         |
| Shade Configuration         | Single, NonCoupled, NonBanded | Install Bracket Label | 2478007052@1.0000  |
| Width                       | 58.500                        | Screws                | 4450000021@1.0000  |
| Height                      | 55.375                        | Instl Screw           | 2-70-9021@4.0000   |
| Cord Position               | R                             | Bracket Cover         | 2471100155T@2.0000 |
| Mount Type                  | Inside Mount                  | Chain Stop            | 2474180027         |
| Mount Type 2                | Ceiling Mount                 | <b>UL MOTOR</b>       |                    |
| Operating System            | Clutch Operated Std           | Production Model      | RB500CO            |
| <b>RAIL CUT</b>             |                               |                       |                    |
| Bottomrail Type             | RB500 Bottom Bar              |                       |                    |
| Bottomrail Color            | 0199                          |                       |                    |
| Bottomrail                  | 247011019921                  |                       |                    |
| Bottomrail Color Over Opt   | N                             |                       |                    |
| Bottomrail Width            | 56.1250                       |                       |                    |
| Tube Width                  | 56.8750                       |                       |                    |
| Tube Size Label             | 37MM                          |                       |                    |
| Side Channel Color          | BLACK                         |                       |                    |
| Side Channel Override       | N                             |                       |                    |
| Side Channel Meas           | 51.6250                       |                       |                    |
| Side Chnl Hole Loc 1        | 4.0000                        |                       |                    |
| Side Chnl Hole Loc 2        | 25.8750                       |                       |                    |
| Side Chnl Hole Loc 3        | 47.6250                       |                       |                    |
| PCN Side Channel            | 247012185821                  |                       |                    |
| Wool Pile Side              | 445010                        |                       |                    |
| Bo Side Chan Ec             | 2471691858                    |                       |                    |
| Sgl Sc Bo Ins Set           | 2471681858                    |                       |                    |
| <b>FABRIC CUT</b>           |                               |                       |                    |
| Front Shade Roll Dir        | Standard Roll                 |                       |                    |
| Fabric                      | SAMPLE3                       |                       |                    |
| Color                       | 0155                          |                       |                    |
| Fabric PCN                  | INIF2598PG1                   |                       |                    |
| Fabric Description          | Sheerweave Infinity2 5%       |                       |                    |
| Color Description           | Cotton                        |                       |                    |
| Fab Cut Width               | 56.1250                       |                       |                    |
| Fabric Drop Total           | 64.9606                       |                       |                    |
| Cut Method                  | CRUSH CUT                     |                       |                    |
| Sealing Tape Front          | N                             |                       |                    |
| <b>SHADE ASSY</b>           |                               |                       |                    |
| Bottomrail Type             | RB500 Bottom Bar              |                       |                    |
| Bottomrail End Cap          | 2471660155@2.0000             |                       |                    |
| Bottomrail Spline           | 2471780000                    |                       |                    |
| Chain Color                 | STAINLESS                     |                       |                    |
| Chain Length                | 83.0625                       |                       |                    |
| Chain                       | 2474180025                    |                       |                    |
| Chain Connector             | 1048513                       |                       |                    |
| Tensioner                   | 1049552@1.0000                |                       |                    |
| Clutch Type                 | STD                           |                       |                    |
| Clutch Assy                 | 94105388                      |                       |                    |
| Clutch Position             | R                             |                       |                    |
| Tube Bearing Plug           | 2471290952T@1.0000            |                       |                    |

PTS Bar Code



132910000300000300008

Tube Cut Width



56.8750

Fab Cut Width



56.1250

BR Cut Width



56.1250

Fabric



030 INIF2598PG1

## Special Messages:



Quote Number: 13291000

Cust Reference: PO# 100180

Line item: 40

Total Line Qty: 1

Line Count : 4 OF 6



Standard/Ground

## Hilton Supply Management

| GENERAL INFORMATION       |                               |
|---------------------------|-------------------------------|
| Location                  | ROOM 333                      |
| Shade Configuration       | Single, NonCoupled, NonBanded |
| Width                     | 60.500                        |
| Height                    | 63.625                        |
| Cord Position             | R                             |
| Mount Type                | Outside Mount                 |
| Mount Type 2              | Wall Mount                    |
| Operating System          | Clutch Operated Std           |
| RAIL CUT                  |                               |
| Bottomrail Type           | Fab Wrap Extrud Hem Bar       |
| Bottomrail Color          | 7052                          |
| Bottomrail                | 147RC7052                     |
| Bottomrail Color Over Opt | N                             |
| Bottomrail Width          | 59.0000                       |
| Tube Width                | 59.0000                       |
| Tube Size Label           | 37MM                          |
| FABRIC CUT                |                               |
| Front Shade Roll Dir      | Standard Roll                 |
| Fabric                    | BLEEC6                        |
| Color                     | 002                           |
| Fabric PCN                | 1019641                       |
| Fabric Description        | Bleecker 6%                   |
| Color Description         | White                         |
| Fab Cut Width             | 59.0000                       |
| Fabric Drop Total         | 73.1100                       |
| Cut Method                | CRUSH CUT                     |
| Sealing Tape Front        | N                             |
| SHADE ASSY                |                               |
| Bottomrail Type           | Fab Wrap Extrud Hem Bar       |
| Bottomrail End Cap        | 147RC443000@2.0000            |
| Chain Color               | STAINLESS                     |
| Chain Length              | 95.4375                       |
| Chain                     | 2474180025                    |
| Chain Connector           | 1048513                       |
| Tensioner                 | 1049552@1.0000                |
| Clutch Type               | STD                           |
| Clutch Assy               | 94105388                      |
| Clutch Position           | R                             |
| Tube Bearing Plug         | 2471290952T@1.0000            |
| Installation Label        | SAFETY100@2.0000              |
| PREPACK                   |                               |
| Install Bracket Label     | 2478007052@1.0000             |
| Screws                    | 4450000021@1.0000             |
| Instl Screw               | 2-70-9021@4.0000              |
| Bracket Cover             | 2471100952T@2.0000            |
| Chain Stop                | 2474180027                    |
| UL MOTOR                  |                               |
| Production Model          | RB500CO                       |

PTS Bar Code



132910000400000400008

Tube Cut Width



59.0000

Fab Cut Width



59.0000

BR Cut Width



59.0000

Fabric



040 1019641

## Special Messages:

Quote Number: **13291000**Cust Reference: **PO# 100180**

Line item: 50

Total Line Qty: 1

Line Count : 5 OF 6

\*\*\* SPECIAL INSTRUCTIONS \*\*\*



Standard/Ground

## Hilton Supply Management

|                             |                               |                       |                    |
|-----------------------------|-------------------------------|-----------------------|--------------------|
| <b>SPECIAL INSTRUCTIONS</b> |                               | Installation Label    | SAFETY100@2.0000   |
| SPECIAL INSTRUCTIONS        | COM FABRIC                    |                       |                    |
| <b>GENERAL INFORMATION</b>  |                               | <b>PREPACK</b>        |                    |
| Location                    | ROOM 433                      | SPECIAL INSTRUCTIONS  | COM FABRIC         |
| Shade Configuration         | Single, NonCoupled, NonBanded | Install Bracket Label | 2478007052@1.0000  |
| Width                       | 58.875                        | Screws                | 4450000021@1.0000  |
| Height                      | 55.500                        | Instl Screw           | 2-70-9021@4.0000   |
| Cord Position               | R                             | Bracket Cover         | 2471100155T@2.0000 |
| Mount Type                  | Inside Mount                  | Chain Stop            | 2474180027         |
| Mount Type 2                | Ceiling Mount                 | <b>UL MOTOR</b>       |                    |
| Operating System            | Clutch Operated Std           | Production Model      | RB500CO            |
| <b>RAIL CUT</b>             |                               |                       |                    |
| Bottomrail Type             | RB500 Bottom Bar              |                       |                    |
| Bottomrail Color            | 0199                          |                       |                    |
| Bottomrail                  | 247011019921                  |                       |                    |
| Bottomrail Color Over Opt   | N                             |                       |                    |
| Bottomrail Width            | 56.5000                       |                       |                    |
| Tube Width                  | 57.2500                       |                       |                    |
| Tube Size Label             | 37MM                          |                       |                    |
| Side Channel Color          | BLACK                         |                       |                    |
| Side Channel Override       | N                             |                       |                    |
| Side Channel Meas           | 51.7500                       |                       |                    |
| Side Chnl Hole Loc 1        | 4.0000                        |                       |                    |
| Side Chnl Hole Loc 2        | 25.8750                       |                       |                    |
| Side Chnl Hole Loc 3        | 47.7500                       |                       |                    |
| PCN Side Channel            | 247012185821                  |                       |                    |
| Wool Pile Side              | 445010                        |                       |                    |
| Bo Side Chan Ec             | 2471691858                    |                       |                    |
| Sgl Sc Bo Ins Set           | 2471681858                    |                       |                    |
| <b>FABRIC CUT</b>           |                               |                       |                    |
| Front Shade Roll Dir        | Standard Roll                 |                       |                    |
| Fabric                      | SAMPLE3                       |                       |                    |
| Color                       | 0155                          |                       |                    |
| Fabric PCN                  | INIF2598PG1                   |                       |                    |
| Fabric Description          | Sheerweave Infinity2 5%       |                       |                    |
| Color Description           | Cotton                        |                       |                    |
| Fab Cut Width               | 56.5000                       |                       |                    |
| Fabric Drop Total           | 65.0856                       |                       |                    |
| Cut Method                  | CRUSH CUT                     |                       |                    |
| Sealing Tape Front          | N                             |                       |                    |
| <b>SHADE ASSY</b>           |                               |                       |                    |
| Bottomrail Type             | RB500 Bottom Bar              |                       |                    |
| Bottomrail End Cap          | 2471660155@2.0000             |                       |                    |
| Bottomrail Spline           | 2471780000                    |                       |                    |
| Chain Color                 | STAINLESS                     |                       |                    |
| Chain Length                | 83.2500                       |                       |                    |
| Chain                       | 2474180025                    |                       |                    |
| Chain Connector             | 1048513                       |                       |                    |
| Tensioner                   | 1049552@1.0000                |                       |                    |
| Clutch Type                 | STD                           |                       |                    |
| Clutch Assy                 | 94105388                      |                       |                    |
| Clutch Position             | R                             |                       |                    |
| Tube Bearing Plug           | 2471290952T@1.0000            |                       |                    |

PTS Bar Code



132910000500000500008

Tube Cut Width



57.2500

Fab Cut Width



56.5000

BR Cut Width



56.5000

Fabric



050 INIF2598PG1

## Special Messages:



Quote Number: 13291000

Cust Reference: PO# 100180

Line item: 60

Total Line Qty: 1

Line Count : 6 OF 6



## Standard/Ground

## Hilton Supply Management

| GENERAL INFORMATION       |                               |
|---------------------------|-------------------------------|
| Location                  | ROOM 433                      |
| Shade Configuration       | Single, NonCoupled, NonBanded |
| Width                     | 60.875                        |
| Height                    | 63.750                        |
| Cord Position             | R                             |
| Mount Type                | Outside Mount                 |
| Mount Type 2              | Wall Mount                    |
| Operating System          | Clutch Operated Std           |
| RAIL CUT                  |                               |
| Bottomrail Type           | Fab Wrap Extrud Hem Bar       |
| Bottomrail Color          | 7052                          |
| Bottomrail                | 147RC7052                     |
| Bottomrail Color Over Opt | N                             |
| Bottomrail Width          | 59.3750                       |
| Tube Width                | 59.3750                       |
| Tube Size Label           | 37MM                          |
| FABRIC CUT                |                               |
| Front Shade Roll Dir      | Standard Roll                 |
| Fabric                    | BLEEC6                        |
| Color                     | 002                           |
| Fabric PCN                | 1019641                       |
| Fabric Description        | Bleecker 6%                   |
| Color Description         | White                         |
| Fab Cut Width             | 59.3750                       |
| Fabric Drop Total         | 73.2350                       |
| Cut Method                | CRUSH CUT                     |
| Sealing Tape Front        | N                             |
| SHADE ASSY                |                               |
| Bottomrail Type           | Fab Wrap Extrud Hem Bar       |
| Bottomrail End Cap        | 147RC443000@2.0000            |
| Chain Color               | STAINLESS                     |
| Chain Length              | 95.6250                       |
| Chain                     | 2474180025                    |
| Chain Connector           | 1048513                       |
| Tensioner                 | 1049552@1.0000                |
| Clutch Type               | STD                           |
| Clutch Assy               | 94105388                      |
| Clutch Position           | R                             |
| Tube Bearing Plug         | 2471290952T@1.0000            |
| Installation Label        | SAFETY100@2.0000              |
| PREPACK                   |                               |
| Install Bracket Label     | 2478007052@1.0000             |
| Screws                    | 4450000021@1.0000             |
| Instl Screw               | 2-70-9021@4.0000              |
| Bracket Cover             | 2471100952T@2.0000            |
| Chain Stop                | 2474180027                    |
| UL MOTOR                  |                               |
| Production Model          | RB500CO                       |

PTS Bar Code



132910000600000600008

Tube Cut Width



59.3750

Fab Cut Width



59.3750

BR Cut Width



59.3750

Fabric



060 1019641