


Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 10

Total Line Qty: 1

Line Count : 1 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION	
Location	2ND ICE
Shade Configuration	Single, NonCoupled, NonBanded
Width	58.125
Height	101.625
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	56.1250
Tube Width	56.1250
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	001
Fabric PCN	1019640
Fabric Description	Bleecker 6%
Color Description	Concrete
Fab Cut Width	56.1250
Fabric Drop Total	113.6135
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	152.4375
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100952@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080952T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code		133618080100000100024
Tube Cut Width		56.1250
Fab Cut Width		56.1250

BR Cut Width		56.1250
Fabric		010 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 20

Total Line Qty: 1

Line Count : 2 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION	
Location	2ND POOL A
Shade Configuration	Single, NonCoupled, NonBanded
Width	52.125
Height	112.250
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	50.1250
Tube Width	50.1250
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	001
Fabric PCN	1019640
Fabric Description	Bleecker 6%
Color Description	Concrete
Fab Cut Width	50.1250
Fabric Drop Total	124.2385
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	168.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100952@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080952T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code		133618080200000200024
Tube Cut Width		50.1250
Fab Cut Width		50.1250

BR Cut Width		50.1250
Fabric		020 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 30

Total Line Qty: 1

Line Count : 3 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION	
Location	2ND POOL B
Shade Configuration	Single, NonCoupled, NonBanded
Width	87.375
Height	112.375
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	85.3750
Tube Width	85.3750
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	001
Fabric PCN	1019640
Fabric Description	Bleecker 6%
Color Description	Concrete
Fab Cut Width	85.3750
Fabric Drop Total	124.3635
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	168.5625
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100952@1.0000
Installation Label	SAFETY100@3.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080952T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code		133618080300000300024
Tube Cut Width		85.3750
Fab Cut Width		85.3750

BR Cut Width		85.3750
Fabric		030 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 40

Total Line Qty: 1

Line Count : 4 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION	
Location	2ND COR
Shade Configuration	Single, NonCoupled, NonBanded
Width	74.625
Height	112.625
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	72.6250
Tube Width	72.6250
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	001
Fabric PCN	1019640
Fabric Description	Bleecker 6%
Color Description	Concrete
Fab Cut Width	72.6250
Fabric Drop Total	124.6135
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	168.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100952@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080952T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code		133618080400000400024
Tube Cut Width		72.6250
Fab Cut Width		72.6250

BR Cut Width		72.6250
Fabric		040 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 50

Total Line Qty: 1

Line Count : 5 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION		Chain Stop	2474180027
Location	3RD ICE	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	57.500	UL MOTOR	
Height	84.000	Production Model	RB500CO
Top Treatment	Fascia White 4"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	55.5000		
Tube Width	55.5000		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	57.3750		
Fascia Punch Side	R		
Control Side	Crank Punch		
Chain Outlet	2473340155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	001		
Fabric PCN	1019640		
Fabric Description	Bleecker 6%		
Color Description	Concrete		
Fab Cut Width	55.5000		
Fabric Drop Total	95.9885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	126.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		

PTS Bar Code		13361808050000500024
Tube Cut Width		55.5000
Fab Cut Width		55.5000

BR Cut Width		55.5000
Fascia Cut Width		57.3750
Fabric		050 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 60

Total Line Qty: 1

Line Count : 6 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION		Chain Stop	2474180027
Location	3RD COR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	75.500	UL MOTOR	
Height	93.000	Production Model	RB500CO
Top Treatment	Fascia White 4"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	73.5000		
Tube Width	73.5000		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	75.3750		
Fascia Punch Side	R		
Control Side	Crank Punch		
Chain Outlet	2473340155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	001		
Fabric PCN	1019640		
Fabric Description	Bleecker 6%		
Color Description	Concrete		
Fab Cut Width	73.5000		
Fabric Drop Total	104.9885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	139.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		

PTS Bar Code		13361808060000600024
Tube Cut Width		73.5000
Fab Cut Width		73.5000

BR Cut Width		73.5000
Fascia Cut Width		75.3750
Fabric		060 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 70

Total Line Qty: 1

Line Count : 7 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION		Chain Stop	2474180027
Location	3RD POOL A	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	52.250	UL MOTOR	
Height	92.375	Production Model	RB500CO
Top Treatment	Fascia White 4"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	50.2500		
Tube Width	50.2500		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	52.1250		
Fascia Punch Side	R		
Control Side	Crank Punch		
Chain Outlet	2473340155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	001		
Fabric PCN	1019640		
Fabric Description	Bleecker 6%		
Color Description	Concrete		
Fab Cut Width	50.2500		
Fabric Drop Total	104.3635		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	138.5625		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		

PTS Bar Code		133618080700000700024
Tube Cut Width		50.2500
Fab Cut Width		50.2500

BR Cut Width		50.2500
Fascia Cut Width		52.1250
Fabric		070 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 80

Total Line Qty: 1

Line Count : 8 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION		Chain Stop	2474180027
Location	3RD POOL B	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	81.875	UL MOTOR	
Height	91.750	Production Model	RB500CO
Top Treatment	Fascia White 4"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	79.8750		
Tube Width	79.8750		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	81.7500		
Fascia Punch Side	R		
Control Side	Crank Punch		
Chain Outlet	2473340155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	001		
Fabric PCN	1019640		
Fabric Description	Bleecker 6%		
Color Description	Concrete		
Fab Cut Width	79.8750		
Fabric Drop Total	103.7385		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	137.6250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		

PTS Bar Code		133618080800000800024
Tube Cut Width		79.8750
Fab Cut Width		79.8750

BR Cut Width		79.8750
Fascia Cut Width		81.7500
Fabric		080 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 90

Total Line Qty: 1

Line Count : 9 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION		Chain Stop	2474180027
Location	3RD POOL C	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	52.000	UL MOTOR	
Height	92.250	Production Model	RB500CO
Top Treatment	Fascia White 4"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	50.0000		
Tube Width	50.0000		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	51.8750		
Fascia Punch Side	R		
Control Side	Crank Punch		
Chain Outlet	2473340155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	001		
Fabric PCN	1019640		
Fabric Description	Bleecker 6%		
Color Description	Concrete		
Fab Cut Width	50.0000		
Fabric Drop Total	104.2385		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	138.3750		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		

PTS Bar Code		133618080900000900024
Tube Cut Width		50.0000
Fab Cut Width		50.0000

BR Cut Width		50.0000
Fascia Cut Width		51.8750
Fabric		090 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 100

Total Line Qty: 1

Line Count : 10 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION		Chain Stop	2474180027
Location	4TH COR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	74.750	UL MOTOR	
Height	93.250	Production Model	RB500CO
Top Treatment	Fascia White 4"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	72.7500		
Tube Width	72.7500		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	74.6250		
Fascia Punch Side	R		
Control Side	Crank Punch		
Chain Outlet	2473340155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	001		
Fabric PCN	1019640		
Fabric Description	Bleecker 6%		
Color Description	Concrete		
Fab Cut Width	72.7500		
Fabric Drop Total	105.2385		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	139.8750		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		

PTS Bar Code		133618081000001000024
Tube Cut Width		72.7500
Fab Cut Width		72.7500

BR Cut Width		72.7500
Fascia Cut Width		74.6250
Fabric		100 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 110

Total Line Qty: 1

Line Count : 11 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION		Chain Stop	2474180027
Location	4TH POOL A	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	52.250	UL MOTOR	
Height	92.000	Production Model	RB500CO
Top Treatment	Fascia White 4"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	50.2500		
Tube Width	50.2500		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	52.1250		
Fascia Punch Side	R		
Control Side	Crank Punch		
Chain Outlet	2473340155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	001		
Fabric PCN	1019640		
Fabric Description	Bleecker 6%		
Color Description	Concrete		
Fab Cut Width	50.2500		
Fabric Drop Total	103.9885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	138.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		

PTS Bar Code		133618081100001100024
Tube Cut Width		50.2500
Fab Cut Width		50.2500

BR Cut Width		50.2500
Fascia Cut Width		52.1250
Fabric		110 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 120

Total Line Qty: 1

Line Count : 12 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION		Chain Stop	2474180027
Location	4TH POOL B	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	81.750	UL MOTOR	
Height	91.875	Production Model	RB500CO
Top Treatment	Fascia White 4"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	79.7500		
Tube Width	79.7500		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	81.6250		
Fascia Punch Side	R		
Control Side	Crank Punch		
Chain Outlet	2473340155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	001		
Fabric PCN	1019640		
Fabric Description	Bleecker 6%		
Color Description	Concrete		
Fab Cut Width	79.7500		
Fabric Drop Total	103.8635		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	137.8125		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		

PTS Bar Code		133618081200001200024
Tube Cut Width		79.7500
Fab Cut Width		79.7500

BR Cut Width		79.7500
Fascia Cut Width		81.6250
Fabric		120 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 130

Total Line Qty: 1

Line Count : 13 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION		Chain Stop	2474180027
Location	4TH POOL C	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	51.875	UL MOTOR	
Height	92.125	Production Model	RB500CO
Top Treatment	Fascia White 4"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	49.8750		
Tube Width	49.8750		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	51.7500		
Fascia Punch Side	R		
Control Side	Crank Punch		
Chain Outlet	2473340155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	001		
Fabric PCN	1019640		
Fabric Description	Bleecker 6%		
Color Description	Concrete		
Fab Cut Width	49.8750		
Fabric Drop Total	104.1135		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	138.1875		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		

PTS Bar Code		133618081300001300024
Tube Cut Width		49.8750
Fab Cut Width		49.8750

BR Cut Width		49.8750
Fascia Cut Width		51.7500
Fabric		130 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 140

Total Line Qty: 1

Line Count : 14 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION		Chain Stop	2474180027
Location	4TH ICE	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	57.750	UL MOTOR	
Height	67.000	Production Model	RB500CO
Top Treatment	Fascia White 4"		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	55.8750		
Tube Width	55.8750		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	57.2500		
Fascia Punch Side	R		
Chain Outlet	2473340155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	001		
Fabric PCN	1019640		
Fabric Description	Bleecker 6%		
Color Description	Concrete		
Fab Cut Width	55.8750		
Fabric Drop Total	78.9885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	100.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473500155@1.0000		

PTS Bar Code		133618081400001400024
Tube Cut Width		55.8750
Fab Cut Width		55.8750

BR Cut Width		55.8750
Fascia Cut Width		57.2500
Fabric		140 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 150

Total Line Qty: 1

Line Count : 15 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION		Chain Stop	2474180027
Location	5TH COR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	75.125	UL MOTOR	
Height	92.875	Production Model	RB500CO
Top Treatment	Fascia White 4"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	73.1250		
Tube Width	73.1250		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	75.0000		
Fascia Punch Side	R		
Control Side	Crank Punch		
Chain Outlet	2473340155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	001		
Fabric PCN	1019640		
Fabric Description	Bleecker 6%		
Color Description	Concrete		
Fab Cut Width	73.1250		
Fabric Drop Total	104.8635		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	139.3125		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		

PTS Bar Code		133618081500001500024
Tube Cut Width		73.1250
Fab Cut Width		73.1250

BR Cut Width		73.1250
Fascia Cut Width		75.0000
Fabric		150 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 160

Total Line Qty: 1

Line Count : 16 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION		Chain Stop	2474180027
Location	5TH ICE	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	57.875	UL MOTOR	
Height	66.375	Production Model	RB500CO
Top Treatment	Fascia White 4"		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	56.0000		
Tube Width	56.0000		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	57.3750		
Fascia Punch Side	R		
Chain Outlet	2473340155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	001		
Fabric PCN	1019640		
Fabric Description	Bleecker 6%		
Color Description	Concrete		
Fab Cut Width	56.0000		
Fabric Drop Total	78.3635		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	99.5625		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473500155@1.0000		

PTS Bar Code		133618081600001600024
Tube Cut Width		56.0000
Fab Cut Width		56.0000

BR Cut Width		56.0000
Fascia Cut Width		57.3750
Fabric		160 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 170

Total Line Qty: 1

Line Count : 17 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION		Chain Stop	2474180027
Location	5TH POOL A	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	51.875	UL MOTOR	
Height	91.125	Production Model	RB500CO
Top Treatment	Fascia White 4"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	49.8750		
Tube Width	49.8750		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	51.7500		
Fascia Punch Side	R		
Control Side	Crank Punch		
Chain Outlet	2473340155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	001		
Fabric PCN	1019640		
Fabric Description	Bleecker 6%		
Color Description	Concrete		
Fab Cut Width	49.8750		
Fabric Drop Total	103.1135		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	136.6875		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		

PTS Bar Code		133618081700001700024
Tube Cut Width		49.8750
Fab Cut Width		49.8750

BR Cut Width		49.8750
Fascia Cut Width		51.7500
Fabric		170 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 180

Total Line Qty: 1

Line Count : 18 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION		Chain Stop	2474180027
Location	5TH POOL B	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	81.750	UL MOTOR	
Height	90.875	Production Model	RB500CO
Top Treatment	Fascia White 4"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	79.7500		
Tube Width	79.7500		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	81.6250		
Fascia Punch Side	R		
Control Side	Crank Punch		
Chain Outlet	2473340155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	001		
Fabric PCN	1019640		
Fabric Description	Bleecker 6%		
Color Description	Concrete		
Fab Cut Width	79.7500		
Fabric Drop Total	102.8635		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	136.3125		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		

PTS Bar Code		133618081800001800024
Tube Cut Width		79.7500
Fab Cut Width		79.7500

BR Cut Width		79.7500
Fascia Cut Width		81.6250
Fabric		180 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 190

Total Line Qty: 1

Line Count : 19 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION		Chain Stop	2474180027
Location	5TH POOL C	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	52.000	UL MOTOR	
Height	90.875	Production Model	RB500CO
Top Treatment	Fascia White 4"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	50.0000		
Tube Width	50.0000		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	51.8750		
Fascia Punch Side	R		
Control Side	Crank Punch		
Chain Outlet	2473340155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	001		
Fabric PCN	1019640		
Fabric Description	Bleecker 6%		
Color Description	Concrete		
Fab Cut Width	50.0000		
Fabric Drop Total	102.8635		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	136.3125		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		

PTS Bar Code		133618081900001900024
Tube Cut Width		50.0000
Fab Cut Width		50.0000

BR Cut Width		50.0000
Fascia Cut Width		51.8750
Fabric		190 1019640

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 200

Total Line Qty: 1

Line Count : 20 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION	
Location	MEET A
Shade Configuration	Single, NonCoupled, NonBanded
Width	73.750
Height	102.000
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	71.7500
Tube Width	71.7500
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	71.7500
Fabric Drop Total	114.0010
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	153.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100952@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080952T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code		133618082000002000024
Tube Cut Width		71.7500
Fab Cut Width		71.7500

BR Cut Width		71.7500
Fabric		200 1019646

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 210

Total Line Qty: 1

Line Count : 21 OF 22



Standard/Ground


5 Star Interior Services Inc

GENERAL INFORMATION	
Location	MEET B
Shade Configuration	Single, NonCoupled, NonBanded
Width	46.125
Height	83.625
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	44.1250
Fabric Drop Total	95.6260
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	125.4375
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100952@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080952T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code		133618082100002100024
Tube Cut Width		44.1250
Fab Cut Width		44.1250

BR Cut Width		44.1250
Fabric		210 1019646

Special Messages:



Quote Number: **13361808**

Cust Reference: **Live Oak Cor**

Line item: 220

Total Line Qty: 1

Line Count : 22 OF 22



Standard/Ground

5 Star Interior Services Inc

GENERAL INFORMATION	
Location	MEET C
Shade Configuration	Single, NonCoupled, NonBanded
Width	46.000
Height	83.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.0000
Tube Width	44.0000
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	44.0000
Fabric Drop Total	95.5010
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	125.2500
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100952@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080952T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code		133618082200002200024
Tube Cut Width		44.0000
Fab Cut Width		44.0000

BR Cut Width		44.0000
Fabric		220 1019646