


Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 10

Total Line Qty: 1

Line Count : 1 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1519-1LR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	81.250	Battery Charger PCN	9025166@1
Height	116.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	R	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	78.3750		
Tube Width	79.6250		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	80.6250		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	79.6250		
Fabric Drop Total	128.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code		133676350100000100043
Tube Cut Width		79.6250
Fab Cut Width		79.6250

BR Cut Width		78.3750
Fascia Cut Width		80.6250
Fabric		010 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 20

Total Line Qty: 1

Line Count : 2 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1519-3LR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	80.875	Battery Charger PCN	9025166@1
Height	116.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	R	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	78.0000		
Tube Width	79.2500		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	80.2500		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	79.2500		
Fabric Drop Total	128.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code	
	133676350200000200043
Tube Cut Width	
	79.2500
Fab Cut Width	
	79.2500

BR Cut Width	
	78.0000
Fascia Cut Width	
	80.2500
Fabric	
	020 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 30

Total Line Qty: 1

Line Count : 3 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1519-5LR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	55.000	Battery Charger PCN	9025166@1
Height	116.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	R	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	52.1250		
Tube Width	53.3750		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	54.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	53.3750		
Fabric Drop Total	128.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code		133676350300000300043
Tube Cut Width		53.3750
Fab Cut Width		53.3750

BR Cut Width		52.1250
Fascia Cut Width		54.3750
Fabric		030 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 40

Total Line Qty: 1

Line Count : 4 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1519-1Q	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	81.000	Battery Charger PCN	9025166@1
Height	116.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	R	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	78.1250		
Tube Width	79.3750		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	80.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	79.3750		
Fabric Drop Total	128.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code		133676350400000400043
Tube Cut Width		79.3750
Fab Cut Width		79.3750

BR Cut Width		78.1250
Fascia Cut Width		80.3750
Fabric		040 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 50

Total Line Qty: 1

Line Count : 5 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1519-4Q	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	59.000	Battery Charger PCN	9025166@1
Height	116.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	R	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	56.1250		
Tube Width	57.3750		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	58.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	57.3750		
Fabric Drop Total	128.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code		133676350500000500043
Tube Cut Width		57.3750
Fab Cut Width		57.3750

BR Cut Width		56.1250
Fascia Cut Width		58.3750
Fabric		050 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 60

Total Line Qty: 1

Line Count : 6 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1519-6Q	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	81.000	Battery Charger PCN	9025166@1
Height	116.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	R	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	78.1250		
Tube Width	79.3750		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFO		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	80.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	79.3750		
Fabric Drop Total	128.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code		133676350600000600043
Tube Cut Width		79.3750
Fab Cut Width		79.3750

BR Cut Width		78.1250
Fascia Cut Width		80.3750
Fabric		060 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 70

Total Line Qty: 1

Line Count : 7 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1519-1KLR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	81.000	Battery Charger PCN	9025166@1
Height	116.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	R	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	78.1250		
Tube Width	79.3750		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	80.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	79.3750		
Fabric Drop Total	128.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code	
	133676350700000700043
Tube Cut Width	
	79.3750
Fab Cut Width	
	79.3750

BR Cut Width	
	78.1250
Fascia Cut Width	
	80.3750
Fabric	
	070 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 80

Total Line Qty: 1

Line Count : 8 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1519-3KLR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	43.000	Battery Charger PCN	9025166@1
Height	116.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	R	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	40.1250		
Tube Width	41.3750		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFO		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	42.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	41.3750		
Fabric Drop Total	128.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code		133676350800000800043
Tube Cut Width		41.3750
Fab Cut Width		41.3750

BR Cut Width		40.1250
Fascia Cut Width		42.3750
Fabric		080 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 90

Total Line Qty: 1

Line Count : 9 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1119-1LR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	79.375	Battery Charger PCN	9025166@1
Height	85.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	R	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	76.5000		
Tube Width	77.7500		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	78.7500		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	77.7500		
Fabric Drop Total	97.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code		133676350900000900043
Tube Cut Width		77.7500
Fab Cut Width		77.7500

BR Cut Width		76.5000
Fascia Cut Width		78.7500
Fabric		090 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 100

Total Line Qty: 1

Line Count : 10 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1119-2LR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	81.000	Battery Charger PCN	9025166@1
Height	85.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	R	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	78.1250		
Tube Width	79.3750		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFO		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	80.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	79.3750		
Fabric Drop Total	97.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code	
	133676351000001000043
Tube Cut Width	
	79.3750
Fab Cut Width	
	79.3750

BR Cut Width	
	78.1250
Fascia Cut Width	
	80.3750
Fabric	
	100 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 110

Total Line Qty: 1

Line Count : 11 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1119-3LR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	81.000	Battery Charger PCN	9025166@1
Height	85.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	R	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	78.1250		
Tube Width	79.3750		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFO		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	80.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	79.3750		
Fabric Drop Total	97.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code	
	133676351100001100043
Tube Cut Width	
	79.3750
Fab Cut Width	
	79.3750

BR Cut Width	
	78.1250
Fascia Cut Width	
	80.3750
Fabric	
	110 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 120

Total Line Qty: 1

Line Count : 12 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1119-4LR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	80.875	Battery Charger PCN	9025166@1
Height	85.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	R	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	78.0000		
Tube Width	79.2500		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	80.2500		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	79.2500		
Fabric Drop Total	97.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code	
	133676351200001200043
Tube Cut Width	
	79.2500
Fab Cut Width	
	79.2500

BR Cut Width	
	78.0000
Fascia Cut Width	
	80.2500
Fabric	
	120 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 130

Total Line Qty: 1

Line Count : 13 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1119-5LR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	81.000	Battery Charger PCN	9025166@1
Height	85.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	R	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	78.1250		
Tube Width	79.3750		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	80.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	79.3750		
Fabric Drop Total	97.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code		133676351300001300043
Tube Cut Width		79.3750
Fab Cut Width		79.3750

BR Cut Width		78.1250
Fascia Cut Width		80.3750
Fabric		130 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 140

Total Line Qty: 1

Line Count : 14 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1119-1BR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	80.875	Battery Charger PCN	9025166@1
Height	85.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	R	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	78.0000		
Tube Width	79.2500		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	80.2500		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	79.2500		
Fabric Drop Total	97.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code		133676351400001400043
Tube Cut Width		79.2500
Fab Cut Width		79.2500

BR Cut Width		78.0000
Fascia Cut Width		80.2500
Fabric		140 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 150

Total Line Qty: 1

Line Count : 15 OF 29



Standard/Ground

Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1119-2BR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	67.000	Battery Charger PCN	9025166@1
Height	85.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	R	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	64.1250		
Tube Width	65.3750		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	66.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	65.3750		
Fabric Drop Total	97.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code		133676351500001500043
Tube Cut Width		65.3750
Fab Cut Width		65.3750

BR Cut Width		64.1250
Fascia Cut Width		66.3750
Fabric		150 NB05300103

Special Messages:

SHIP BY GROUND IF USING LITHIU

Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 160

Total Line Qty: 1

Line Count : 16 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveling Bracket	@0.0000
Location	1119-3BR	Leveler Key	2471970000
Shade Configuration	Single, NonCoupled, NonBanded	Dry Contact Options	N
Width	29.000	Power Supply Option	RB
Height	85.000	Satellite battery pack	1019535@1
Top Treatment	Fascia White 3"	Battery Charger PCN	9025166@1
Cord Position	R	Sensor Options	N
Mount Type	Inside Mount	Switch	N
Mount Type 2	Ceiling Mount	Timer	N
Operating System	Motorized	Transmitter	N
RAIL CUT		UL MOTOR	
Bottomrail Type	Sealed Pocket with Weight	Production Model	RB500M
Bottomrail	RC44534021		
Bottomrail Width	26.0000		
Tube Width	27.2500		
Tube Size Label	37MM		
Motor Type Label	RTS3		
Motor	R28		
Motor Unit Quantity	1		
Motor Unit PCN	1026826		
Crown	CROWN		
Crown Drive Set	9020699		
Fascia Type	Fascia White 3"		
Fascia 1	247005019921		
Fascia Cut Width	28.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	27.2500		
Fabric Drop Total	94.5227		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2471290952T@1.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Brkt 2 Lbl	2471477052SL@1.0000		
Fascia Brkt Lbl	2478347052R@1.0000		
Bracket Cover	2471430155@1.0000		
Leveler	2471967060@1.0000		

PTS Bar Code	
	133676351600001600043
Tube Cut Width	
	27.2500
Fab Cut Width	
	27.2500

BR Cut Width	
	26.0000
Fascia Cut Width	
	28.3750
Fabric	
	160 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 170

Total Line Qty: 1

Line Count : 17 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1119-4BR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	58.875	Battery Charger PCN	9025166@1
Height	85.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	R	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	56.0000		
Tube Width	57.2500		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	58.2500		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	57.2500		
Fabric Drop Total	97.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code		133676351700001700043
Tube Cut Width		57.2500
Fab Cut Width		57.2500

BR Cut Width		56.0000
Fascia Cut Width		58.2500
Fabric		170 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 180

Total Line Qty: 1

Line Count : 18 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1119-5BR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	81.000	Battery Charger PCN	9025166@1
Height	85.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	R	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	78.1250		
Tube Width	79.3750		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFO		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	80.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	79.3750		
Fabric Drop Total	97.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code		133676351800001800043
Tube Cut Width		79.3750
Fab Cut Width		79.3750

BR Cut Width		78.1250
Fascia Cut Width		80.3750
Fabric		180 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 190

Total Line Qty: 1

Line Count : 19 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1519-2LR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	81.000	Battery Charger PCN	9025166@1
Height	116.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	L	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	78.1250		
Tube Width	79.3750		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	80.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	79.3750		
Fabric Drop Total	128.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code		133676351900001900043
Tube Cut Width		79.3750
Fab Cut Width		79.3750

BR Cut Width		78.1250
Fascia Cut Width		80.3750
Fabric		190 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 200

Total Line Qty: 1

Line Count : 20 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1519-4LR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	81.125	Battery Charger PCN	9025166@1
Height	116.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	L	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	78.2500		
Tube Width	79.5000		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	80.5000		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	79.5000		
Fabric Drop Total	128.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code		133676352000002000043
Tube Cut Width		79.5000
Fab Cut Width		79.5000

BR Cut Width		78.2500
Fascia Cut Width		80.5000
Fabric		200 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 210

Total Line Qty: 1

Line Count : 21 OF 29



Standard/Ground

Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1519-2Q	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	89.250	Battery Charger PCN	9025166@1
Height	116.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	L	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	86.3750		
Tube Width	87.6250		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	88.6250		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	87.6250		
Fabric Drop Total	128.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code	
	133676352100002100043
Tube Cut Width	
	87.6250
Fab Cut Width	
	87.6250

BR Cut Width	
	86.3750
Fascia Cut Width	
	88.6250
Fabric	
	210 NB05300103

Special Messages:

SHIP BY GROUND IF USING LITHIU

Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 220

Total Line Qty: 1

Line Count : 22 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Power Supply Option	RB
Location	1519-3Q	Satellite battery pack	1019535@1
Shade Configuration	Single, NonCoupled, NonBanded	Battery Charger PCN	9025166@1
Width	29.250	Sensor Options	N
Height	116.000	Switch	N
Cord Position	L	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount		
Operating System	Motorized	UL MOTOR	
		Production Model	RB500M
RAIL CUT			
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	26.2500		
Tube Width	27.5000		
Tube Size Label	37MM		
Motor Type Label	RTS3		
Motor	R28		
Motor Unit Quantity	1		
Motor Unit PCN	1026826		
Crown	CROWN		
Crown Drive Set	9020699		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	27.5000		
Fabric Drop Total	125.5227		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2471290952T@1.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Install Bracket Label	2478017052@1.0000		
Instl Brkt 2 Lbl	2471947052T@1.0000		
Instl Screw	2-70-9021@4.0000		
Bracket Cover	2471120952T@2.0000		
Leveler	2471967060@1.0000		
Leveling Bracket	@0.0000		
Leveler Key	2471970000		
Dry Contact Options	N		

PTS Bar Code		133676352200002200043
Tube Cut Width		27.5000
Fab Cut Width		27.5000

BR Cut Width		26.2500
Fabric		220 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 230

Total Line Qty: 1

Line Count : 23 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1519-5Q	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	81.000	Battery Charger PCN	9025166@1
Height	116.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	L	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	78.1250		
Tube Width	79.3750		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	80.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	79.3750		
Fabric Drop Total	128.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code	
	133676352300002300043
Tube Cut Width	
	79.3750
Fab Cut Width	
	79.3750

BR Cut Width	
	78.1250
Fascia Cut Width	
	80.3750
Fabric	
	230 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 240

Total Line Qty: 1

Line Count : 24 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1519-2QB	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	80.875	Battery Charger PCN	9025166@1
Height	116.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	L	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	78.0000		
Tube Width	79.2500		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	80.2500		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	79.2500		
Fabric Drop Total	128.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code	
	133676352400002400043
Tube Cut Width	
	79.2500
Fab Cut Width	
	79.2500

BR Cut Width	
	78.0000
Fascia Cut Width	
	80.2500
Fabric	
	240 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 250

Total Line Qty: 1

Line Count : 25 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1519-2LR	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	59.000	Battery Charger PCN	9025166@1
Height	116.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	L	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	56.1250		
Tube Width	57.3750		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	58.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	57.3750		
Fabric Drop Total	128.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code	
	133676352500002500043
Tube Cut Width	
	57.3750
Fab Cut Width	
	57.3750

BR Cut Width	
	56.1250
Fascia Cut Width	
	58.3750
Fabric	
	250 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 260

Total Line Qty: 1

Line Count : 26 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1519-6LRK	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	41.750	Battery Charger PCN	9025166@1
Height	116.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	L	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	38.8750		
Tube Width	40.1250		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFO		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	41.1250		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	40.1250		
Fabric Drop Total	128.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code	
	133676352600002600043
Tube Cut Width	
	40.1250
Fab Cut Width	
	40.1250

BR Cut Width	
	38.8750
Fascia Cut Width	
	41.1250
Fabric	
	260 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 270

Total Line Qty: 1

Line Count : 27 OF 29



Standard/Ground


Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1519-7LRK	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	81.000	Battery Charger PCN	9025166@1
Height	116.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	L	Timer	N
Mount Type	Inside Mount	Transmitter	N
Mount Type 2	Ceiling Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	78.1250		
Tube Width	79.3750		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	80.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	79.3750		
Fabric Drop Total	128.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code		133676352700002700043
Tube Cut Width		79.3750
Fab Cut Width		79.3750

BR Cut Width		78.1250
Fascia Cut Width		80.3750
Fabric		270 NB05300103

Special Messages:



Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 280

Total Line Qty: 1

Line Count : 28 OF 29



Standard/Ground

Marietta Drapery/Window Covers

GENERAL INFORMATION		Leveler Key	2473590000
Location	1519-1KB	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Power Supply Option	N
Width	54.000	Battery Charger PCN	9025166@1
Height	91.000	Sensor Options	N
Top Treatment	Fascia White 4"	Switch	N
Cord Position	R	Timer	N
Mount Type	Outside Mount	Transmitter	N
Mount Type 2	Wall Mount	Extension Cable PCN	9021131@1
Operating System	Motorized		
		UL MOTOR	
RAIL CUT		Production Model	RB500M
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	51.2500		
Tube Width	52.5000		
Tube Size Label	50MM		
Motor Type Label	RTS3		
Motor	ST40WFU		
Motor Unit Quantity	1		
Motor Unit PCN	1015359		
Crown Drive Set	9014574		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	53.5000		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	52.5000		
Fabric Drop Total	103.0262		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		
Bracket Cover	2473300155@1.0000		
Leveler	2473447060@1.0000		

PTS Bar Code		133676352800002800043
Tube Cut Width		52.5000
Fab Cut Width		52.5000

BR Cut Width		51.2500
Fascia Cut Width		53.5000
Fabric		280 NB05300103

Special Messages:

SHIP BY GROUND IF USING LITHIU

Quote Number: **13367635**

Cust Reference: **PO#317275 JW**

Line item: 290

Total Line Qty: 1

Line Count : 29 OF 29



Standard/Ground

Marietta Drapery/Window Covers

GENERAL INFORMATION		Power Supply Option	RB
Location	1519-4KLR	Satellite battery pack	1019535@1
Shade Configuration	Single, NonCoupled, NonBanded	Battery Charger PCN	9025166@1
Width	29.500	Sensor Options	N
Height	116.000	Switch	N
Cord Position	L	Timer	N
Mount Type	Outside Mount	Transmitter	N
Mount Type 2	Wall Mount		
Operating System	Motorized	UL MOTOR	
		Production Model	RB500M
RAIL CUT			
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	26.6250		
Tube Width	27.8750		
Tube Size Label	37MM		
Motor Type Label	RTS3		
Motor	R28		
Motor Unit Quantity	1		
Motor Unit PCN	1026826		
Crown	CROWN		
Crown Drive Set	9020699		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA5		
Color	003		
Fabric PCN	NB05300103		
Fabric Description	GlacierScreen Plus 5% Basket		
Color Description	White/Pearl		
Fab Cut Width	27.8750		
Fabric Drop Total	125.5227		
Cut Method	CRUSH CUT		
Weld Time Front	6.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Tube Bearing Plug	2471290952T@1.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Install Bracket Label	2478017052@1.0000		
Instl Brkt 2 Lbl	2471947052T@1.0000		
Instl Screw	2-70-9021@4.0000		
Bracket Cover	2471120952T@2.0000		
Leveler	2471967060@1.0000		
Leveling Bracket	@0.0000		
Leveler Key	2471970000		
Dry Contact Options	N		

PTS Bar Code		133676352900002900043
Tube Cut Width		27.8750
Fab Cut Width		27.8750

BR Cut Width		26.6250
Fabric		290 NB05300103