


Special Messages:



Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 10

Total Line Qty: 1

Line Count : 1 OF 22



Standard/Ground


Liv Hospitality

GENERAL INFORMATION		Chain Color	STAINLESS
Location	602	Chain Length	82.1250
Shade Configuration	Single, NonCoupled, NonBanded	Chain	2474180025
Width	77.250	Chain Connector	1048513
Height	54.750	Tensioner	1049552@1.0000
Top Treatment	Blockout White 3"	Clutch Type	STD
Cord Position	R	Clutch Assy	94105388
Mount Type	Inside Mount	Clutch Position	R
Mount Type 2	Ceiling Mount	Tube Bearing Plug	2471290952T@1.0000
Operating System	Clutch Operated Std	Installation Label	SAFETY100@2.0000
RAIL CUT		PREPACK	
Bottomrail Type	RB500 Bottom Bar	Fascia Brkt Lbl	2478347052R@1.0000
Bottomrail Color	0199	Mounting Clip	2471400199@4.0000
Bottomrail	247011019921	Screws	4450000021@1.0000
Bottomrail Color Over Opt	N	Bracket Cover	2471420155@1.0000
Wool Pile Btm	50018745BKGP	Chain Stop	2474180027
Bottomrail Width	74.8750	UL MOTOR	
Tube Width	75.6250	Production Model	RB500CO
Tube Size Label	37MM		
Fascia Type	Blockout White 3"		
Fascia 1	247005019921		
Fascia Cut Width	76.6250		
Fascia Punch Side	R		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	76.5000		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	51.0000		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	25.5000		
Side Chnl Hole Loc 3	47.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	74.8750		
Fabric Drop Total	64.1345		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		

PTS Bar Code		133688280100000100024
Tube Cut Width		75.6250
Fab Cut Width		74.8750

BR Cut Width		74.8750
Fascia Cut Width		76.6250
Fabric		010 DP4115203

Special Messages:



Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 20

Total Line Qty: 1

Line Count : 2 OF 22



Standard/Ground


Liv Hospitality

GENERAL INFORMATION		Chain Color	STAINLESS
Location	604	Chain Length	82.5000
Shade Configuration	Single, NonCoupled, NonBanded	Chain	2474180025
Width	77.375	Chain Connector	1048513
Height	55.000	Tensioner	1049552@1.0000
Top Treatment	Blockout White 3"	Clutch Type	STD
Cord Position	L	Clutch Assy	94105388
Mount Type	Inside Mount	Clutch Position	L
Mount Type 2	Ceiling Mount	Tube Bearing Plug	2471290952T@1.0000
Operating System	Clutch Operated Std	Installation Label	SAFETY100@2.0000
RAIL CUT		PREPACK	
Bottomrail Type	RB500 Bottom Bar	Fascia Brkt Lbl	2478347052L@1.0000
Bottomrail Color	0199	Mounting Clip	2471400199@4.0000
Bottomrail	247011019921	Screws	4450000021@1.0000
Bottomrail Color Over Opt	N	Bracket Cover	2471420155@1.0000
Wool Pile Btm	50018745BKGP	Chain Stop	2474180027
Bottomrail Width	75.0000	UL MOTOR	
Tube Width	75.7500	Production Model	RB500CO
Tube Size Label	37MM		
Fascia Type	Blockout White 3"		
Fascia 1	247005019921		
Fascia Cut Width	76.7500		
Fascia Punch Side	L		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	76.6250		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	51.2500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	25.6250		
Side Chnl Hole Loc 3	47.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	75.0000		
Fabric Drop Total	64.3845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		

PTS Bar Code	
	13368828020000200024
Tube Cut Width	
	75.7500
Fab Cut Width	
	75.0000

BR Cut Width	
	75.0000
Fascia Cut Width	
	76.7500
Fabric	
	020 DP4115203

Special Messages:



Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 30

Total Line Qty: 1

Line Count : 3 OF 22



Standard/Ground


Liv Hospitality

GENERAL INFORMATION		Chain Color	STAINLESS
Location	605	Chain Length	82.8750
Shade Configuration	Single, NonCoupled, NonBanded	Chain	2474180025
Width	77.125	Chain Connector	1048513
Height	55.250	Tensioner	1049552@1.0000
Top Treatment	Blockout White 3"	Clutch Type	STD
Cord Position	R	Clutch Assy	94105388
Mount Type	Inside Mount	Clutch Position	R
Mount Type 2	Ceiling Mount	Tube Bearing Plug	2471290952T@1.0000
Operating System	Clutch Operated Std	Installation Label	SAFETY100@2.0000
RAIL CUT		PREPACK	
Bottomrail Type	RB500 Bottom Bar	Fascia Brkt Lbl	2478347052R@1.0000
Bottomrail Color	0199	Mounting Clip	2471400199@4.0000
Bottomrail	247011019921	Screws	4450000021@1.0000
Bottomrail Color Over Opt	N	Bracket Cover	2471420155@1.0000
Wool Pile Btm	50018745BKGP	Chain Stop	2474180027
Bottomrail Width	74.7500		
Tube Width	75.5000	UL MOTOR	
Tube Size Label	37MM	Production Model	RB500CO
Fascia Type	Blockout White 3"		
Fascia 1	247005019921		
Fascia Cut Width	76.5000		
Fascia Punch Side	R		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	76.3750		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	51.5000		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	25.7500		
Side Chnl Hole Loc 3	47.5000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	74.7500		
Fabric Drop Total	64.6345		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		

PTS Bar Code		133688280300000300024
Tube Cut Width		75.5000
Fab Cut Width		74.7500

BR Cut Width		74.7500
Fascia Cut Width		76.5000
Fabric		030 DP4115203

Special Messages:



Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 40

Total Line Qty: 1

Line Count : 4 OF 22



Standard/Ground


Liv Hospitality

GENERAL INFORMATION		Chain Color	STAINLESS
Location	606	Chain Length	82.5000
Shade Configuration	Single, NonCoupled, NonBanded	Chain	2474180025
Width	77.375	Chain Connector	1048513
Height	55.000	Tensioner	1049552@1.0000
Top Treatment	Blockout White 3"	Clutch Type	STD
Cord Position	R	Clutch Assy	94105388
Mount Type	Inside Mount	Clutch Position	R
Mount Type 2	Ceiling Mount	Tube Bearing Plug	2471290952T@1.0000
Operating System	Clutch Operated Std	Installation Label	SAFETY100@2.0000
RAIL CUT		PREPACK	
Bottomrail Type	RB500 Bottom Bar	Fascia Brkt Lbl	2478347052R@1.0000
Bottomrail Color	0199	Mounting Clip	2471400199@4.0000
Bottomrail	247011019921	Screws	4450000021@1.0000
Bottomrail Color Over Opt	N	Bracket Cover	2471420155@1.0000
Wool Pile Btm	50018745BKGP	Chain Stop	2474180027
Bottomrail Width	75.0000	UL MOTOR	
Tube Width	75.7500	Production Model	RB500CO
Tube Size Label	37MM		
Fascia Type	Blockout White 3"		
Fascia 1	247005019921		
Fascia Cut Width	76.7500		
Fascia Punch Side	R		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	76.6250		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	51.2500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	25.6250		
Side Chnl Hole Loc 3	47.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	75.0000		
Fabric Drop Total	64.3845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		

PTS Bar Code	
	133688280400000400024
Tube Cut Width	
	75.7500
Fab Cut Width	
	75.0000

BR Cut Width	
	75.0000
Fascia Cut Width	
	76.7500
Fabric	
	040 DP4115203

Special Messages:



Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 50

Total Line Qty: 1

Line Count : 5 OF 22



Standard/Ground


Liv Hospitality

GENERAL INFORMATION		Chain Color	STAINLESS
Location	607	Chain Length	82.5000
Shade Configuration	Single, NonCoupled, NonBanded	Chain	2474180025
Width	77.250	Chain Connector	1048513
Height	55.000	Tensioner	1049552@1.0000
Top Treatment	Blockout White 3"	Clutch Type	STD
Cord Position	L	Clutch Assy	94105388
Mount Type	Inside Mount	Clutch Position	L
Mount Type 2	Ceiling Mount	Tube Bearing Plug	2471290952T@1.0000
Operating System	Clutch Operated Std	Installation Label	SAFETY100@2.0000
RAIL CUT		PREPACK	
Bottomrail Type	RB500 Bottom Bar	Fascia Brkt Lbl	2478347052L@1.0000
Bottomrail Color	0199	Mounting Clip	2471400199@4.0000
Bottomrail	247011019921	Screws	4450000021@1.0000
Bottomrail Color Over Opt	N	Bracket Cover	2471420155@1.0000
Wool Pile Btm	50018745BKGP	Chain Stop	2474180027
Bottomrail Width	74.8750	UL MOTOR	
Tube Width	75.6250	Production Model	RB500CO
Tube Size Label	37MM		
Fascia Type	Blockout White 3"		
Fascia 1	247005019921		
Fascia Cut Width	76.6250		
Fascia Punch Side	L		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	76.5000		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	51.2500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	25.6250		
Side Chnl Hole Loc 3	47.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	74.8750		
Fabric Drop Total	64.3845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		

PTS Bar Code		133688280500000500024
Tube Cut Width		75.6250
Fab Cut Width		74.8750

BR Cut Width		74.8750
Fascia Cut Width		76.6250
Fabric		050 DP4115203

Special Messages:



Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 60

Total Line Qty: 1

Line Count : 6 OF 22



Standard/Ground


Liv Hospitality

GENERAL INFORMATION		Chain Color	STAINLESS
Location	609	Chain Length	82.3125
Shade Configuration	Single, NonCoupled, NonBanded	Chain	2474180025
Width	77.375	Chain Connector	1048513
Height	54.875	Tensioner	1049552@1.0000
Top Treatment	Blockout White 3"	Clutch Type	STD
Cord Position	L	Clutch Assy	94105388
Mount Type	Inside Mount	Clutch Position	L
Mount Type 2	Ceiling Mount	Tube Bearing Plug	2471290952T@1.0000
Operating System	Clutch Operated Std	Installation Label	SAFETY100@2.0000
RAIL CUT		PREPACK	
Bottomrail Type	RB500 Bottom Bar	Fascia Brkt Lbl	2478347052L@1.0000
Bottomrail Color	0199	Mounting Clip	2471400199@4.0000
Bottomrail	247011019921	Screws	4450000021@1.0000
Bottomrail Color Over Opt	N	Bracket Cover	2471420155@1.0000
Wool Pile Btm	50018745BKGP	Chain Stop	2474180027
Bottomrail Width	75.0000	UL MOTOR	
Tube Width	75.7500	Production Model	RB500CO
Tube Size Label	37MM		
Fascia Type	Blockout White 3"		
Fascia 1	247005019921		
Fascia Cut Width	76.7500		
Fascia Punch Side	L		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	76.6250		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	51.1250		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	25.6250		
Side Chnl Hole Loc 3	47.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	75.0000		
Fabric Drop Total	64.2595		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		

PTS Bar Code	
	133688280600000600024
Tube Cut Width	
	75.7500
Fab Cut Width	
	75.0000

BR Cut Width	
	75.0000
Fascia Cut Width	
	76.7500
Fabric	
	060 DP4115203

Special Messages:



Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 70

Total Line Qty: 1

Line Count : 7 OF 22



Standard/Ground


Liv Hospitality

GENERAL INFORMATION		Chain Color	STAINLESS
Location	611	Chain Length	82.6875
Shade Configuration	Single, NonCoupled, NonBanded	Chain	2474180025
Width	77.375	Chain Connector	1048513
Height	55.125	Tensioner	1049552@1.0000
Top Treatment	Blockout White 3"	Clutch Type	STD
Cord Position	R	Clutch Assy	94105388
Mount Type	Inside Mount	Clutch Position	R
Mount Type 2	Ceiling Mount	Tube Bearing Plug	2471290952T@1.0000
Operating System	Clutch Operated Std	Installation Label	SAFETY100@2.0000
RAIL CUT		PREPACK	
Bottomrail Type	RB500 Bottom Bar	Fascia Brkt Lbl	2478347052R@1.0000
Bottomrail Color	0199	Mounting Clip	2471400199@4.0000
Bottomrail	247011019921	Screws	4450000021@1.0000
Bottomrail Color Over Opt	N	Bracket Cover	2471420155@1.0000
Wool Pile Btm	50018745BKGP	Chain Stop	2474180027
Bottomrail Width	75.0000		
Tube Width	75.7500	UL MOTOR	
Tube Size Label	37MM	Production Model	RB500CO
Fascia Type	Blockout White 3"		
Fascia 1	247005019921		
Fascia Cut Width	76.7500		
Fascia Punch Side	R		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	76.6250		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	51.3750		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	25.7500		
Side Chnl Hole Loc 3	47.3750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	75.0000		
Fabric Drop Total	64.5095		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		

PTS Bar Code		133688280700000700024
Tube Cut Width		75.7500
Fab Cut Width		75.0000

BR Cut Width		75.0000
Fascia Cut Width		76.7500
Fabric		070 DP4115203

Special Messages:



Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 80

Total Line Qty: 1

Line Count : 8 OF 22



Standard/Ground


Liv Hospitality

GENERAL INFORMATION		Chain Color	STAINLESS
Location	612A	Chain Length	82.3125
Shade Configuration	Single, NonCoupled, NonBanded	Chain	2474180025
Width	77.375	Chain Connector	1048513
Height	54.875	Tensioner	1049552@1.0000
Top Treatment	Blockout White 3"	Clutch Type	STD
Cord Position	R	Clutch Assy	94105388
Mount Type	Inside Mount	Clutch Position	R
Mount Type 2	Ceiling Mount	Tube Bearing Plug	2471290952T@1.0000
Operating System	Clutch Operated Std	Installation Label	SAFETY100@2.0000
RAIL CUT		PREPACK	
Bottomrail Type	RB500 Bottom Bar	Fascia Brkt Lbl	2478347052R@1.0000
Bottomrail Color	0199	Mounting Clip	2471400199@4.0000
Bottomrail	247011019921	Screws	4450000021@1.0000
Bottomrail Color Over Opt	N	Bracket Cover	2471420155@1.0000
Wool Pile Btm	50018745BKGP	Chain Stop	2474180027
Bottomrail Width	75.0000	UL MOTOR	
Tube Width	75.7500	Production Model	RB500CO
Tube Size Label	37MM		
Fascia Type	Blockout White 3"		
Fascia 1	247005019921		
Fascia Cut Width	76.7500		
Fascia Punch Side	R		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	76.6250		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	51.1250		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	25.6250		
Side Chnl Hole Loc 3	47.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	75.0000		
Fabric Drop Total	64.2595		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		

PTS Bar Code	
	133688280800000800024
Tube Cut Width	
	75.7500
Fab Cut Width	
	75.0000

BR Cut Width	
	75.0000
Fascia Cut Width	
	76.7500
Fabric	
	080 DP4115203

Special Messages:



Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 90

Total Line Qty: 1

Line Count : 9 OF 22



Standard/Ground


Liv Hospitality

GENERAL INFORMATION		Chain Color	STAINLESS
Location	612B	Chain Length	81.9375
Shade Configuration	Single, NonCoupled, NonBanded	Chain	2474180025
Width	77.125	Chain Connector	1048513
Height	54.625	Tensioner	1049552@1.0000
Top Treatment	Blockout White 3"	Clutch Type	STD
Cord Position	R	Clutch Assy	94105388
Mount Type	Inside Mount	Clutch Position	R
Mount Type 2	Ceiling Mount	Tube Bearing Plug	2471290952T@1.0000
Operating System	Clutch Operated Std	Installation Label	SAFETY100@2.0000
RAIL CUT		PREPACK	
Bottomrail Type	RB500 Bottom Bar	Fascia Brkt Lbl	2478347052R@1.0000
Bottomrail Color	0199	Mounting Clip	2471400199@4.0000
Bottomrail	247011019921	Screws	4450000021@1.0000
Bottomrail Color Over Opt	N	Bracket Cover	2471420155@1.0000
Wool Pile Btm	50018745BKGP	Chain Stop	2474180027
Bottomrail Width	74.7500		
Tube Width	75.5000	UL MOTOR	
Tube Size Label	37MM	Production Model	RB500CO
Fascia Type	Blockout White 3"		
Fascia 1	247005019921		
Fascia Cut Width	76.5000		
Fascia Punch Side	R		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	76.3750		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	50.8750		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	25.5000		
Side Chnl Hole Loc 3	46.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	74.7500		
Fabric Drop Total	64.0095		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		

PTS Bar Code		133688280900000900024
Tube Cut Width		75.5000
Fab Cut Width		74.7500

BR Cut Width		74.7500
Fascia Cut Width		76.5000
Fabric		090 DP4115203

Special Messages:



Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 100

Total Line Qty: 1

Line Count : 10 OF 22



Standard/Ground


Liv Hospitality

GENERAL INFORMATION		Chain Color	STAINLESS
Location	615	Chain Length	82.1250
Shade Configuration	Single, NonCoupled, NonBanded	Chain	2474180025
Width	77.500	Chain Connector	1048513
Height	54.750	Tensioner	1049552@1.0000
Top Treatment	Blockout White 3"	Clutch Type	STD
Cord Position	L	Clutch Assy	94105388
Mount Type	Inside Mount	Clutch Position	L
Mount Type 2	Ceiling Mount	Tube Bearing Plug	2471290952T@1.0000
Operating System	Clutch Operated Std	Installation Label	SAFETY100@2.0000
RAIL CUT		PREPACK	
Bottomrail Type	RB500 Bottom Bar	Fascia Brkt Lbl	2478347052L@1.0000
Bottomrail Color	0199	Mounting Clip	2471400199@4.0000
Bottomrail	247011019921	Screws	4450000021@1.0000
Bottomrail Color Over Opt	N	Bracket Cover	2471420155@1.0000
Wool Pile Btm	50018745BKGP	Chain Stop	2474180027
Bottomrail Width	75.1250		
Tube Width	75.8750	UL MOTOR	
Tube Size Label	37MM	Production Model	RB500CO
Fascia Type	Blockout White 3"		
Fascia 1	247005019921		
Fascia Cut Width	76.8750		
Fascia Punch Side	L		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	76.7500		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	51.0000		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	25.5000		
Side Chnl Hole Loc 3	47.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	75.1250		
Fabric Drop Total	64.1345		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		

PTS Bar Code		133688281000001000024
Tube Cut Width		75.8750
Fab Cut Width		75.1250

BR Cut Width		75.1250
Fascia Cut Width		76.8750
Fabric		100 DP4115203

Special Messages:



Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 110

Total Line Qty: 1

Line Count : 11 OF 22



Standard/Ground


Liv Hospitality

GENERAL INFORMATION		Chain Color	STAINLESS
Location	616	Chain Length	82.8750
Shade Configuration	Single, NonCoupled, NonBanded	Chain	2474180025
Width	77.250	Chain Connector	1048513
Height	55.250	Tensioner	1049552@1.0000
Top Treatment	Blockout White 3"	Clutch Type	STD
Cord Position	L	Clutch Assy	94105388
Mount Type	Inside Mount	Clutch Position	L
Mount Type 2	Ceiling Mount	Tube Bearing Plug	2471290952T@1.0000
Operating System	Clutch Operated Std	Installation Label	SAFETY100@2.0000
RAIL CUT		PREPACK	
Bottomrail Type	RB500 Bottom Bar	Fascia Brkt Lbl	2478347052L@1.0000
Bottomrail Color	0199	Mounting Clip	2471400199@4.0000
Bottomrail	247011019921	Screws	4450000021@1.0000
Bottomrail Color Over Opt	N	Bracket Cover	2471420155@1.0000
Wool Pile Btm	50018745BKGP	Chain Stop	2474180027
Bottomrail Width	74.8750	UL MOTOR	
Tube Width	75.6250	Production Model	RB500CO
Tube Size Label	37MM		
Fascia Type	Blockout White 3"		
Fascia 1	247005019921		
Fascia Cut Width	76.6250		
Fascia Punch Side	L		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	76.5000		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	51.5000		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	25.7500		
Side Chnl Hole Loc 3	47.5000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	74.8750		
Fabric Drop Total	64.6345		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		

PTS Bar Code	
	133688281100001100024
Tube Cut Width	
	75.6250
Fab Cut Width	
	74.8750

BR Cut Width	
	74.8750
Fascia Cut Width	
	76.6250
Fabric	
	110 DP4115203

Special Messages:



Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 120

Total Line Qty: 1

Line Count : 12 OF 22



Standard/Ground


Liv Hospitality

GENERAL INFORMATION		Chain Color	STAINLESS
Location	620A	Chain Length	76.8750
Shade Configuration	Single, NonCoupled, NonBanded	Chain	2474180025
Width	68.875	Chain Connector	1048513
Height	51.250	Tensioner	1049552@1.0000
Top Treatment	Blockout White 3"	Clutch Type	STD
Cord Position	R	Clutch Assy	94105388
Mount Type	Inside Mount	Clutch Position	R
Mount Type 2	Ceiling Mount	Tube Bearing Plug	2471290952T@1.0000
Operating System	Clutch Operated Std	Installation Label	SAFETY100@2.0000
RAIL CUT		PREPACK	
Bottomrail Type	RB500 Bottom Bar	Fascia Brkt Lbl	2478347052R@1.0000
Bottomrail Color	0199	Mounting Clip	2471400199@3.0000
Bottomrail	247011019921	Screws	4450000021@1.0000
Bottomrail Color Over Opt	N	Bracket Cover	2471420155@1.0000
Wool Pile Btm	50018745BKGP	Chain Stop	2474180027
Bottomrail Width	66.5000		
Tube Width	67.2500	UL MOTOR	
Tube Size Label	37MM	Production Model	RB500CO
Fascia Type	Blockout White 3"		
Fascia 1	247005019921		
Fascia Cut Width	68.2500		
Fascia Punch Side	R		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	68.1250		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	47.5000		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	23.7500		
Side Chnl Hole Loc 3	43.5000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	66.5000		
Fabric Drop Total	60.6345		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		

PTS Bar Code		133688281200001200024
Tube Cut Width		67.2500
Fab Cut Width		66.5000

BR Cut Width		66.5000
Fascia Cut Width		68.2500
Fabric		120 DP4115203

Special Messages:



Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 130

Total Line Qty: 1

Line Count : 13 OF 22



Standard/Ground


Liv Hospitality

GENERAL INFORMATION		Chain Color	STAINLESS
Location	620B	Chain Length	77.0625
Shade Configuration	Single, NonCoupled, NonBanded	Chain	2474180025
Width	68.750	Chain Connector	1048513
Height	51.375	Tensioner	1049552@1.0000
Top Treatment	Blockout White 3"	Clutch Type	STD
Cord Position	L	Clutch Assy	94105388
Mount Type	Inside Mount	Clutch Position	L
Mount Type 2	Ceiling Mount	Tube Bearing Plug	2471290952T@1.0000
Operating System	Clutch Operated Std	Installation Label	SAFETY100@2.0000
RAIL CUT		PREPACK	
Bottomrail Type	RB500 Bottom Bar	Fascia Brkt Lbl	2478347052L@1.0000
Bottomrail Color	0199	Mounting Clip	2471400199@3.0000
Bottomrail	247011019921	Screws	4450000021@1.0000
Bottomrail Color Over Opt	N	Bracket Cover	2471420155@1.0000
Wool Pile Btm	50018745BKGP	Chain Stop	2474180027
Bottomrail Width	66.3750		
Tube Width	67.1250	UL MOTOR	
Tube Size Label	37MM	Production Model	RB500CO
Fascia Type	Blockout White 3"		
Fascia 1	247005019921		
Fascia Cut Width	68.1250		
Fascia Punch Side	L		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	68.0000		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	47.6250		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	23.8750		
Side Chnl Hole Loc 3	43.6250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	66.3750		
Fabric Drop Total	60.7595		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		

PTS Bar Code		133688281300001300024
Tube Cut Width		67.1250
Fab Cut Width		66.3750

BR Cut Width		66.3750
Fascia Cut Width		68.1250
Fabric		130 DP4115203

Special Messages:



Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 140

Total Line Qty: 1

Line Count : 14 OF 22



Standard/Ground

Liv Hospitality

GENERAL INFORMATION		Chain Color	STAINLESS
Location	622A	Chain Length	77.0625
Shade Configuration	Single, NonCoupled, NonBanded	Chain	2474180025
Width	56.750	Chain Connector	1048513
Height	51.375	Tensioner	1049552@1.0000
Top Treatment	Blockout White 3"	Clutch Type	STD
Cord Position	R	Clutch Assy	94105388
Mount Type	Inside Mount	Clutch Position	R
Mount Type 2	Ceiling Mount	Tube Bearing Plug	2471290952T@1.0000
Operating System	Clutch Operated Std	Installation Label	SAFETY100@2.0000
RAIL CUT		PREPACK	
Bottomrail Type	RB500 Bottom Bar	Fascia Brkt Lbl	2478347052R@1.0000
Bottomrail Color	0199	Mounting Clip	2471400199@3.0000
Bottomrail	247011019921	Screws	4450000021@1.0000
Bottomrail Color Over Opt	N	Bracket Cover	2471420155@1.0000
Wool Pile Btm	50018745BKGP	Chain Stop	2474180027
Bottomrail Width	54.3750		
Tube Width	55.1250	UL MOTOR	
Tube Size Label	37MM	Production Model	RB500CO
Fascia Type	Blockout White 3"		
Fascia 1	247005019921		
Fascia Cut Width	56.1250		
Fascia Punch Side	R		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	56.0000		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	47.6250		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	23.8750		
Side Chnl Hole Loc 3	43.6250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	54.3750		
Fabric Drop Total	60.7595		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		

PTS Bar Code		133688281400001400024
Tube Cut Width		55.1250
Fab Cut Width		54.3750

BR Cut Width		54.3750
Fascia Cut Width		56.1250
Fabric		140 DP4115203

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 150

Total Line Qty: 1

Line Count : 15 OF 22



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	619
Shade Configuration	Single, NonCoupled, NonBanded
Width	77.000
Height	55.250
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	RB500 Bottom Bar
Bottomrail Color	0199
Bottomrail	247011019921
Bottomrail Color Over Opt	N
Bottomrail Width	75.5000
Tube Width	75.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	75.5000
Fabric Drop Total	64.6471
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	RB500 Bottom Bar
Bottomrail End Cap	2471660155@2.0000
Bottomrail Spline	2471780000
Chain Color	STAINLESS
Chain Length	82.8750
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code	
	133688281500001500024
Tube Cut Width	
	75.5000
Fab Cut Width	
	75.5000

BR Cut Width	
	75.5000
Fabric	
	150 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 160

Total Line Qty: 1

Line Count : 16 OF 22



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	620A
Shade Configuration	Single, NonCoupled, NonBanded
Width	77.125
Height	55.250
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	RB500 Bottom Bar
Bottomrail Color	0199
Bottomrail	247011019921
Bottomrail Color Over Opt	N
Bottomrail Width	75.6250
Tube Width	75.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	75.6250
Fabric Drop Total	64.6471
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	RB500 Bottom Bar
Bottomrail End Cap	2471660155@2.0000
Bottomrail Spline	2471780000
Chain Color	STAINLESS
Chain Length	82.8750
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code	
	133688281600001600024
Tube Cut Width	
	75.6250
Fab Cut Width	
	75.6250

BR Cut Width	
	75.6250
Fabric	
	160 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 170

Total Line Qty: 1

Line Count : 17 OF 22



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	620B
Shade Configuration	Single, NonCoupled, NonBanded
Width	77.125
Height	55.000
Cord Position	L
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	RB500 Bottom Bar
Bottomrail Color	0199
Bottomrail	247011019921
Bottomrail Color Over Opt	N
Bottomrail Width	75.6250
Tube Width	75.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	75.6250
Fabric Drop Total	64.3971
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	RB500 Bottom Bar
Bottomrail End Cap	2471660155@2.0000
Bottomrail Spline	2471780000
Chain Color	STAINLESS
Chain Length	82.5000
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code	
	133688281700001700024
Tube Cut Width	
	75.6250
Fab Cut Width	
	75.6250

BR Cut Width	
	75.6250
Fabric	
	170 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 180

Total Line Qty: 1

Line Count : 18 OF 22



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	622B
Shade Configuration	Single, NonCoupled, NonBanded
Width	39.250
Height	54.750
Cord Position	L
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	RB500 Bottom Bar
Bottomrail Color	0199
Bottomrail	247011019921
Bottomrail Color Over Opt	N
Bottomrail Width	37.7500
Tube Width	37.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	37.7500
Fabric Drop Total	64.1471
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	RB500 Bottom Bar
Bottomrail End Cap	2471660155@2.0000
Bottomrail Spline	2471780000
Chain Color	STAINLESS
Chain Length	82.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code	
	133688281800001800024
Tube Cut Width	
	37.7500
Fab Cut Width	
	37.7500

BR Cut Width	
	37.7500
Fabric	
	180 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 190

Total Line Qty: 1

Line Count : 19 OF 22



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	622A
Shade Configuration	Single, NonCoupled, NonBanded
Width	65.375
Height	54.750
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	RB500 Bottom Bar
Bottomrail Color	0199
Bottomrail	247011019921
Bottomrail Color Over Opt	N
Bottomrail Width	63.8750
Tube Width	63.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	63.8750
Fabric Drop Total	64.1471
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	RB500 Bottom Bar
Bottomrail End Cap	2471660155@2.0000
Bottomrail Spline	2471780000
Chain Color	STAINLESS
Chain Length	82.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code		133688281900001900024
Tube Cut Width		63.8750
Fab Cut Width		63.8750

BR Cut Width		63.8750
Fabric		190 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 200

Total Line Qty: 1

Line Count : 20 OF 22



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	623B
Shade Configuration	Single, NonCoupled, NonBanded
Width	77.250
Height	54.625
Cord Position	L
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	RB500 Bottom Bar
Bottomrail Color	0199
Bottomrail	247011019921
Bottomrail Color Over Opt	N
Bottomrail Width	75.7500
Tube Width	75.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	75.7500
Fabric Drop Total	64.0221
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	RB500 Bottom Bar
Bottomrail End Cap	2471660155@2.0000
Bottomrail Spline	2471780000
Chain Color	STAINLESS
Chain Length	81.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code		133688282000002000024
Tube Cut Width		75.7500
Fab Cut Width		75.7500

BR Cut Width		75.7500
Fabric		200 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 210

Total Line Qty: 1

Line Count : 21 OF 22



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	624A
Shade Configuration	Single, NonCoupled, NonBanded
Width	77.375
Height	54.750
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	RB500 Bottom Bar
Bottomrail Color	0199
Bottomrail	247011019921
Bottomrail Color Over Opt	N
Bottomrail Width	75.8750
Tube Width	75.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	75.8750
Fabric Drop Total	64.1471
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	RB500 Bottom Bar
Bottomrail End Cap	2471660155@2.0000
Bottomrail Spline	2471780000
Chain Color	STAINLESS
Chain Length	82.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code		133688282100002100024
Tube Cut Width		75.8750
Fab Cut Width		75.8750

BR Cut Width		75.8750
Fabric		210 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: **13368828**

Cust Reference: **PO#2024438-A**

Line item: 220

Total Line Qty: 1

Line Count : 22 OF 22



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	624B
Shade Configuration	Single, NonCoupled, NonBanded
Width	47.250
Height	54.875
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	RB500 Bottom Bar
Bottomrail Color	0199
Bottomrail	247011019921
Bottomrail Color Over Opt	N
Bottomrail Width	45.7500
Tube Width	45.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	45.7500
Fabric Drop Total	64.2721
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	RB500 Bottom Bar
Bottomrail End Cap	2471660155@2.0000
Bottomrail Spline	2471780000
Chain Color	STAINLESS
Chain Length	82.3125
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code	
	133688282200002200024
Tube Cut Width	
	45.7500
Fab Cut Width	
	45.7500

BR Cut Width	
	45.7500
Fabric	
	220 FL10194