

Special Messages:

*** UL MOTOR ***

*** SPECIAL INSTRUCTIONS ***

Quote Number: **13391058**

Cust Reference: **H2S Lebanon**

Line item: 10

Total Line Qty: 1

Line Count : 1 OF 6



Standard/Ground

ADM Associates

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	INCLUDE BOTTOM BAR WOOL PILE
SPECIAL INSTRUCTIONS	INCLUDE BOTTOM BAR WOOL PILE	SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Instl Bracket	2473017052T@2.0000
		Instl Screw	RC450067@4.0000
GENERAL INFORMATION		Screw Cover	2473080155T@2.0000
Location	ROOM 220	Washer Lbl	RC450068@4.0000
Shade Configuration	Single, NonCoupled, NonBanded	Bracket Adapter	2473550952@1.0000
Width	86.875	Bracket Cover	2473040155T@2.0000
Height	80.250	Leveler	2473447060@1.0000
Cord Position	R	Leveling Bracket	@0.0000
Mount Type	Outside Mount	Leveler Key	2473590000
Mount Type 2	Wall Mount	Dry Contact Options	N
Operating System	Motorized	Power Supply Option	N
		Sensor Options	N
RAIL CUT		Switch	5CHSW
Bottomrail Type	RB500 Bottom Bar	Timer	N
Bottomrail Color	0199	Transmitter	N
Bottomrail	247011019921	Cable Type	3 CONDUCTOR
Bottomrail Color Over Opt	N	Quick Disconnect Female	9020259
Bottomrail Width	84.8750	Quick Disconnect Male	9020258
Tube Width	84.8750		
Tube Size Label	62MM	UL MOTOR	
Motor Type Label	RTS3	Motor Description	506S2 Sonesse RTS
UL Motor	YES	Motor UL	1001809
Motor	QT506R	Production Model	RB500M
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	84.8750		
Fabric Drop Total	94.6198		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Switch Type	5CHSW		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			

PTS Bar Code	
	133910580100000100008
Tube Cut Width	
	84.8750
Fab Cut Width	
	84.8750

BR Cut Width	
	84.8750
Fabric	
	010 INIF2598PG1

Special Messages:

*** UL MOTOR ***

Quote Number: **13391058**

Cust Reference: **H2S Lebanon**

Line item: 20

Total Line Qty: 1

Line Count : 2 OF 6



Standard/Ground

ADM Associates

GENERAL INFORMATION		Leveler	2473447060@1.0000
Location	ROOM 220	Leveling Bracket	@0.0000
Shade Configuration	Single, NonCoupled, NonBanded	Leveler Key	2473590000
Width	71.000	Dry Contact Options	N
Height	72.000	Power Supply Option	N
Cord Position	R	Sensor Options	N
Mount Type	Inside Mount	Switch	N
Mount Type 2	Ceiling Mount	Timer	N
Operating System	Motorized	Transmitter	N
		Cable Type	3 CONDUCTOR
RAIL CUT		Quick Disconnect Female	9020259
Bottomrail Type	Fab Wrap Extrud Hem Bar	Quick Disconnect Male	9020258
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	68.8750	Motor UL	1001809
Tube Width	68.8750	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fab Cut Width	68.8750		
Fabric Drop Total	86.2692		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Tube Bearing Plug	2473110952@1.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		
Washer Lbl	RC450068@4.0000		
Bracket Adapter	2473550952@1.0000		
Bracket Cover	2473040952T@2.0000		

PTS Bar Code		133910580200000200008
Tube Cut Width		68.8750
Fab Cut Width		68.8750

BR Cut Width		68.8750
Fabric		020 1019641

Special Messages:

*** UL MOTOR ***

*** SPECIAL INSTRUCTIONS ***

Quote Number: **13391058**

Cust Reference: **H2S Lebanon**

Line item: 30

Total Line Qty: 1

Line Count : 3 OF 6



Standard/Ground

ADM Associates

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	INCLUDE BOTTOM BAR WOOL PILE
SPECIAL INSTRUCTIONS	INCLUDE BOTTOM BAR WOOL PILE	SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Instl Bracket	2473017052T@2.0000
		Instl Screw	RC450067@4.0000
GENERAL INFORMATION		Screw Cover	2473080155T@2.0000
Location	ROOM 221A	Washer Lbl	RC450068@4.0000
Shade Configuration	Single, NonCoupled, NonBanded	Bracket Adapter	2473550952@1.0000
Width	87.125	Bracket Cover	2473040155T@2.0000
Height	80.250	Leveler	2473447060@1.0000
Cord Position	R	Leveling Bracket	@0.0000
Mount Type	Outside Mount	Leveler Key	2473590000
Mount Type 2	Wall Mount	Dry Contact Options	N
Operating System	Motorized	Power Supply Option	N
		Sensor Options	N
RAIL CUT		Switch	5CHSW
Bottomrail Type	RB500 Bottom Bar	Timer	N
Bottomrail Color	0199	Transmitter	N
Bottomrail	247011019921	Cable Type	3 CONDUCTOR
Bottomrail Color Over Opt	N	Quick Disconnect Female	9020259
Bottomrail Width	85.1250	Quick Disconnect Male	9020258
Tube Width	85.1250		
Tube Size Label	62MM	UL MOTOR	
Motor Type Label	RTS3	Motor Description	506S2 Sonesse RTS
UL Motor	YES	Motor UL	1001809
Motor	QT506R	Production Model	RB500M
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	85.1250		
Fabric Drop Total	94.6198		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Switch Type	5CHSW		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			

PTS Bar Code	
	133910580300000300008
Tube Cut Width	
	85.1250
Fab Cut Width	
	85.1250

BR Cut Width	
	85.1250
Fabric	
	030 INIF2598PG1

Special Messages:

*** UL MOTOR ***

Quote Number: **13391058**

Cust Reference: **H2S Lebanon**

Line item: 40

Total Line Qty: 1

Line Count : 4 OF 6



Standard/Ground

ADM Associates

GENERAL INFORMATION		Leveler	2473447060@1.0000
Location	ROOM 221A	Leveling Bracket	@0.0000
Shade Configuration	Single, NonCoupled, NonBanded	Leveler Key	2473590000
Width	71.250	Dry Contact Options	N
Height	72.000	Power Supply Option	N
Cord Position	R	Sensor Options	N
Mount Type	Inside Mount	Switch	N
Mount Type 2	Ceiling Mount	Timer	N
Operating System	Motorized	Transmitter	N
		Cable Type	3 CONDUCTOR
RAIL CUT		Quick Disconnect Female	9020259
Bottomrail Type	Fab Wrap Extrud Hem Bar	Quick Disconnect Male	9020258
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	69.1250	Motor UL	1001809
Tube Width	69.1250	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fab Cut Width	69.1250		
Fabric Drop Total	86.2692		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Tube Bearing Plug	2473110952@1.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		
Washer Lbl	RC450068@4.0000		
Bracket Adapter	2473550952@1.0000		
Bracket Cover	2473040952T@2.0000		

PTS Bar Code	
	133910580400000400008
Tube Cut Width	
	69.1250
Fab Cut Width	
	69.1250

BR Cut Width	
	69.1250
Fabric	
	040 1019641

Special Messages:

*** UL MOTOR ***

*** SPECIAL INSTRUCTIONS ***

Quote Number: **13391058**

Cust Reference: **H2S Lebanon**

Line item: 50

Total Line Qty: 1

Line Count : 5 OF 6



Standard/Ground

ADM Associates

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	INCLUDE BOTTOM BAR WOOL PILE
SPECIAL INSTRUCTIONS	INCLUDE BOTTOM BAR WOOL PILE	SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Instl Bracket	2473017052T@2.0000
		Instl Screw	RC450067@4.0000
GENERAL INFORMATION		Screw Cover	2473080155T@2.0000
Location	ROOM 221B	Washer Lbl	RC450068@4.0000
Shade Configuration	Single, NonCoupled, NonBanded	Bracket Adapter	2473550952@1.0000
Width	87.125	Bracket Cover	2473040155T@2.0000
Height	80.250	Leveler	2473447060@1.0000
Cord Position	R	Leveling Bracket	@0.0000
Mount Type	Outside Mount	Leveler Key	2473590000
Mount Type 2	Wall Mount	Dry Contact Options	N
Operating System	Motorized	Power Supply Option	N
		Sensor Options	N
RAIL CUT		Switch	5CHSW
Bottomrail Type	RB500 Bottom Bar	Timer	N
Bottomrail Color	0199	Transmitter	N
Bottomrail	247011019921	Cable Type	3 CONDUCTOR
Bottomrail Color Over Opt	N	Quick Disconnect Female	9020259
Bottomrail Width	85.1250	Quick Disconnect Male	9020258
Tube Width	85.1250		
Tube Size Label	62MM	UL MOTOR	
Motor Type Label	RTS3	Motor Description	506S2 Sonesse RTS
UL Motor	YES	Motor UL	1001809
Motor	QT506R	Production Model	RB500M
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	85.1250		
Fabric Drop Total	94.6198		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Switch Type	5CHSW		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			

PTS Bar Code		133910580500000500008
Tube Cut Width		85.1250
Fab Cut Width		85.1250

BR Cut Width		85.1250
Fabric		050 INIF2598PG1

Special Messages:

*** UL MOTOR ***

Quote Number: **13391058**

Cust Reference: **H2S Lebanon**

Line item: 60

Total Line Qty: 1

Line Count : 6 OF 6



Standard/Ground

ADM Associates

GENERAL INFORMATION		Leveler	2473447060@1.0000
Location	ROOM 221B	Leveling Bracket	@0.0000
Shade Configuration	Single, NonCoupled, NonBanded	Leveler Key	2473590000
Width	71.250	Dry Contact Options	N
Height	72.000	Power Supply Option	N
Cord Position	R	Sensor Options	N
Mount Type	Inside Mount	Switch	N
Mount Type 2	Ceiling Mount	Timer	N
Operating System	Motorized	Transmitter	N
		Cable Type	3 CONDUCTOR
RAIL CUT		Quick Disconnect Female	9020259
Bottomrail Type	Fab Wrap Extrud Hem Bar	Quick Disconnect Male	9020258
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	69.1250	Motor UL	1001809
Tube Width	69.1250	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fab Cut Width	69.1250		
Fabric Drop Total	86.2692		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Tube Bearing Plug	2473110952@1.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		
Washer Lbl	RC450068@4.0000		
Bracket Adapter	2473550952@1.0000		
Bracket Cover	2473040952T@2.0000		

PTS Bar Code		133910580600000600008
Tube Cut Width		69.1250
Fab Cut Width		69.1250

BR Cut Width		69.1250
Fabric		060 1019641