

Special Messages:

*** UL MOTOR ***

Quote Number: **13390143**

Cust Reference: **PO# 1227**

Line item: 50

Total Line Qty: 1

Line Count : 1 OF 7



Standard/Ground

3North, PLLC

GENERAL INFORMATION		Bracket Cover	2473300155@1.0000
Location	E209/211	Leveler	2473447060@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Leveler Key	2473590000
Width	54.375	Locking Clip	2473430002@1.0000
Height	53.625	Dry Contact Options	N
Top Treatment	Fascia White 4"	Power Supply Option	N
Cord Position	R	Sensor Options	N
Mount Type	Inside Mount	Switch	5CHSW
Mount Type 2	Ceiling Mount	Timer	N
Operating System	Motorized	Transmitter	N
		Cable Type	3 CONDUCTOR
RAIL CUT		Quick Disconnect Female	9020259
Bottomrail Type	Fab Wrap Extrud Hem Bar	Quick Disconnect Male	9020258
Bottomrail Color	0199		
Bottomrail	147RC0199	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	52.2500	Motor UL	1001809
Tube Width	52.2500	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	53.7500		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA3		
Color	001		
Fabric PCN	NB03300101		
Fabric Description	GlacierScreen Plus 3% Basket		
Color Description	White/White		
Fab Cut Width	52.2500		
Fabric Drop Total	67.9445		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Switch Type	5CHSW		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		

PTS Bar Code	
	133901430500000100022
Tube Cut Width	
	52.2500
Fab Cut Width	
	52.2500

BR Cut Width	
	52.2500
Fascia Cut Width	
	53.7500
Fabric	
	050 NB03300101

Special Messages:

*** UL MOTOR ***

Quote Number: **13390143**

Cust Reference: **PO# 1227**

Line item: 60

Total Line Qty: 1

Line Count : 2 OF 7



Standard/Ground

3North, PLLC

GENERAL INFORMATION		Bracket Cover	2473300155@1.0000
Location	E209/211	Leveler	2473447060@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Leveler Key	2473590000
Width	54.250	Locking Clip	2473430002@1.0000
Height	53.625	Dry Contact Options	N
Top Treatment	Fascia White 4"	Power Supply Option	N
Cord Position	R	Sensor Options	N
Mount Type	Inside Mount	Switch	5CHSW
Mount Type 2	Ceiling Mount	Timer	N
Operating System	Motorized	Transmitter	N
		Cable Type	3 CONDUCTOR
RAIL CUT		Quick Disconnect Female	9020259
Bottomrail Type	Fab Wrap Extrud Hem Bar	Quick Disconnect Male	9020258
Bottomrail Color	0199		
Bottomrail	147RC0199	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	52.1250	Motor UL	1001809
Tube Width	52.1250	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	53.6250		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA3		
Color	001		
Fabric PCN	NB03300101		
Fabric Description	GlacierScreen Plus 3% Basket		
Color Description	White/White		
Fab Cut Width	52.1250		
Fabric Drop Total	67.9445		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Switch Type	5CHSW		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		

PTS Bar Code	
	13390143060000200022
Tube Cut Width	
	52.1250
Fab Cut Width	
	52.1250

BR Cut Width	
	52.1250
Fascia Cut Width	
	53.6250
Fabric	
	060 NB03300101

Special Messages:

*** UL MOTOR ***

Quote Number: 13390143

Cust Reference: PO# 1227

Line item: 70

Total Line Qty: 1

Line Count : 3 OF 7



Standard/Ground

3North, PLLC

GENERAL INFORMATION		Bracket Cover	2473300155@1.0000
Location	E409/411	Leveler	2473447060@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Leveler Key	2473590000
Width	54.375	Locking Clip	2473430002@1.0000
Height	53.875	Dry Contact Options	N
Top Treatment	Fascia White 4"	Power Supply Option	N
Cord Position	L	Sensor Options	N
Mount Type	Inside Mount	Switch	5CHSW
Mount Type 2	Ceiling Mount	Timer	N
Operating System	Motorized	Transmitter	N
		Cable Type	3 CONDUCTOR
RAIL CUT		Quick Disconnect Female	9020259
Bottomrail Type	Fab Wrap Extrud Hem Bar	Quick Disconnect Male	9020258
Bottomrail Color	0199		
Bottomrail	147RC0199	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	52.2500	Motor UL	1001809
Tube Width	52.2500	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	53.7500		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA3		
Color	001		
Fabric PCN	NB03300101		
Fabric Description	GlacierScreen Plus 3% Basket		
Color Description	White/White		
Fab Cut Width	52.2500		
Fabric Drop Total	68.1945		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Switch Type	5CHSW		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		

PTS Bar Code		13390143070000300022
Tube Cut Width		52.2500
Fab Cut Width		52.2500

BR Cut Width		52.2500
Fascia Cut Width		53.7500
Fabric		070 NB03300101

Special Messages:

*** UL MOTOR ***

Quote Number: **13390143**

Cust Reference: **PO# 1227**

Line item: 80

Total Line Qty: 1

Line Count : 4 OF 7



Standard/Ground

3North, PLLC

GENERAL INFORMATION		Bracket Cover	2473300155@1.0000
Location	E409/411	Leveler	2473447060@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Leveler Key	2473590000
Width	54.500	Locking Clip	2473430002@1.0000
Height	53.750	Dry Contact Options	N
Top Treatment	Fascia White 4"	Power Supply Option	N
Cord Position	L	Sensor Options	N
Mount Type	Inside Mount	Switch	5CHSW
Mount Type 2	Ceiling Mount	Timer	N
Operating System	Motorized	Transmitter	N
		Cable Type	3 CONDUCTOR
RAIL CUT		Quick Disconnect Female	9020259
Bottomrail Type	Fab Wrap Extrud Hem Bar	Quick Disconnect Male	9020258
Bottomrail Color	0199		
Bottomrail	147RC0199	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	52.3750	Motor UL	1001809
Tube Width	52.3750	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	53.8750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA3		
Color	001		
Fabric PCN	NB03300101		
Fabric Description	GlacierScreen Plus 3% Basket		
Color Description	White/White		
Fab Cut Width	52.3750		
Fabric Drop Total	68.0695		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Switch Type	5CHSW		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		

PTS Bar Code	
	133901430800000400022
Tube Cut Width	
	52.3750
Fab Cut Width	
	52.3750

BR Cut Width	
	52.3750
Fascia Cut Width	
	53.8750
Fabric	
	080 NB03300101

Special Messages:

*** UL MOTOR ***

Quote Number: 13390143

Cust Reference: PO# 1227

Line item: 90

Total Line Qty: 1

Line Count : 5 OF 7



Standard/Ground

3North, PLLC

GENERAL INFORMATION		Bracket Cover	2473300155@1.0000
Location	E413/415	Leveler	2473447060@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Leveler Key	2473590000
Width	54.500	Locking Clip	2473430002@1.0000
Height	53.500	Dry Contact Options	N
Top Treatment	Fascia White 4"	Power Supply Option	N
Cord Position	R	Sensor Options	N
Mount Type	Inside Mount	Switch	5CHSW
Mount Type 2	Ceiling Mount	Timer	N
Operating System	Motorized	Transmitter	N
		Cable Type	3 CONDUCTOR
RAIL CUT		Quick Disconnect Female	9020259
Bottomrail Type	Fab Wrap Extrud Hem Bar	Quick Disconnect Male	9020258
Bottomrail Color	0199		
Bottomrail	147RC0199	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	52.3750	Motor UL	1001809
Tube Width	52.3750	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	53.8750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA3		
Color	001		
Fabric PCN	NB03300101		
Fabric Description	GlacierScreen Plus 3% Basket		
Color Description	White/White		
Fab Cut Width	52.3750		
Fabric Drop Total	67.8195		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Switch Type	5CHSW		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		

PTS Bar Code	
	133901430900000500022
Tube Cut Width	
	52.3750
Fab Cut Width	
	52.3750

BR Cut Width	
	52.3750
Fascia Cut Width	
	53.8750
Fabric	
	090 NB03300101

Special Messages:

*** UL MOTOR ***

Quote Number: **13390143**

Cust Reference: **PO# 1227**

Line item: 100

Total Line Qty: 1

Line Count : 6 OF 7



Standard/Ground


3North, PLLC

GENERAL INFORMATION		Bracket Cover	2473300155@1.0000
Location	E413/415	Leveler	2473447060@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Leveler Key	2473590000
Width	54.375	Locking Clip	2473430002@1.0000
Height	53.250	Dry Contact Options	N
Top Treatment	Fascia White 4"	Power Supply Option	N
Cord Position	R	Sensor Options	N
Mount Type	Inside Mount	Switch	5CHSW
Mount Type 2	Ceiling Mount	Timer	N
Operating System	Motorized	Transmitter	N
		Cable Type	3 CONDUCTOR
RAIL CUT		Quick Disconnect Female	9020259
Bottomrail Type	Fab Wrap Extrud Hem Bar	Quick Disconnect Male	9020258
Bottomrail Color	0199		
Bottomrail	147RC0199	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	52.2500	Motor UL	1001809
Tube Width	52.2500	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	53.7500		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA3		
Color	001		
Fabric PCN	NB03300101		
Fabric Description	GlacierScreen Plus 3% Basket		
Color Description	White/White		
Fab Cut Width	52.2500		
Fabric Drop Total	67.5695		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Switch Type	5CHSW		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Fascia Brkt Lbl	2473457052S@1.0000		

PTS Bar Code		133901431000000600022
Tube Cut Width		52.2500
Fab Cut Width		52.2500

BR Cut Width		52.2500
Fascia Cut Width		53.7500
Fabric		100 NB03300101

Special Messages:



Quote Number: **13390143**

Cust Reference: **PO# 1227**

Line item: 200

Total Line Qty: 1

Line Count : 7 OF 7



Standard/Ground

3North, PLLC

GENERAL INFORMATION		Chain Stop	2474180027
Location	A106	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	54.500	UL MOTOR	
Height	53.750	Production Model	RB500CO
Top Treatment	Fascia White 4"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	0199		
Bottomrail	147RC0199		
Bottomrail Color Over Opt	N		
Bottomrail Width	52.5000		
Tube Width	52.5000		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia White 4"		
Fascia 1	247055019921		
Fascia Cut Width	53.8750		
Fascia Punch Side	R		
Chain Outlet	2473340155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	LUNA3		
Color	001		
Fabric PCN	NB03300101		
Fabric Description	GlacierScreen Plus 3% Basket		
Color Description	White/White		
Fab Cut Width	52.5000		
Fabric Drop Total	65.7887		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	80.6250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100155@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473500155@1.0000		

PTS Bar Code		133901432000000700022
Tube Cut Width		52.5000
Fab Cut Width		52.5000

BR Cut Width		52.5000
Fascia Cut Width		53.8750
Fabric		200 NB03300101