


Special Messages:



Quote Number: **13422598**

Cust Reference: **Burlington**

Line item: 10

Total Line Qty: 1

Line Count : 1 OF 8



Standard/Ground


Contract Decor International

GENERAL INFORMATION		Chain Stop	2474180027
Location	PARL 1	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	108.750	UL MOTOR	
Height	106.000	Production Model	RB500CO
Top Treatment	Fascia Bronze 4"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD Spring Assist		
RAIL CUT			
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	105.5000		
Tube Width	106.7500		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Bronze 4"		
Fascia 1	247055086421		
Fascia Cut Width	108.1250		
Fascia Punch Side	R		
Chain Outlet	2473341858		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	003		
Fabric PCN	RLMS123A122F		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	Charcoal/Cocoa		
Fab Cut Width	106.7500		
Fabric Drop Total	117.9885		
Cut Method	CRUSH CUT		
Weld Time Front	7.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Chain Color	STAINLESS		
Chain Length	159.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD SPRING		
Clutch Assy	94105330		
Clutch Position	R		
Spring Assist	HEAVY DUTY SPRING		
Adapter	93006473		
Tube Bearing Plug	2473101858@1.0000		
Installation Label	SAFETY100@3.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473501858@1.0000		

PTS Bar Code		134225980100000100010
Tube Cut Width		106.7500
Fab Cut Width		106.7500

BR Cut Width		105.5000
Fascia Cut Width		108.1250
Fabric		010 RLMS123A122F

Special Messages:



Quote Number: **13422598**

Cust Reference: **Burlington**

Line item: 20

Total Line Qty: 1

Line Count : 2 OF 8



Standard/Ground

Contract Decor International

GENERAL INFORMATION		Chain Stop	2474180027
Location	PARL 2	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	109.625	UL MOTOR	
Height	106.000	Production Model	RB500CO
Top Treatment	Fascia Bronze 4"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD Spring Assist		
RAIL CUT			
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	106.3750		
Tube Width	107.6250		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Bronze 4"		
Fascia 1	247055086421		
Fascia Cut Width	109.0000		
Fascia Punch Side	R		
Chain Outlet	2473341858		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	003		
Fabric PCN	RLMS123A122F		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	Charcoal/Cocoa		
Fab Cut Width	107.6250		
Fabric Drop Total	117.9885		
Cut Method	CRUSH CUT		
Weld Time Front	7.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Chain Color	STAINLESS		
Chain Length	159.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD SPRING		
Clutch Assy	94105330		
Clutch Position	R		
Spring Assist	HEAVY DUTY SPRING		
Adapter	93006473		
Tube Bearing Plug	2473101858@1.0000		
Installation Label	SAFETY100@3.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473501858@1.0000		

PTS Bar Code		13422598020000200010
Tube Cut Width		107.6250
Fab Cut Width		107.6250

BR Cut Width		106.3750
Fascia Cut Width		109.0000
Fabric		020 RLMS123A122F

Special Messages:



Quote Number: **13422598**

Cust Reference: **Burlington**

Line item: 30

Total Line Qty: 1

Line Count : 3 OF 8



Standard/Ground

Contract Decor International

GENERAL INFORMATION		Chain Stop	2474180027
Location	PARL 4	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	109.625	UL MOTOR	
Height	106.375	Production Model	RB500CO
Top Treatment	Fascia Bronze 4"		
Cord Position	L		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD Spring Assist		
RAIL CUT			
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	106.3750		
Tube Width	107.6250		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Bronze 4"		
Fascia 1	247055086421		
Fascia Cut Width	109.0000		
Fascia Punch Side	L		
Chain Outlet	2473341858		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	003		
Fabric PCN	RLMS123A122F		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	Charcoal/Cocoa		
Fab Cut Width	107.6250		
Fabric Drop Total	118.3635		
Cut Method	CRUSH CUT		
Weld Time Front	7.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Chain Color	STAINLESS		
Chain Length	159.5625		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD SPRING		
Clutch Assy	94105330		
Clutch Position	L		
Spring Assist	HEAVY DUTY SPRING		
Adapter	93006473		
Tube Bearing Plug	2473101858@1.0000		
Installation Label	SAFETY100@3.0000		
PREPACK			
Fascia Brkt Lbl	2478377052L@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473501858@1.0000		

PTS Bar Code		134225980300000300010
Tube Cut Width		107.6250
Fab Cut Width		107.6250

BR Cut Width		106.3750
Fascia Cut Width		109.0000
Fabric		030 RLMS123A122F

Special Messages:

*** UL MOTOR ***

Quote Number: **13422598**

Cust Reference: **Burlington**

Line item: 60

Total Line Qty: 1

Line Count : 4 OF 8



Standard/Ground


Contract Decor International

GENERAL INFORMATION		PREPACK	
Location	PARL 3	Fascia Brkt Lbl	2473457052S@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Bracket Cover	2473301858@1.0000
Width	109.875	Leveler	2473447060@1.0000
Height	106.500	Leveler Key	2473590000
Top Treatment	Fascia Bronze 4"	Locking Clip	2473430002@1.0000
Cord Position	R	Dry Contact Options	N
Mount Type	Inside Mount	Power Supply Option	N
Mount Type 2	Ceiling Mount	Sensor Options	N
Operating System	Motorized	Switch	1CHSW
		Timer	N
		Transmitter	N
RAIL CUT			
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021	UL MOTOR	
Bottomrail Width	106.5000	Motor Description	506S2 Sonesse RTS
Tube Width	107.7500	Motor UL	1001809
Tube Size Label	62MM	Production Model	RB500M
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
Fascia Type	Fascia Bronze 4"		
Fascia 1	247055086421		
Fascia Cut Width	109.2500		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	003		
Fabric PCN	RLMS123A122F		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	Charcoal/Cocoa		
Fab Cut Width	107.7500		
Fabric Drop Total	120.7692		
Cut Method	CRUSH CUT		
Weld Time Front	7.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Plug In	1019543		
Tube Bearing Plug	2473111858@1.0000		
MOTOR ASSY			
Plug In Length	10		
Switch Type	1CHSW		
Label: Wire Length	10.0000		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		

PTS Bar Code	
	134225980600000400010
Tube Cut Width	
	107.7500
Fab Cut Width	
	107.7500

BR Cut Width	
	106.5000
Fascia Cut Width	
	109.2500
Fabric	
	060 RLMS123A122F

Special Messages:



Quote Number: **13422598**

Cust Reference: **Burlington**

Line item: 70

Total Line Qty: 1

Line Count : 5 OF 8



Standard/Ground


Contract Decor International

GENERAL INFORMATION		Chain Stop	2474180027
Location	PARL 5	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	103.375	UL MOTOR	
Height	106.500	Production Model	RB500CO
Top Treatment	Fascia Bronze 4"		
Cord Position	L		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD Spring Assist		
RAIL CUT			
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	100.1250		
Tube Width	101.3750		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Bronze 4"		
Fascia 1	247055086421		
Fascia Cut Width	102.7500		
Fascia Punch Side	L		
Chain Outlet	2473341858		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	003		
Fabric PCN	RLMS123A122F		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	Charcoal/Cocoa		
Fab Cut Width	101.3750		
Fabric Drop Total	118.4885		
Cut Method	CRUSH CUT		
Weld Time Front	7.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Chain Color	STAINLESS		
Chain Length	159.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD SPRING		
Clutch Assy	94105330		
Clutch Position	L		
Spring Assist	HEAVY DUTY SPRING		
Adapter	93006473		
Tube Bearing Plug	2473101858@1.0000		
Installation Label	SAFETY100@3.0000		
PREPACK			
Fascia Brkt Lbl	2478377052L@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473501858@1.0000		

PTS Bar Code		134225980700000500010
Tube Cut Width		101.3750
Fab Cut Width		101.3750

BR Cut Width		100.1250
Fascia Cut Width		102.7500
Fabric		070 RLMS123A122F

Special Messages:



Quote Number: **13422598**

Cust Reference: **Burlington**

Line item: 80

Total Line Qty: 1

Line Count : 6 OF 8



Standard/Ground


Contract Decor International

GENERAL INFORMATION		Locking Clip	2473430002@1.0000
Location	PARL 6		
Shade Configuration	Single, NonCoupled, NonBanded	UL MOTOR	
Width	97.625	Production Model	RB500CO
Height	106.500		
Top Treatment	Fascia Bronze 4"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	94.3750		
Tube Width	95.6250		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Bronze 4"		
Fascia 1	247055086421		
Fascia Cut Width	97.0000		
Fascia Punch Side	R		
Chain Outlet	2473341858		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	003		
Fabric PCN	RLMS123A122F		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	Charcoal/Cocoa		
Fab Cut Width	95.6250		
Fabric Drop Total	118.4885		
Cut Method	CRUSH CUT		
Weld Time Front	7.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Chain Color	STAINLESS		
Chain Length	159.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473101858@1.0000		
Installation Label	SAFETY100@3.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473501858@1.0000		
Chain Stop	2474180027		

PTS Bar Code		134225980800000600010
Tube Cut Width		95.6250
Fab Cut Width		95.6250

BR Cut Width		94.3750
Fascia Cut Width		97.0000
Fabric		080 RLMS123A122F

Special Messages:



Quote Number: **13422598**

Cust Reference: **Burlington**

Line item: 90

Total Line Qty: 1

Line Count : 7 OF 8



Standard/Ground


Contract Decor International

GENERAL INFORMATION		Locking Clip	2473430002@1.0000
Location	PARL 7		
Shade Configuration	Single, NonCoupled, NonBanded	UL MOTOR	
Width	67.625	Production Model	RB500CO
Height	106.000		
Top Treatment	Fascia Bronze 4"		
Cord Position	L		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	64.3750		
Tube Width	65.6250		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Bronze 4"		
Fascia 1	247055086421		
Fascia Cut Width	67.0000		
Fascia Punch Side	L		
Chain Outlet	2473341858		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	003		
Fabric PCN	RLMS123A122F		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	Charcoal/Cocoa		
Fab Cut Width	65.6250		
Fabric Drop Total	117.9885		
Cut Method	CRUSH CUT		
Weld Time Front	7.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Chain Color	STAINLESS		
Chain Length	159.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	L		
Adapter	93006473		
Tube Bearing Plug	2473101858@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052L@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473501858@1.0000		
Chain Stop	2474180027		

PTS Bar Code		134225980900000700010
Tube Cut Width		65.6250
Fab Cut Width		65.6250

BR Cut Width		64.3750
Fascia Cut Width		67.0000
Fabric		090 RLMS123A122F

Special Messages:



Quote Number: **13422598**

Cust Reference: **Burlington**

Line item: 100

Total Line Qty: 1

Line Count : 8 OF 8



Standard/Ground

Contract Decor International

GENERAL INFORMATION		Chain Stop	2474180027
Location	PVT DIN	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	110.750	UL MOTOR	
Height	105.750	Production Model	RB500CO
Top Treatment	Fascia Bronze 4"		
Cord Position	L		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD Spring Assist		
RAIL CUT			
Bottomrail Type	Sealed Pocket with Weight		
Bottomrail	RC44534021		
Bottomrail Width	107.5000		
Tube Width	108.7500		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Bronze 4"		
Fascia 1	247055086421		
Fascia Cut Width	110.1250		
Fascia Punch Side	L		
Chain Outlet	2473341858		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	003		
Fabric PCN	RLMS123A122F		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	Charcoal/Cocoa		
Fab Cut Width	108.7500		
Fabric Drop Total	117.7385		
Cut Method	CRUSH CUT		
Weld Time Front	7.0000		
Cool Time Front	20.0000		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Sealed Pocket with Weight		
Chain Color	STAINLESS		
Chain Length	158.6250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	HD SPRING		
Clutch Assy	94105330		
Clutch Position	L		
Spring Assist	HEAVY DUTY SPRING		
Adapter	93006473		
Tube Bearing Plug	2473101858@1.0000		
Installation Label	SAFETY100@3.0000		
PREPACK			
Fascia Brkt Lbl	2478377052L@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473501858@1.0000		

PTS Bar Code	
	134225981000000800010
Tube Cut Width	
	108.7500
Fab Cut Width	
	108.7500

BR Cut Width	
	107.5000
Fascia Cut Width	
	110.1250
Fabric	
	100 RLMS123A122F