

Special Messages:



Quote Number: 13001802

Cust Reference: PO# 43707

Line item: 10

Total Line Qty: 1

Line Count : 1 OF 16



Standard/Ground

ADM Associates

GENERAL INFORMATION	
Location	LOBBY TRANSOM
Shade Configuration	Single, NonCoupled, NonBanded
Width	38.000
Height	31.000
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	36.3750
Tube Width	36.3750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	006
Fabric PCN	1019645
Fabric Description	Bleecker 6%
Color Description	Steel
Fab Cut Width	36.3750
Fabric Drop Total	40.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	46.5000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130018020100000100016

Tube Cut Width



36.3750

Fab Cut Width



36.3750

BR Cut Width



36.3750

Fabric



010 1019645

Special Messages:

Quote Number: **13001802**Cust Reference: **PO# 43707**

Line item: 20

Total Line Qty: 1

Line Count : 2 OF 16



Standard/Ground

ADM Associates

GENERAL INFORMATION	
Location	FITA
Shade Configuration	Single, NonCoupled, NonBanded
Width	63.500
Height	75.500
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	61.8750
Tube Width	61.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	006
Fabric PCN	1019645
Fabric Description	Bleecker 6%
Color Description	Steel
Fab Cut Width	61.8750
Fabric Drop Total	84.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	113.2500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130018020200000200016

Tube Cut Width



61.8750

Fab Cut Width



61.8750

BR Cut Width



61.8750

Fabric



020 1019645

Special Messages:

Quote Number: **13001802**Cust Reference: **PO# 43707**

Line item: 30

Total Line Qty: 1

Line Count : 3 OF 16



Standard/Ground

ADM Associates

GENERAL INFORMATION		Chain Stop	2474180027
Location	PA-401 BREAKROOM	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	71.250	UL MOTOR	
Height	72.000	Production Model	RB500CO
Top Treatment	Fascia Anodized 4"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	69.2500		
Tube Width	69.2500		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Anodized 4"		
Fascia 1	247055705221		
Fascia Cut Width	70.5000		
Fascia Punch Side	R		
Chain Outlet	2473340952		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	006		
Fabric PCN	1019645		
Fabric Description	Bleecker 6%		
Color Description	Steel		
Fab Cut Width	69.2500		
Fabric Drop Total	83.9885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	108.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473500952@1.0000		

PTS Bar Code



130018020300000300016

Tube Cut Width



69.2500

Fab Cut Width



69.2500

BR Cut Width



69.2500

Fascia Cut Width



70.5000

Fabric



030 1019645

Special Messages:

Quote Number: **13001802**Cust Reference: **PO# 43707**

Line item: 40

Total Line Qty: 1

Line Count : 4 OF 16



Standard/Ground

ADM Associates

GENERAL INFORMATION		Chain Color	STAINLESS
Location	MTG1A	Chain Length	174.7500
Shade Configuration	Single, NonCoupled, NonBanded	Chain Length Dual	182.2500
Dual Shade	DUAL	Chain	2474180025
Width	31.500	Chain Connector	1048513
Height	116.500	Tensioner	1042237@2.0000
Top Treatment	Fascia Anodized 7"	Clutch Type	HD
Cord Position	L	Clutch Assy	94105330
Cord Position Dual	L	Clutch Assy Dual	94105330
Mount Type	Inside Mount	Clutch Position	L
Mount Type 2	Ceiling Mount	Clutch Position Dual	L
Operating System	Clutch Operated HD	Endcaps	247RC437000
Single Dual Shade	2.0000	Adapter	93006473
		Tube Bearing Plug	2473100952@2.0000
		Installation Label	SAFETY100@4.0000
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052	PREPACK	
Bottomrail	147RC7052	Install Bracket Label	247RC43500L@1.0000
Bottomrail Type Dual	RB500 Bottom Bar	Instl Brkt 2 Lbl	247RC43600R@1.0000
Bottomrail Color Dual	7052	Fascia Screw Lbl	RC445246@2.0000
Bottomrail Dual	247011705221	Fascia Washer Lbl	RC445247@4.0000
Bottomrail Color Over Opt	N	Screws	4450000021@2.0000
Bottomrail Width	29.5000	End Plate	2479127052
Bottomrail Width Std	29.5000	Chain Stop	2474180027
Tube Width	29.5000		
Tube Width Dual	29.5000	UL MOTOR	
Tube Size Label	50MM	Production Model	RB500CO
Fascia Type	Fascia Anodized 7"		
Fascia 1	RC51100021		
Fascia Cut Width	31.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Rear Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fabric Dual	STRIAT0		
Color Dual	004		
Fabric PCN Dual	20333BO3		
Fabric Description Dual	Striate 0%		
Color Description Dual	Mist		
Fab Cut Width	29.5000		
Fab Cut Width Dual	29.5000		
Fabric Drop Total	128.4885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
Cut Method Dual	SCISSORS		
Sealing Tape Dual	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Bottomrail Type Dual	RB500 Bottom Bar		
Bottomrail End Cap Dual	2471660952@2.0000		

PTS Bar Code



130018020400000400016

Tube Cut Width



29.5000

Tube Cut Width



29.5000

Fab Cut Width



29.5000

Fab Cut Width D




29.5000

BR Cut Width



29.5000

Special Messages:



Quote Number: **13001802**

Cust Reference: **PO# 43707**

Line item: 40

Total Line Qty: 1

Line Count : 4 OF 16



Standard/Ground

ADM Associates

BR Cut Width Du	
	29.5000
Fascia Cut Width	
	31.3750
Fabric	
	040 1019641

Special Messages:



Quote Number: 13001802

Cust Reference: PO# 43707

Line item: 50

Total Line Qty: 1

Line Count : 5 OF 16



Standard/Ground

ADM Associates

GENERAL INFORMATION	
Location	LOBBY 1/2
Shade Configuration	Single, NonCoupled, NonBanded
Width	79.000
Height	103.500
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	77.3750
Tube Width	77.3750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	006
Fabric PCN	1019645
Fabric Description	Bleecker 6%
Color Description	Steel
Fab Cut Width	77.3750
Fabric Drop Total	112.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	155.2500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478017052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471120952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130018020500000500016

Tube Cut Width



77.3750

Fab Cut Width



77.3750

BR Cut Width



77.3750

Fabric



050 1019645

Special Messages:

Quote Number: **13001802**Cust Reference: **PO# 43707**

Line item: 60

Total Line Qty: 1

Line Count : 6 OF 16



Standard/Ground

ADM Associates

GENERAL INFORMATION	
Location	LOBBY 3
Shade Configuration	Single, NonCoupled, NonBanded
Width	39.500
Height	103.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	37.8750
Tube Width	37.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	006
Fabric PCN	1019645
Fabric Description	Bleecker 6%
Color Description	Steel
Fab Cut Width	37.8750
Fabric Drop Total	112.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	155.2500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478017052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471120952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130018020600000600016

Tube Cut Width



37.8750

Fab Cut Width



37.8750

BR Cut Width



37.8750

Fabric



060 1019645

Special Messages:

Quote Number: **13001802**Cust Reference: **PO# 43707**

Line item: 70

Total Line Qty: 1

Line Count : 7 OF 16



Standard/Ground

ADM Associates

GENERAL INFORMATION	
Location	LOBBY 4/5
Shade Configuration	Single, NonCoupled, NonBanded
Width	80.000
Height	103.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	78.3750
Tube Width	78.3750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	006
Fabric PCN	1019645
Fabric Description	Bleecker 6%
Color Description	Steel
Fab Cut Width	78.3750
Fabric Drop Total	112.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	155.2500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478017052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471120952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130018020700000700016

Tube Cut Width



78.3750

Fab Cut Width



78.3750

BR Cut Width



78.3750

Fabric



070 1019645

Special Messages:



Quote Number: 13001802

Cust Reference: PO# 43707

Line item: 80

Total Line Qty: 1

Line Count : 8 OF 16



Standard/Ground

ADM Associates

GENERAL INFORMATION	
Location	FITB
Shade Configuration	Single, NonCoupled, NonBanded
Width	62.250
Height	75.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	60.6250
Tube Width	60.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	006
Fabric PCN	1019645
Fabric Description	Bleecker 6%
Color Description	Steel
Fab Cut Width	60.6250
Fabric Drop Total	84.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	113.2500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130018020800000800016

Tube Cut Width



60.6250

Fab Cut Width



60.6250

BR Cut Width



60.6250

Fabric



080 1019645

Special Messages:



Work Instructions

10-04-2024

Quote Number: 13001802

Cust Reference: PO# 43707

Line item: 90

Total Line Qty: 1

Line Count : 9 OF 16



Standard/Ground

ADM Associates

GENERAL INFORMATION	
Location	FITC1
Shade Configuration	Single, NonCoupled, NonBanded
Width	44.750
Height	112.000
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.1250
Tube Width	43.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	006
Fabric PCN	1019645
Fabric Description	Bleecker 6%
Color Description	Steel
Fab Cut Width	43.1250
Fabric Drop Total	121.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	168.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478017052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471120952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code 
 130018020900000900016

Tube Cut Width 
 43.1250

Fab Cut Width 
 43.1250

BR Cut Width 
 43.1250

Fabric 
 090 1019645

Special Messages:



Quote Number: 13001802

Cust Reference: PO# 43707

Line item: 100

Total Line Qty: 1

Line Count : 10 OF 16



Standard/Ground

ADM Associates

GENERAL INFORMATION	
Location	FITC2
Shade Configuration	Single, NonCoupled, NonBanded
Width	44.750
Height	112.000
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.1250
Tube Width	43.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	006
Fabric PCN	1019645
Fabric Description	Bleecker 6%
Color Description	Steel
Fab Cut Width	43.1250
Fabric Drop Total	121.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	168.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478017052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471120952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130018021000001000016

Tube Cut Width



43.1250

Fab Cut Width



43.1250

BR Cut Width



43.1250

Fabric



100 1019645

Special Messages:

Quote Number: **13001802**Cust Reference: **PO# 43707**

Line item: 110

Total Line Qty: 1

Line Count : 11 OF 16



Standard/Ground

ADM Associates

GENERAL INFORMATION	
Location	FITC3
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.000
Height	112.000
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.3750
Tube Width	43.3750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	006
Fabric PCN	1019645
Fabric Description	Bleecker 6%
Color Description	Steel
Fab Cut Width	43.3750
Fabric Drop Total	121.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	168.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478017052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471120952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130018021100001100016

Tube Cut Width



43.3750

Fab Cut Width



43.3750

BR Cut Width



43.3750

Fabric



110 1019645

Special Messages:

Quote Number: **13001802**Cust Reference: **PO# 43707**

Line item: 120

Total Line Qty: 1

Line Count : 12 OF 16



Standard/Ground

ADM Associates

GENERAL INFORMATION		Chain Color	STAINLESS
Location	MTG1B	Chain Length	174.7500
Shade Configuration	Single, NonCoupled, NonBanded	Chain Length Dual	182.2500
Dual Shade	DUAL	Chain	2474180025
Width	30.500	Chain Connector	1048513
Height	116.500	Tensioner	1042237@2.0000
Top Treatment	Fascia Anodized 7"	Clutch Type	HD
Cord Position	R	Clutch Assy	94105330
Cord Position Dual	R	Clutch Assy Dual	94105330
Mount Type	Inside Mount	Clutch Position	R
Mount Type 2	Ceiling Mount	Clutch Position Dual	R
Operating System	Clutch Operated HD	Endcaps	247RC437000
Single Dual Shade	2.0000	Adapter	93006473
		Tube Bearing Plug	2473100952@2.0000
		Installation Label	SAFETY100@4.0000
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052	PREPACK	
Bottomrail	147RC7052	Install Bracket Label	247RC43500L@1.0000
Bottomrail Type Dual	RB500 Bottom Bar	Instl Brkt 2 Lbl	247RC43600R@1.0000
Bottomrail Color Dual	7052	Fascia Screw Lbl	RC445246@2.0000
Bottomrail Dual	247011705221	Fascia Washer Lbl	RC445247@4.0000
Bottomrail Color Over Opt	N	Screws	4450000021@2.0000
Bottomrail Width	28.5000	End Plate	2479127052
Bottomrail Width Std	28.5000	Chain Stop	2474180027
Tube Width	28.5000		
Tube Width Dual	28.5000	UL MOTOR	
Tube Size Label	50MM	Production Model	RB500CO
Fascia Type	Fascia Anodized 7"		
Fascia 1	RC51100021		
Fascia Cut Width	30.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Rear Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fabric Dual	STRIAT0		
Color Dual	004		
Fabric PCN Dual	20333BO3		
Fabric Description Dual	Striate 0%		
Color Description Dual	Mist		
Fab Cut Width	28.5000		
Fab Cut Width Dual	28.5000		
Fabric Drop Total	128.4885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
Cut Method Dual	SCISSORS		
Sealing Tape Dual	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Bottomrail Type Dual	RB500 Bottom Bar		
Bottomrail End Cap Dual	2471660952@2.0000		

PTS Bar Code



130018021200001200016

Tube Cut Width



28.5000

Tube Cut Width



28.5000

Fab Cut Width



28.5000

Fab Cut Width D



28.5000

BR Cut Width



28.5000

Special Messages:



Work Instructions

10-04-2024

Quote Number: **13001802**

Cust Reference: **PO# 43707**

Line item: 120

Total Line Qty: 1

Line Count : 12 OF 16




Standard/Ground

ADM Associates

BR Cut Width Du	
	28.5000
Fascia Cut Width	
	30.3750
Fabric	
	120 1019641

Special Messages:

Quote Number: **13001802**Cust Reference: **PO# 43707**

Line item: 130

Total Line Qty: 1

Line Count : 13 OF 16



Standard/Ground

ADM Associates

GENERAL INFORMATION		Chain Color	STAINLESS
Location	MTG1C	Chain Length	174.7500
Shade Configuration	Single, NonCoupled, NonBanded	Chain Length Dual	182.2500
Dual Shade	DUAL	Chain	2474180025
Width	31.500	Chain Connector	1048513
Height	116.500	Tensioner	1042237@2.0000
Top Treatment	Fascia Anodized 7"	Clutch Type	HD
Cord Position	R	Clutch Assy	94105330
Cord Position Dual	R	Clutch Assy Dual	94105330
Mount Type	Inside Mount	Clutch Position	R
Mount Type 2	Ceiling Mount	Clutch Position Dual	R
Operating System	Clutch Operated HD	Endcaps	247RC437000
Single Dual Shade	2.0000	Adapter	93006473
		Tube Bearing Plug	2473100952@2.0000
		Installation Label	SAFETY100@4.0000
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052	PREPACK	
Bottomrail	147RC7052	Install Bracket Label	247RC43500L@1.0000
Bottomrail Type Dual	RB500 Bottom Bar	Instl Brkt 2 Lbl	247RC43600R@1.0000
Bottomrail Color Dual	7052	Fascia Screw Lbl	RC445246@2.0000
Bottomrail Dual	247011705221	Fascia Washer Lbl	RC445247@4.0000
Bottomrail Color Over Opt	N	Screws	4450000021@2.0000
Bottomrail Width	29.5000	End Plate	2479127052
Bottomrail Width Std	29.5000	Chain Stop	2474180027
Tube Width	29.5000		
Tube Width Dual	29.5000	UL MOTOR	
Tube Size Label	50MM	Production Model	RB500CO
Fascia Type	Fascia Anodized 7"		
Fascia 1	RC51100021		
Fascia Cut Width	31.3750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Rear Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fabric Dual	STRIAT0		
Color Dual	004		
Fabric PCN Dual	20333BO3		
Fabric Description Dual	Striate 0%		
Color Description Dual	Mist		
Fab Cut Width	29.5000		
Fab Cut Width Dual	29.5000		
Fabric Drop Total	128.4885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
Cut Method Dual	SCISSORS		
Sealing Tape Dual	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Bottomrail Type Dual	RB500 Bottom Bar		
Bottomrail End Cap Dual	2471660952@2.0000		

PTS Bar Code



130018021300001300016

Tube Cut Width



29.5000

Tube Cut Width



29.5000

Fab Cut Width



29.5000

Fab Cut Width D



29.5000

BR Cut Width



29.5000

Special Messages:



Work Instructions

10-04-2024

Quote Number: **13001802**

Cust Reference: **PO# 43707**

Line item: 130

Total Line Qty: 1

Line Count : 13 OF 16



Standard/Ground

ADM Associates

BR Cut Width Du	
	29.5000
Fascia Cut Width	
	31.3750
Fabric	
	130 1019641

Special Messages:

Quote Number: **13001802**Cust Reference: **PO# 43707**

Line item: 140

Total Line Qty: 1

Line Count : 14 OF 16



Standard/Ground

ADM Associates

GENERAL INFORMATION		Chain Color	STAINLESS
Location	MTG2A	Chain Length	174.7500
Shade Configuration	Single, NonCoupled, NonBanded	Chain Length Dual	182.2500
Dual Shade	DUAL	Chain	2474180025
Width	31.750	Chain Connector	1048513
Height	116.500	Tensioner	1042237@2.0000
Top Treatment	Fascia Anodized 7"	Clutch Type	HD
Cord Position	L	Clutch Assy	94105330
Cord Position Dual	L	Clutch Assy Dual	94105330
Mount Type	Inside Mount	Clutch Position	L
Mount Type 2	Ceiling Mount	Clutch Position Dual	L
Operating System	Clutch Operated HD	Endcaps	247RC437000
Single Dual Shade	2.0000	Adapter	93006473
		Tube Bearing Plug	2473100952@2.0000
		Installation Label	SAFETY100@4.0000
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052	PREPACK	
Bottomrail	147RC7052	Install Bracket Label	247RC43500L@1.0000
Bottomrail Type Dual	RB500 Bottom Bar	Instl Brkt 2 Lbl	247RC43600R@1.0000
Bottomrail Color Dual	7052	Fascia Screw Lbl	RC445246@2.0000
Bottomrail Dual	247011705221	Fascia Washer Lbl	RC445247@4.0000
Bottomrail Color Over Opt	N	Screws	4450000021@2.0000
Bottomrail Width	29.7500	End Plate	2479127052
Bottomrail Width Std	29.7500	Chain Stop	2474180027
Tube Width	29.7500		
Tube Width Dual	29.7500	UL MOTOR	
Tube Size Label	50MM	Production Model	RB500CO
Fascia Type	Fascia Anodized 7"		
Fascia 1	RC51100021		
Fascia Cut Width	31.6250		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Rear Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fabric Dual	STRIAT0		
Color Dual	004		
Fabric PCN Dual	20333BO3		
Fabric Description Dual	Striate 0%		
Color Description Dual	Mist		
Fab Cut Width	29.7500		
Fab Cut Width Dual	29.7500		
Fabric Drop Total	128.4885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
Cut Method Dual	SCISSORS		
Sealing Tape Dual	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Bottomrail Type Dual	RB500 Bottom Bar		
Bottomrail End Cap Dual	2471660952@2.0000		

PTS Bar Code



130018021400001400016

Tube Cut Width



29.7500

Tube Cut Width



29.7500

Fab Cut Width



29.7500

Fab Cut Width D




29.7500

BR Cut Width



29.7500

Special Messages:



Quote Number: **13001802**

Cust Reference: **PO# 43707**

Line item: 140

Total Line Qty: 1

Line Count : 14 OF 16



Standard/Ground

ADM Associates

BR Cut Width Du	
	29.7500
Fascia Cut Width	
	31.6250
Fabric	
	140 1019641

Special Messages:

Quote Number: **13001802**Cust Reference: **PO# 43707**

Line item: 150

Total Line Qty: 1

Line Count : 15 OF 16



Standard/Ground

ADM Associates

GENERAL INFORMATION		Chain Color	STAINLESS
Location	MTG2B	Chain Length	174.7500
Shade Configuration	Single, NonCoupled, NonBanded	Chain Length Dual	182.2500
Dual Shade	DUAL	Chain	2474180025
Width	30.875	Chain Connector	1048513
Height	116.500	Tensioner	1042237@2.0000
Top Treatment	Fascia Anodized 7"	Clutch Type	HD
Cord Position	R	Clutch Assy	94105330
Cord Position Dual	R	Clutch Assy Dual	94105330
Mount Type	Inside Mount	Clutch Position	R
Mount Type 2	Ceiling Mount	Clutch Position Dual	R
Operating System	Clutch Operated HD	Endcaps	247RC437000
Single Dual Shade	2.0000	Adapter	93006473
		Tube Bearing Plug	2473100952@2.0000
		Installation Label	SAFETY100@4.0000
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052	PREPACK	
Bottomrail	147RC7052	Install Bracket Label	247RC43500L@1.0000
Bottomrail Type Dual	RB500 Bottom Bar	Instl Brkt 2 Lbl	247RC43600R@1.0000
Bottomrail Color Dual	7052	Fascia Screw Lbl	RC445246@2.0000
Bottomrail Dual	247011705221	Fascia Washer Lbl	RC445247@4.0000
Bottomrail Color Over Opt	N	Screws	4450000021@2.0000
Bottomrail Width	28.8750	End Plate	2479127052
Bottomrail Width Std	28.8750	Chain Stop	2474180027
Tube Width	28.8750		
Tube Width Dual	28.8750	UL MOTOR	
Tube Size Label	50MM	Production Model	RB500CO
Fascia Type	Fascia Anodized 7"		
Fascia 1	RC51100021		
Fascia Cut Width	30.7500		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Rear Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fabric Dual	STRIAT0		
Color Dual	004		
Fabric PCN Dual	20333BO3		
Fabric Description Dual	Striate 0%		
Color Description Dual	Mist		
Fab Cut Width	28.8750		
Fab Cut Width Dual	28.8750		
Fabric Drop Total	128.4885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
Cut Method Dual	SCISSORS		
Sealing Tape Dual	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Bottomrail Type Dual	RB500 Bottom Bar		
Bottomrail End Cap Dual	2471660952@2.0000		

PTS Bar Code



130018021500001500016

Tube Cut Width



28.8750

Tube Cut Width



28.8750

Fab Cut Width



28.8750

Fab Cut Width D




28.8750

BR Cut Width



28.8750

Special Messages:



Quote Number: **13001802**

Cust Reference: **PO# 43707**

Line item: 150

Total Line Qty: 1

Line Count : 15 OF 16



Standard/Ground

ADM Associates

BR Cut Width Du	
	28.8750
Fascia Cut Width	
	30.7500
Fabric	
	150 1019641

Special Messages:

Quote Number: **13001802**Cust Reference: **PO# 43707**

Line item: 160

Total Line Qty: 1

Line Count : 16 OF 16



Standard/Ground

ADM Associates

GENERAL INFORMATION		Chain Color	STAINLESS
Location	MTG2TRANS	Chain Length	46.5000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Length Dual	54.0000
Dual Shade	DUAL	Chain	2474180025
Width	38.000	Chain Connector	1048513
Height	31.000	Tensioner	1042237@2.0000
Top Treatment	Fascia Anodized 7"	Clutch Type	HD
Cord Position	R	Clutch Assy	94105330
Cord Position Dual	R	Clutch Assy Dual	94105330
Mount Type	Inside Mount	Clutch Position	R
Mount Type 2	Ceiling Mount	Clutch Position Dual	R
Operating System	Clutch Operated HD	Endcaps	247RC437000
Single Dual Shade	2.0000	Adapter	93006473
		Tube Bearing Plug	2473100952@2.0000
		Installation Label	SAFETY100@4.0000
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052	PREPACK	
Bottomrail	147RC7052	Install Bracket Label	247RC43500L@1.0000
Bottomrail Type Dual	RB500 Bottom Bar	Instl Brkt 2 Lbl	247RC43600R@1.0000
Bottomrail Color Dual	7052	Fascia Screw Lbl	RC445246@2.0000
Bottomrail Dual	247011705221	Fascia Washer Lbl	RC445247@4.0000
Bottomrail Color Over Opt	N	Screws	4450000021@2.0000
Bottomrail Width	36.0000	End Plate	2479127052
Bottomrail Width Std	36.0000	Chain Stop	2474180027
Tube Width	36.0000		
Tube Width Dual	36.0000	UL MOTOR	
Tube Size Label	50MM	Production Model	RB500CO
Fascia Type	Fascia Anodized 7"		
Fascia 1	RC51100021		
Fascia Cut Width	37.8750		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Rear Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fabric Dual	STRIAT0		
Color Dual	004		
Fabric PCN Dual	20333BO3		
Fabric Description Dual	Striate 0%		
Color Description Dual	Mist		
Fab Cut Width	36.0000		
Fab Cut Width Dual	36.0000		
Fabric Drop Total	42.9885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
Cut Method Dual	SCISSORS		
Sealing Tape Dual	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Bottomrail Type Dual	RB500 Bottom Bar		
Bottomrail End Cap Dual	2471660952@2.0000		

PTS Bar Code



130018021600001600016

Tube Cut Width



36.0000

Tube Cut Width



36.0000

Fab Cut Width



36.0000

Fab Cut Width D



36.0000

BR Cut Width



36.0000

Special Messages:



Work Instructions

10-04-2024

Quote Number: **13001802**

Cust Reference: **PO# 43707**

Line item: 160

Total Line Qty: 1

Line Count : 16 OF 16



Standard/Ground

ADM Associates

BR Cut Width Du	
	36.0000
Fascia Cut Width	
	37.8750
Fabric	
	160 1019641