

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 10

Total Line Qty: 1

Line Count : 1 OF 30



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	102
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.875
Height	60.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.2500
Tube Width	44.2500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.2500
Fabric Drop Total	70.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408510100000100030

Tube Cut Width



44.2500

Fab Cut Width



44.2500

BR Cut Width



44.2500

Fabric



010 1019641

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 20

Total Line Qty: 1

Line Count : 2 OF 30



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	103LIV
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.625
Height	60.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.0000
Tube Width	44.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.0000
Fabric Drop Total	70.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408510200000200030

Tube Cut Width



44.0000

Fab Cut Width



44.0000

BR Cut Width



44.0000

Fabric



020 1019641

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 30

Total Line Qty: 1

Line Count : 3 OF 30



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	103BED
Shade Configuration	Single, NonCoupled, NonBanded
Width	46.125
Height	61.000
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.5000
Tube Width	44.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.5000
Fabric Drop Total	70.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.5000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408510300000300030

Tube Cut Width



44.5000

Fab Cut Width



44.5000

BR Cut Width



44.5000

Fabric



030 1019641

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 40

Total Line Qty: 1

Line Count : 4 OF 30



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	105
Shade Configuration	Single, NonCoupled, NonBanded
Width	46.000
Height	60.625
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.3750
Tube Width	44.3750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.3750
Fabric Drop Total	70.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	90.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408510400000400030

Tube Cut Width



44.3750

Fab Cut Width



44.3750

BR Cut Width



44.3750

Fabric



040 1019641

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 50

Total Line Qty: 1

Line Count : 5 OF 30



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	106
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	61.125
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	70.6100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.6875
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408510500000500030

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



050 1019641

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 60

Total Line Qty: 1

Line Count : 6 OF 30



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	108
Shade Configuration	Single, NonCoupled, NonBanded
Width	46.250
Height	60.250
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.6250
Tube Width	44.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.6250
Fabric Drop Total	69.7350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	90.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408510600000600030

Tube Cut Width



44.6250

Fab Cut Width



44.6250

BR Cut Width



44.6250

Fabric



060 1019641

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 70

Total Line Qty: 1

Line Count : 7 OF 30



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	110
Shade Configuration	Single, NonCoupled, NonBanded
Width	46.000
Height	60.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.3750
Tube Width	44.3750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.3750
Fabric Drop Total	69.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	90.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408510700000700030

Tube Cut Width



44.3750

Fab Cut Width



44.3750

BR Cut Width



44.3750

Fabric



070 1019641

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 80

Total Line Qty: 1

Line Count : 8 OF 30



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	112
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.625
Height	60.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.0000
Tube Width	44.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.0000
Fabric Drop Total	69.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	90.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408510800000800030

Tube Cut Width



44.0000

Fab Cut Width



44.0000

BR Cut Width



44.0000

Fabric



080 1019641

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 90

Total Line Qty: 1

Line Count : 9 OF 30



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	127
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.875
Height	60.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.2500
Tube Width	44.2500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.2500
Fabric Drop Total	70.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408510900000900030

Tube Cut Width



44.2500

Fab Cut Width



44.2500

BR Cut Width



44.2500

Fabric



090 1019641

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 100

Total Line Qty: 1

Line Count : 10 OF 30



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	128
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	60.625
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	70.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	90.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408511000001000030

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



100 1019641

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 110

Total Line Qty: 1

Line Count : 11 OF 30



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	129
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	60.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	69.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	90.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408511100001100030

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



110 1019641

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 120

Total Line Qty: 1

Line Count : 12 OF 30



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	130
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.875
Height	60.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.2500
Tube Width	44.2500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.2500
Fabric Drop Total	69.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	90.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408511200001200030

Tube Cut Width



44.2500

Fab Cut Width



44.2500

BR Cut Width



44.2500

Fabric



120 1019641

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 130

Total Line Qty: 1

Line Count : 13 OF 30

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	102	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.875	Side Channel Clip	2471630000@10.0000
Height	66.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.6250		
Tube Width	49.3750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.6250		
Fabric Drop Total	76.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408511300001300030

Tube Cut Width



49.3750

Fab Cut Width



48.6250

BR Cut Width



48.6250

Fabric



130 INIF2598PG1

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 140

Total Line Qty: 1

Line Count : 14 OF 30

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	103LIV	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.625	Side Channel Clip	2471630000@10.0000
Height	66.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.3750		
Tube Width	49.1250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.3750		
Fabric Drop Total	76.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408511400001400030

Tube Cut Width



49.1250

Fab Cut Width



48.3750

BR Cut Width



48.3750

Fabric



140 INIF2598PG1

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 150

Total Line Qty: 1

Line Count : 15 OF 30

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	103BED	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	51.125	Side Channel Clip	2471630000@10.0000
Height	67.000		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.8750		
Tube Width	49.6250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.3750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.8750		
Fabric Drop Total	76.5856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408511500001500030

Tube Cut Width



49.6250

Fab Cut Width



48.8750

BR Cut Width



48.8750

Fabric



150 INIF2598PG1

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 160

Total Line Qty: 1

Line Count : 16 OF 30

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	105	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	51.000	Side Channel Clip	2471630000@10.0000
Height	66.625		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.7500		
Tube Width	49.5000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.7500		
Fabric Drop Total	76.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	99.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408511600001600030

Tube Cut Width



49.5000

Fab Cut Width



48.7500

BR Cut Width



48.7500

Fabric



160 INIF2598PG1

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 170

Total Line Qty: 1

Line Count : 17 OF 30

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	106	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.750	Side Channel Clip	2471630000@10.0000
Height	67.125		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	49.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.5000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.5000		
Fabric Drop Total	76.7106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.6875		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408511700001700030

Tube Cut Width



49.2500

Fab Cut Width



48.5000

BR Cut Width



48.5000

Fabric



170 INIF2598PG1

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 180

Total Line Qty: 1

Line Count : 18 OF 30

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	108	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	51.285	Side Channel Clip	2471630000@10.0000
Height	66.250		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	49.0350		
Tube Width	49.7850		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	62.6250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	49.0350		
Fabric Drop Total	75.8356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	99.3750		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408511800001800030

Tube Cut Width



49.7850

Fab Cut Width



49.0350

BR Cut Width



49.0350

Fabric



180 INIF2598PG1

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 190

Total Line Qty: 1

Line Count : 19 OF 30

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	110	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	51.000	Side Channel Clip	2471630000@10.0000
Height	66.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.7500		
Tube Width	49.5000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	62.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.7500		
Fabric Drop Total	76.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	99.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408511900001900030

Tube Cut Width



49.5000

Fab Cut Width



48.7500

BR Cut Width



48.7500

Fabric



190 INIF2598PG1

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 200

Total Line Qty: 1

Line Count : 20 OF 30

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	112	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.625	Side Channel Clip	2471630000@10.0000
Height	66.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.3750		
Tube Width	49.1250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	62.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.3750		
Fabric Drop Total	76.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	99.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408512000002000030

Tube Cut Width



49.1250

Fab Cut Width



48.3750

BR Cut Width



48.3750

Fabric



200 INIF2598PG1

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 210

Total Line Qty: 1

Line Count : 21 OF 30

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	127	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.875	Side Channel Clip	2471630000@10.0000
Height	66.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.6250		
Tube Width	49.3750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.6250		
Fabric Drop Total	76.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408512100002100030

Tube Cut Width



49.3750

Fab Cut Width



48.6250

BR Cut Width



48.6250

Fabric



210 INIF2598PG1

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 220

Total Line Qty: 1

Line Count : 22 OF 30

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	128	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.750	Side Channel Clip	2471630000@10.0000
Height	66.625		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	49.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.5000		
Fabric Drop Total	76.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	99.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408512200002200030

Tube Cut Width



49.2500

Fab Cut Width



48.5000

BR Cut Width



48.5000

Fabric



220 INIF2598PG1

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 230

Total Line Qty: 1

Line Count : 23 OF 30

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	129	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.750	Side Channel Clip	2471630000@10.0000
Height	66.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	49.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	62.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.5000		
Fabric Drop Total	76.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	99.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408512300002300030

Tube Cut Width



49.2500

Fab Cut Width



48.5000

BR Cut Width



48.5000

Fabric



230 INIF2598PG1

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 240

Total Line Qty: 1

Line Count : 24 OF 30

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	130	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.875	Side Channel Clip	2471630000@10.0000
Height	66.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.6250		
Tube Width	49.3750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	62.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.6250		
Fabric Drop Total	76.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	99.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408512400002400030

Tube Cut Width



49.3750

Fab Cut Width



48.6250

BR Cut Width



48.6250

Fabric



240 INIF2598PG1

Special Messages:

*** UL MOTOR ***

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 250

Total Line Qty: 1

Line Count : 25 OF 30



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION		Leveler	2473447060@1.0000
Location	104ADA	Leveling Bracket	@0.0000
Shade Configuration	Single, NonCoupled, NonBanded	Leveler Key	2473590000
Width	45.750	Dry Contact Options	N
Height	61.250	Power Supply Option	N
Cord Position	L	Sensor Options	N
Mount Type	Inside Mount	Switch	N
Mount Type 2	Ceiling Mount	Timer	N
Operating System	Motorized	Transmitter	N
		Cable Type	3 CONDUCTOR
RAIL CUT		Quick Disconnect Female	9020259
Bottomrail Type	Fab Wrap Extrud Hem Bar	Quick Disconnect Male	9020258
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	43.6250	Motor UL	1001809
Tube Width	43.6250	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fab Cut Width	43.6250		
Fabric Drop Total	75.5192		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Tube Bearing Plug	2473110952@1.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		
Washer Lbl	RC450068@4.0000		
Bracket Adapter	2473550952@1.0000		
Bracket Cover	2473040952T@2.0000		

PTS Bar Code



130408512500002500030

Tube Cut Width



43.6250

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



250 1019641

Special Messages:

*** UL MOTOR ***

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 260

Total Line Qty: 1

Line Count : 26 OF 30



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION		Leveler	2473447060@1.0000
Location	131ADAB	Leveling Bracket	@0.0000
Shade Configuration	Single, NonCoupled, NonBanded	Leveler Key	2473590000
Width	46.000	Dry Contact Options	N
Height	60.875	Power Supply Option	N
Cord Position	L	Sensor Options	N
Mount Type	Inside Mount	Switch	N
Mount Type 2	Ceiling Mount	Timer	N
Operating System	Motorized	Transmitter	N
		Cable Type	3 CONDUCTOR
RAIL CUT		Quick Disconnect Female	9020259
Bottomrail Type	Fab Wrap Extrud Hem Bar	Quick Disconnect Male	9020258
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	43.8750	Motor UL	1001809
Tube Width	43.8750	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fab Cut Width	43.8750		
Fabric Drop Total	75.1442		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Tube Bearing Plug	2473110952@1.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		
Washer Lbl	RC450068@4.0000		
Bracket Adapter	2473550952@1.0000		
Bracket Cover	2473040952T@2.0000		

PTS Bar Code



130408512600002600030

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width




43.8750

Fabric



260 1019641

Special Messages:

Quote Number: **13040851**Cust Reference: **PO# H-107-06**

Line item: 270

Total Line Qty: 1

Line Count : 27 OF 30



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION		Leveler	2473447060@1.0000
Location	131ADALR	Leveling Bracket	@0.0000
Shade Configuration	Single, NonCoupled, NonBanded	Leveler Key	2473590000
Width	45.750	Dry Contact Options	N
Height	60.750	Power Supply Option	N
Cord Position	L	Sensor Options	N
Mount Type	Inside Mount	Switch	N
Mount Type 2	Ceiling Mount	Timer	N
Operating System	Motorized	Transmitter	N
		Cable Type	3 CONDUCTOR
RAIL CUT		Quick Disconnect Female	9020259
Bottomrail Type	Fab Wrap Extrud Hem Bar	Quick Disconnect Male	9020258
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	43.6250	Motor UL	1001809
Tube Width	43.6250	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fab Cut Width	43.6250		
Fabric Drop Total	75.0192		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Tube Bearing Plug	2473110952@1.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		
Washer Lbl	RC450068@4.0000		
Bracket Adapter	2473550952@1.0000		
Bracket Cover	2473040952T@2.0000		

PTS Bar Code



Tube Cut Width



Fab Cut Width



BR Cut Width



Fabric



Special Messages:

*** UL MOTOR ***

*** SPECIAL INSTRUCTIONS ***

Quote Number: 13040851

Cust Reference: PO# H-107-06

Line item: 280

Total Line Qty: 1

Line Count : 28 OF 30



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		Channel 2	N
SPECIAL INSTRUCTIONS	COM FABRIC	Channel 3	N
		Channel 4	N
GENERAL INFORMATION		Channel 5	N
Location	104ADA		
Shade Configuration	Single, NonCoupled, NonBanded	PREPACK	
Width	50.750	SPECIAL INSTRUCTIONS	COM FABRIC
Height	67.250	Instl Bracket	2473017052T@2.0000
Cord Position	L	Instl Screw	RC450067@4.0000
Mount Type	Outside Mount	Screw Cover	2473080155T@2.0000
Mount Type 2	Wall Mount	Washer Lbl	RC450068@4.0000
Operating System	Motorized	Bracket Adapter	2473550952@1.0000
		Bracket Cover	2473040155T@2.0000
RAIL CUT		Leveler	2473447060@1.0000
Bottomrail Type	RB500 Bottom Bar	Leveling Bracket	@0.0000
Bottomrail Color	0199	Leveler Key	2473590000
Bottomrail	247011019921	Side Channel Clip	2471630000@10.0000
Bottomrail Color Over Opt	N	Dry Contact Options	N
Bottomrail Width	48.0000	Power Supply Option	N
Tube Width	48.7500	Sensor Options	N
Tube Size Label	62MM	Switch	5CHSW
Motor Type Label	RTS3	Timer	N
UL Motor	YES	Transmitter	N
Motor	QT506R	Cable Type	3 CONDUCTOR
Motor Unit Quantity	1	Quick Disconnect Female	9020259
Motor Unit PCN	1001809	Quick Disconnect Male	9020258
Crown Drive Set	2473540000		
Plate 2	2473480003	UL MOTOR	
Side Channel Color	WHITE	Motor Description	506S2 Sonesse RTS
Side Channel Override	N	Motor UL	1001809
Side Channel Meas	62.5000	Production Model	RB500M
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	81.6198		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Switch Type	5CHSW		
Channel 1	N		

PTS Bar Code



130408512800002800030

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



280 INIF2598PG1

Special Messages:

*** UL MOTOR ***

*** SPECIAL INSTRUCTIONS ***

Quote Number: 13040851

Cust Reference: PO# H-107-06

Line item: 290

Total Line Qty: 1

Line Count : 29 OF 30



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		Channel 2	N
SPECIAL INSTRUCTIONS	COM FABRIC	Channel 3	N
		Channel 4	N
GENERAL INFORMATION		Channel 5	N
Location	131ADAB		
Shade Configuration	Single, NonCoupled, NonBanded	PREPACK	
Width	51.000	SPECIAL INSTRUCTIONS	COM FABRIC
Height	66.875	Instl Bracket	2473017052T@2.0000
Cord Position	L	Instl Screw	RC450067@4.0000
Mount Type	Outside Mount	Screw Cover	2473080155T@2.0000
Mount Type 2	Wall Mount	Washer Lbl	RC450068@4.0000
Operating System	Motorized	Bracket Adapter	2473550952@1.0000
		Bracket Cover	2473040155T@2.0000
RAIL CUT		Leveler	2473447060@1.0000
Bottomrail Type	RB500 Bottom Bar	Leveling Bracket	@0.0000
Bottomrail Color	0199	Leveler Key	2473590000
Bottomrail	247011019921	Side Channel Clip	2471630000@10.0000
Bottomrail Color Over Opt	N	Dry Contact Options	N
Bottomrail Width	48.2500	Power Supply Option	N
Tube Width	49.0000	Sensor Options	N
Tube Size Label	62MM	Switch	5CHSW
Motor Type Label	RTS3	Timer	N
UL Motor	YES	Transmitter	N
Motor	QT506R	Cable Type	3 CONDUCTOR
Motor Unit Quantity	1	Quick Disconnect Female	9020259
Motor Unit PCN	1001809	Quick Disconnect Male	9020258
Crown Drive Set	2473540000		
Plate 2	2473480003	UL MOTOR	
Side Channel Color	WHITE	Motor Description	506S2 Sonesse RTS
Side Channel Override	N	Motor UL	1001809
Side Channel Meas	62.1250	Production Model	RB500M
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	81.2448		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Switch Type	5CHSW		
Channel 1	N		

PTS Bar Code



130408512900002900030

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



290 INIF2598PG1

Special Messages:

*** UL MOTOR ***

*** SPECIAL INSTRUCTIONS ***

Quote Number: 13040851

Cust Reference: PO# H-107-06

Line item: 300

Total Line Qty: 1

Line Count : 30 OF 30



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		Channel 2	N
SPECIAL INSTRUCTIONS	COM FABRIC	Channel 3	N
		Channel 4	N
GENERAL INFORMATION		Channel 5	N
Location	131ADALR		
Shade Configuration	Single, NonCoupled, NonBanded	PREPACK	
Width	50.750	SPECIAL INSTRUCTIONS	COM FABRIC
Height	66.750	Instl Bracket	2473017052T@2.0000
Cord Position	L	Instl Screw	RC450067@4.0000
Mount Type	Outside Mount	Screw Cover	2473080155T@2.0000
Mount Type 2	Wall Mount	Washer Lbl	RC450068@4.0000
Operating System	Motorized	Bracket Adapter	2473550952@1.0000
		Bracket Cover	2473040155T@2.0000
RAIL CUT		Leveler	2473447060@1.0000
Bottomrail Type	RB500 Bottom Bar	Leveling Bracket	@0.0000
Bottomrail Color	0199	Leveler Key	2473590000
Bottomrail	247011019921	Side Channel Clip	2471630000@10.0000
Bottomrail Color Over Opt	N	Dry Contact Options	N
Bottomrail Width	48.0000	Power Supply Option	N
Tube Width	48.7500	Sensor Options	N
Tube Size Label	62MM	Switch	5CHSW
Motor Type Label	RTS3	Timer	N
UL Motor	YES	Transmitter	N
Motor	QT506R	Cable Type	3 CONDUCTOR
Motor Unit Quantity	1	Quick Disconnect Female	9020259
Motor Unit PCN	1001809	Quick Disconnect Male	9020258
Crown Drive Set	2473540000		
Plate 2	2473480003	UL MOTOR	
Side Channel Color	WHITE	Motor Description	506S2 Sonesse RTS
Side Channel Override	N	Motor UL	1001809
Side Channel Meas	62.0000	Production Model	RB500M
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	81.1198		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Switch Type	5CHSW		
Channel 1	N		

PTS Bar Code



130408513000003000030

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



300 INIF2598PG1