

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 10

Total Line Qty: 1

Line Count : 1 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	202
Shade Configuration	Single, NonCoupled, NonBanded
Width	46.000
Height	60.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.3750
Tube Width	44.3750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.3750
Fabric Drop Total	70.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408990100000100066

Tube Cut Width



44.3750

Fab Cut Width



44.3750

BR Cut Width



44.3750

Fabric



010 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 20

Total Line Qty: 1

Line Count : 2 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	203LIV
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	60.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	69.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	90.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408990200000200066

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



020 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 30

Total Line Qty: 1

Line Count : 3 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	203BED
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	60.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	70.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408990300000300066

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



030 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 40

Total Line Qty: 1

Line Count : 4 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	205
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	60.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	70.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408990400000400066

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



040 1019641

Special Messages:



Quote Number: 13040899

Cust Reference: PO# H-107-06

Line item: 50

Total Line Qty: 1

Line Count : 5 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	206
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.375
Height	61.000
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.7500
Tube Width	43.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.7500
Fabric Drop Total	70.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.5000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408990500000500066

Tube Cut Width



43.7500

Fab Cut Width



43.7500

BR Cut Width



43.7500

Fabric



050 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 60

Total Line Qty: 1

Line Count : 6 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	207
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	60.875
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	70.3600
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.3125
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408990600000600066

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



060 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 70

Total Line Qty: 1

Line Count : 7 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	208
Shade Configuration	Single, NonCoupled, NonBanded
Width	46.000
Height	60.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.3750
Tube Width	44.3750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.3750
Fabric Drop Total	69.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	90.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408990700000700066

Tube Cut Width



44.3750

Fab Cut Width



44.3750

BR Cut Width



44.3750

Fabric



070 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 80

Total Line Qty: 1

Line Count : 8 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	209
Shade Configuration	Single, NonCoupled, NonBanded
Width	46.000
Height	61.000
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.3750
Tube Width	44.3750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.3750
Fabric Drop Total	70.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.5000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408990800000800066

Tube Cut Width



44.3750

Fab Cut Width



44.3750

BR Cut Width



44.3750

Fabric



080 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 90

Total Line Qty: 1

Line Count : 9 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	210
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	60.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	69.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	90.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



13040899090000900066

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



090 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 100

Total Line Qty: 1

Line Count : 10 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	211
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	60.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	70.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408991000001000066

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



100 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 110

Total Line Qty: 1

Line Count : 11 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	212
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	60.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	70.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408991100001100066

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



110 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 120

Total Line Qty: 1

Line Count : 12 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	214
Shade Configuration	Single, NonCoupled, NonBanded
Width	46.000
Height	61.000
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.3750
Tube Width	44.3750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.3750
Fabric Drop Total	70.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.5000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408991200001200066

Tube Cut Width



44.3750

Fab Cut Width



44.3750

BR Cut Width



44.3750

Fabric



120 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 130

Total Line Qty: 1

Line Count : 13 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	216
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.500
Height	61.000
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	43.8750
Tube Width	43.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	43.8750
Fabric Drop Total	70.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.5000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408991300001300066

Tube Cut Width



43.8750

Fab Cut Width



43.8750

BR Cut Width



43.8750

Fabric



130 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 140

Total Line Qty: 1

Line Count : 14 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	217
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	60.625
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	70.1100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	90.9375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408991400001400066

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



140 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 150

Total Line Qty: 1

Line Count : 15 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	218
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.625
Height	60.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.0000
Tube Width	44.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.0000
Fabric Drop Total	69.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	90.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408991500001500066

Tube Cut Width



44.0000

Fab Cut Width



44.0000

BR Cut Width



44.0000

Fabric



150 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 160

Total Line Qty: 1

Line Count : 16 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	219
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	60.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	70.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408991600001600066

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



160 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 170

Total Line Qty: 1

Line Count : 17 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	220
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.875
Height	60.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.2500
Tube Width	44.2500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.2500
Fabric Drop Total	70.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408991700001700066

Tube Cut Width



44.2500

Fab Cut Width



44.2500

BR Cut Width



44.2500

Fabric



170 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 180

Total Line Qty: 1

Line Count : 18 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	221
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.625
Height	60.875
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.0000
Tube Width	44.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.0000
Fabric Drop Total	70.3600
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.3125
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408991800001800066

Tube Cut Width



44.0000

Fab Cut Width



44.0000

BR Cut Width



44.0000

Fabric



180 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 190

Total Line Qty: 1

Line Count : 19 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	222
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.625
Height	60.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.0000
Tube Width	44.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.0000
Fabric Drop Total	70.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408991900001900066

Tube Cut Width



44.0000

Fab Cut Width



44.0000

BR Cut Width



44.0000

Fabric



190 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 200

Total Line Qty: 1

Line Count : 20 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	225
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	60.250
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	69.7350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	90.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408992000002000066

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



200 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 210

Total Line Qty: 1

Line Count : 21 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	226
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.875
Height	61.000
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.2500
Tube Width	44.2500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.2500
Fabric Drop Total	70.4850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.5000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408992100002100066

Tube Cut Width



44.2500

Fab Cut Width



44.2500

BR Cut Width



44.2500

Fabric



210 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 220

Total Line Qty: 1

Line Count : 22 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	227
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	60.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	69.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	90.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408992200002200066

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



220 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 230

Total Line Qty: 1

Line Count : 23 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	228
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	61.125
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	70.6100
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.6875
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408992300002300066

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



230 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 240

Total Line Qty: 1

Line Count : 24 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	229
Shade Configuration	Single, NonCoupled, NonBanded
Width	46.000
Height	60.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.3750
Tube Width	44.3750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.3750
Fabric Drop Total	70.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408992400002400066

Tube Cut Width



44.3750

Fab Cut Width



44.3750

BR Cut Width



44.3750

Fabric



240 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 250

Total Line Qty: 1

Line Count : 25 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	230
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	60.875
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	70.3600
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.3125
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408992500002500066

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



250 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 260

Total Line Qty: 1

Line Count : 26 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	231
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.625
Height	60.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.0000
Tube Width	44.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.0000
Fabric Drop Total	69.9850
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	90.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408992600002600066

Tube Cut Width



44.0000

Fab Cut Width



44.0000

BR Cut Width



44.0000

Fabric



260 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 270

Total Line Qty: 1

Line Count : 27 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	232LIV
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.875
Height	60.875
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.2500
Tube Width	44.2500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.2500
Fabric Drop Total	70.3600
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.3125
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408992700002700066

Tube Cut Width



44.2500

Fab Cut Width



44.2500

BR Cut Width



44.2500

Fabric



270 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 280

Total Line Qty: 1

Line Count : 28 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	232BED
Shade Configuration	Single, NonCoupled, NonBanded
Width	46.000
Height	60.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.3750
Tube Width	44.3750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.3750
Fabric Drop Total	70.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408992800002800066

Tube Cut Width



44.3750

Fab Cut Width



44.3750

BR Cut Width



44.3750

Fabric



280 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 290

Total Line Qty: 1

Line Count : 29 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	233
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.750
Height	60.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.1250
Tube Width	44.1250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.1250
Fabric Drop Total	70.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408992900002900066

Tube Cut Width



44.1250

Fab Cut Width



44.1250

BR Cut Width



44.1250

Fabric



290 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 300

Total Line Qty: 1

Line Count : 30 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	202	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	51.000	Side Channel Clip	2471630000@10.0000
Height	66.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.7500		
Tube Width	49.5000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.7500		
Fabric Drop Total	76.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408993000003000066

Tube Cut Width



49.5000

Fab Cut Width



48.7500

BR Cut Width



48.7500

Fabric



300 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 310

Total Line Qty: 1

Line Count : 31 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	203LIV	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.750	Side Channel Clip	2471630000@10.0000
Height	66.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	49.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	62.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.5000		
Fabric Drop Total	76.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	99.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408993100003100066

Tube Cut Width



49.2500

Fab Cut Width



48.5000

BR Cut Width



48.5000

Fabric



310 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 320

Total Line Qty: 1

Line Count : 32 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	203BED	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	66.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	76.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408993200003200066

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



320 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 330

Total Line Qty: 1

Line Count : 33 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	205	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.750	Side Channel Clip	2471630000@10.0000
Height	66.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	49.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.5000		
Fabric Drop Total	76.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408993300003300066

Tube Cut Width



49.2500

Fab Cut Width



48.5000

BR Cut Width



48.5000

Fabric



330 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 340

Total Line Qty: 1

Line Count : 34 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	206	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.375	Side Channel Clip	2471630000@10.0000
Height	67.000		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.1250		
Tube Width	48.8750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.3750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.1250		
Fabric Drop Total	76.5856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408993400003400066

Tube Cut Width



48.8750

Fab Cut Width



48.1250

BR Cut Width



48.1250

Fabric



340 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 350

Total Line Qty: 1

Line Count : 35 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	207	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.750	Side Channel Clip	2471630000@10.0000
Height	66.875		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	49.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.5000		
Fabric Drop Total	76.4606		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.3125		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408993500003500066

Tube Cut Width



49.2500

Fab Cut Width



48.5000

BR Cut Width



48.5000

Fabric



350 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 360

Total Line Qty: 1

Line Count : 36 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	208	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	51.000	Side Channel Clip	2471630000@10.0000
Height	66.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.7500		
Tube Width	49.5000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	62.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.7500		
Fabric Drop Total	76.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	99.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408993600003600066

Tube Cut Width



49.5000

Fab Cut Width



48.7500

BR Cut Width



48.7500

Fabric



360 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 370

Total Line Qty: 1

Line Count : 37 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	209	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	51.000	Side Channel Clip	2471630000@10.0000
Height	67.000		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.7500		
Tube Width	49.5000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.3750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.7500		
Fabric Drop Total	76.5856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408993700003700066

Tube Cut Width



49.5000

Fab Cut Width



48.7500

BR Cut Width



48.7500

Fabric



370 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 380

Total Line Qty: 1

Line Count : 38 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	210	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.750	Side Channel Clip	2471630000@10.0000
Height	66.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	49.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	62.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.5000		
Fabric Drop Total	76.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	99.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408993800003800066

Tube Cut Width



49.2500

Fab Cut Width



48.5000

BR Cut Width



48.5000

Fabric



380 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 390

Total Line Qty: 1

Line Count : 39 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	211	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.750	Side Channel Clip	2471630000@10.0000
Height	66.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	49.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.5000		
Fabric Drop Total	76.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408993900003900066

Tube Cut Width



49.2500

Fab Cut Width



48.5000

BR Cut Width



48.5000

Fabric



390 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 400

Total Line Qty: 1

Line Count : 40 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	212	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	66.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	76.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408994000004000066

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



400 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 410

Total Line Qty: 1

Line Count : 41 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	214	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	51.000	Side Channel Clip	2471630000@10.0000
Height	67.000		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.7500		
Tube Width	49.5000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.3750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.7500		
Fabric Drop Total	76.5856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408994100004100066

Tube Cut Width



49.5000

Fab Cut Width



48.7500

BR Cut Width



48.7500

Fabric



410 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 420

Total Line Qty: 1

Line Count : 42 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	216	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.500	Side Channel Clip	2471630000@10.0000
Height	67.000		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.2500		
Tube Width	49.0000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.3750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.2500		
Fabric Drop Total	76.5856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408994200004200066

Tube Cut Width



49.0000

Fab Cut Width



48.2500

BR Cut Width



48.2500

Fabric



420 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 430

Total Line Qty: 1

Line Count : 43 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	217	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.750	Side Channel Clip	2471630000@10.0000
Height	66.625		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	49.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.5000		
Fabric Drop Total	76.2106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	99.9375		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408994300004300066

Tube Cut Width



49.2500

Fab Cut Width



48.5000

BR Cut Width



48.5000

Fabric



430 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 440

Total Line Qty: 1

Line Count : 44 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	218	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.625	Side Channel Clip	2471630000@10.0000
Height	66.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.3750		
Tube Width	49.1250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	62.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.3750		
Fabric Drop Total	76.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	99.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408994400004400066

Tube Cut Width



49.1250

Fab Cut Width



48.3750

BR Cut Width



48.3750

Fabric



440 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 450

Total Line Qty: 1

Line Count : 45 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	219	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.750	Side Channel Clip	2471630000@10.0000
Height	66.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	49.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.5000		
Fabric Drop Total	76.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408994500004500066

Tube Cut Width



49.2500

Fab Cut Width



48.5000

BR Cut Width



48.5000

Fabric



450 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 460

Total Line Qty: 1

Line Count : 46 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	220	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.875	Side Channel Clip	2471630000@10.0000
Height	66.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.6250		
Tube Width	49.3750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.6250		
Fabric Drop Total	76.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408994600004600066

Tube Cut Width



49.3750

Fab Cut Width



48.6250

BR Cut Width



48.6250

Fabric



460 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 470

Total Line Qty: 1

Line Count : 47 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	221	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.625	Side Channel Clip	2471630000@10.0000
Height	66.875		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.3750		
Tube Width	49.1250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.3750		
Fabric Drop Total	76.4606		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.3125		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408994700004700066

Tube Cut Width



49.1250

Fab Cut Width



48.3750

BR Cut Width



48.3750

Fabric



470 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 480

Total Line Qty: 1

Line Count : 48 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	222	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.625	Side Channel Clip	2471630000@10.0000
Height	66.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.3750		
Tube Width	49.1250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.3750		
Fabric Drop Total	76.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408994800004800066

Tube Cut Width



49.1250

Fab Cut Width



48.3750

BR Cut Width



48.3750

Fabric



480 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 490

Total Line Qty: 1

Line Count : 49 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	225	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.750	Side Channel Clip	2471630000@10.0000
Height	66.250		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	49.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	62.6250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.5000		
Fabric Drop Total	75.8356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	99.3750		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408994900004900066

Tube Cut Width



49.2500

Fab Cut Width



48.5000

BR Cut Width



48.5000

Fabric



490 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 500

Total Line Qty: 1

Line Count : 50 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	226	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.875	Side Channel Clip	2471630000@10.0000
Height	67.000		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.6250		
Tube Width	49.3750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.3750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.6250		
Fabric Drop Total	76.5856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408995000005000066

Tube Cut Width



49.3750

Fab Cut Width



48.6250

BR Cut Width



48.6250

Fabric



500 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 510

Total Line Qty: 1

Line Count : 51 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	227	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.750	Side Channel Clip	2471630000@10.0000
Height	66.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	49.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	62.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.5000		
Fabric Drop Total	76.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	99.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408995100005100066

Tube Cut Width



49.2500

Fab Cut Width



48.5000

BR Cut Width



48.5000

Fabric



510 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 520

Total Line Qty: 1

Line Count : 52 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	228	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.750	Side Channel Clip	2471630000@10.0000
Height	67.125		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	49.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.5000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.5000		
Fabric Drop Total	76.7106		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.6875		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408995200005200066

Tube Cut Width



49.2500

Fab Cut Width



48.5000

BR Cut Width



48.5000

Fabric



520 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 530

Total Line Qty: 1

Line Count : 53 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	229	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	51.000	Side Channel Clip	2471630000@10.0000
Height	66.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.7500		
Tube Width	49.5000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.7500		
Fabric Drop Total	76.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408995300005300066

Tube Cut Width



49.5000

Fab Cut Width



48.7500

BR Cut Width



48.7500

Fabric



530 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 540

Total Line Qty: 1

Line Count : 54 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	230	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.750	Side Channel Clip	2471630000@10.0000
Height	66.875		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	49.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.5000		
Fabric Drop Total	76.4606		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.3125		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408995400005400066

Tube Cut Width



49.2500

Fab Cut Width



48.5000

BR Cut Width



48.5000

Fabric



540 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 550

Total Line Qty: 1

Line Count : 55 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	231	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.625	Side Channel Clip	2471630000@10.0000
Height	66.500		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.3750		
Tube Width	49.1250		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	62.8750		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.3750		
Fabric Drop Total	76.0856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	99.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408995500005500066

Tube Cut Width



49.1250

Fab Cut Width



48.3750

BR Cut Width



48.3750

Fabric



550 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 560

Total Line Qty: 1

Line Count : 56 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	232LIV	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.875	Side Channel Clip	2471630000@10.0000
Height	66.875		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.6250		
Tube Width	49.3750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.6250		
Fabric Drop Total	76.4606		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.3125		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408995600005600066

Tube Cut Width



49.3750

Fab Cut Width



48.6250

BR Cut Width



48.6250

Fabric



560 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 570

Total Line Qty: 1

Line Count : 57 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	232BED	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	51.000	Side Channel Clip	2471630000@10.0000
Height	66.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.7500		
Tube Width	49.5000		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.7500		
Fabric Drop Total	76.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408995700005700066

Tube Cut Width



49.5000

Fab Cut Width



48.7500

BR Cut Width



48.7500

Fabric



570 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 580

Total Line Qty: 1

Line Count : 58 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		SPECIAL INSTRUCTIONS	COM FABRIC
SPECIAL INSTRUCTIONS	COM FABRIC	Install Bracket Label	2478017052@1.0000
		Screws	4450000021@1.0000
GENERAL INFORMATION		Instl Screw	2-70-9021@4.0000
Location	233	Bracket Cover	2471120155T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Stop	2474180027
Width	50.750	Side Channel Clip	2471630000@10.0000
Height	66.750		
Cord Position	R	UL MOTOR	
Mount Type	Outside Mount	Production Model	RB500CO
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	49.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	63.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.5000		
Fabric Drop Total	76.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	100.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			

PTS Bar Code



130408995800005800066

Tube Cut Width



49.2500

Fab Cut Width



48.5000

BR Cut Width




48.5000

Fabric



580 INIF2598PG1

Special Messages:



Quote Number: 13040899

Cust Reference: PO# H-107-06

Line item: 590

Total Line Qty: 1

Line Count : 59 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION		Leveler	2473447060@1.0000
Location	204ADA	Leveling Bracket	@0.0000
Shade Configuration	Single, NonCoupled, NonBanded	Leveler Key	2473590000
Width	45.750	Dry Contact Options	N
Height	61.000	Power Supply Option	N
Cord Position	L	Sensor Options	N
Mount Type	Inside Mount	Switch	N
Mount Type 2	Ceiling Mount	Timer	N
Operating System	Motorized	Transmitter	N
		Cable Type	3 CONDUCTOR
RAIL CUT		Quick Disconnect Female	9020259
Bottomrail Type	Fab Wrap Extrud Hem Bar	Quick Disconnect Male	9020258
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	43.6250	Motor UL	1001809
Tube Width	43.6250	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fab Cut Width	43.6250		
Fabric Drop Total	75.2692		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Tube Bearing Plug	2473110952@1.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		
Washer Lbl	RC450068@4.0000		
Bracket Adapter	2473550952@1.0000		
Bracket Cover	2473040952T@2.0000		

PTS Bar Code



Tube Cut Width



Fab Cut Width



BR Cut Width



Fabric



Special Messages:

*** UL MOTOR ***

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 600

Total Line Qty: 1

Line Count : 60 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION		Leveler	2473447060@1.0000
Location	223ADA	Leveling Bracket	@0.0000
Shade Configuration	Single, NonCoupled, NonBanded	Leveler Key	2473590000
Width	45.875	Dry Contact Options	N
Height	61.250	Power Supply Option	N
Cord Position	L	Sensor Options	N
Mount Type	Inside Mount	Switch	N
Mount Type 2	Ceiling Mount	Timer	N
Operating System	Motorized	Transmitter	N
		Cable Type	3 CONDUCTOR
RAIL CUT		Quick Disconnect Female	9020259
Bottomrail Type	Fab Wrap Extrud Hem Bar	Quick Disconnect Male	9020258
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	43.7500	Motor UL	1001809
Tube Width	43.7500	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fab Cut Width	43.7500		
Fabric Drop Total	75.5192		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Tube Bearing Plug	2473110952@1.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		
Washer Lbl	RC450068@4.0000		
Bracket Adapter	2473550952@1.0000		
Bracket Cover	2473040952T@2.0000		

PTS Bar Code



130408996000006000066

Tube Cut Width



43.7500

Fab Cut Width



43.7500

BR Cut Width



43.7500

Fabric



600 1019641

Special Messages:

*** UL MOTOR ***

*** SPECIAL INSTRUCTIONS ***

Quote Number: 13040899

Cust Reference: PO# H-107-06

Line item: 610

Total Line Qty: 1

Line Count : 61 OF 66



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		Channel 2	N
SPECIAL INSTRUCTIONS	COM FABRIC	Channel 3	N
		Channel 4	N
GENERAL INFORMATION		Channel 5	N
Location	204ADA		
Shade Configuration	Single, NonCoupled, NonBanded	PREPACK	
Width	50.750	SPECIAL INSTRUCTIONS	COM FABRIC
Height	67.000	Instl Bracket	2473017052T@2.0000
Cord Position	L	Instl Screw	RC450067@4.0000
Mount Type	Outside Mount	Screw Cover	2473080155T@2.0000
Mount Type 2	Wall Mount	Washer Lbl	RC450068@4.0000
Operating System	Motorized	Bracket Adapter	2473550952@1.0000
		Bracket Cover	2473040155T@2.0000
RAIL CUT		Leveler	2473447060@1.0000
Bottomrail Type	RB500 Bottom Bar	Leveling Bracket	@0.0000
Bottomrail Color	0199	Leveler Key	2473590000
Bottomrail	247011019921	Side Channel Clip	2471630000@10.0000
Bottomrail Color Over Opt	N	Dry Contact Options	N
Bottomrail Width	48.0000	Power Supply Option	N
Tube Width	48.7500	Sensor Options	N
Tube Size Label	62MM	Switch	5CHSW
Motor Type Label	RTS3	Timer	N
UL Motor	YES	Transmitter	N
Motor	QT506R	Cable Type	3 CONDUCTOR
Motor Unit Quantity	1	Quick Disconnect Female	9020259
Motor Unit PCN	1001809	Quick Disconnect Male	9020258
Crown Drive Set	2473540000		
Plate 2	2473480003	UL MOTOR	
Side Channel Color	WHITE	Motor Description	506S2 Sonesse RTS
Side Channel Override	N	Motor UL	1001809
Side Channel Meas	62.2500	Production Model	RB500M
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.0000		
Fabric Drop Total	81.3698		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Switch Type	5CHSW		
Channel 1	N		

PTS Bar Code



130408996100006100066

Tube Cut Width



48.7500

Fab Cut Width



48.0000

BR Cut Width



48.0000

Fabric



610 INIF2598PG1

Special Messages:

*** UL MOTOR ***

*** SPECIAL INSTRUCTIONS ***

Quote Number: 13040899

Cust Reference: PO# H-107-06

Line item: 620

Total Line Qty: 1

Line Count : 62 OF 66



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		Channel 2	N
SPECIAL INSTRUCTIONS	COM FABRIC	Channel 3	N
		Channel 4	N
GENERAL INFORMATION		Channel 5	N
Location	223ADA		
Shade Configuration	Single, NonCoupled, NonBanded	PREPACK	
Width	50.875	SPECIAL INSTRUCTIONS	COM FABRIC
Height	67.250	Instl Bracket	2473017052T@2.0000
Cord Position	L	Instl Screw	RC450067@4.0000
Mount Type	Outside Mount	Screw Cover	2473080155T@2.0000
Mount Type 2	Wall Mount	Washer Lbl	RC450068@4.0000
Operating System	Motorized	Bracket Adapter	2473550952@1.0000
		Bracket Cover	2473040155T@2.0000
RAIL CUT		Leveler	2473447060@1.0000
Bottomrail Type	RB500 Bottom Bar	Leveling Bracket	@0.0000
Bottomrail Color	0199	Leveler Key	2473590000
Bottomrail	247011019921	Side Channel Clip	2471630000@10.0000
Bottomrail Color Over Opt	N	Dry Contact Options	N
Bottomrail Width	48.1250	Power Supply Option	N
Tube Width	48.8750	Sensor Options	N
Tube Size Label	62MM	Switch	5CHSW
Motor Type Label	RTS3	Timer	N
UL Motor	YES	Transmitter	N
Motor	QT506R	Cable Type	3 CONDUCTOR
Motor Unit Quantity	1	Quick Disconnect Female	9020259
Motor Unit PCN	1001809	Quick Disconnect Male	9020258
Crown Drive Set	2473540000		
Plate 2	2473480003	UL MOTOR	
Side Channel Color	WHITE	Motor Description	506S2 Sonesse RTS
Side Channel Override	N	Motor UL	1001809
Side Channel Meas	62.5000	Production Model	RB500M
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	48.1250		
Fabric Drop Total	81.6198		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Switch Type	5CHSW		
Channel 1	N		

PTS Bar Code



130408996200006200066

Tube Cut Width



48.8750

Fab Cut Width



48.1250

BR Cut Width



48.1250

Fabric



620 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 630

Total Line Qty: 1

Line Count : 63 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	213
Shade Configuration	Single, NonCoupled, NonBanded
Width	46.000
Height	60.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.3750
Tube Width	44.3750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.3750
Fabric Drop Total	70.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408996300006300066

Tube Cut Width



44.3750

Fab Cut Width



44.3750

BR Cut Width



44.3750

Fabric



630 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 640

Total Line Qty: 1

Line Count : 64 OF 66



Standard/Ground

Home2 Suites Jacksonville

GENERAL INFORMATION	
Location	215
Shade Configuration	Single, NonCoupled, NonBanded
Width	45.875
Height	60.875
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	44.2500
Tube Width	44.2500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	44.2500
Fabric Drop Total	70.3600
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	91.3125
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130408996400006400066

Tube Cut Width



44.2500

Fab Cut Width



44.2500

BR Cut Width



44.2500

Fabric



640 1019641

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 650

Total Line Qty: 1

Line Count : 65 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		Tube Bearing Plug	2471290952T@1.0000
SPECIAL INSTRUCTIONS	COM FABRIC	Installation Label	SAFETY100@2.0000
GENERAL INFORMATION		PREPACK	
Location	213	SPECIAL INSTRUCTIONS	COM FABRIC
Shade Configuration	Single, NonCoupled, NonBanded	Install Bracket Label	2478007052@1.0000
Width	46.000	Screws	4450000021@1.0000
Height	60.750	Instl Screw	2-70-9021@4.0000
Cord Position	R	Bracket Cover	2471100155T@2.0000
Mount Type	Inside Mount	Chain Stop	2474180027
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std	UL MOTOR	
		Production Model	RB500CO
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	43.6250		
Tube Width	44.3750		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	57.0000		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	20.3750		
Side Chnl Hole Loc 3	36.7500		
Side Chnl Hole Loc 4	53.0000		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	43.6250		
Fabric Drop Total	70.3356		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	91.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		

PTS Bar Code



130408996500006500066

Tube Cut Width



44.3750

Fab Cut Width



43.6250

BR Cut Width



43.6250

Fabric



650 INIF2598PG1

Special Messages:

Quote Number: **13040899**Cust Reference: **PO# H-107-06**

Line item: 660

Total Line Qty: 1

Line Count : 66 OF 66

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Home2 Suites Jacksonville

SPECIAL INSTRUCTIONS		Tube Bearing Plug	2471290952T@1.0000
SPECIAL INSTRUCTIONS	COM FABRIC	Installation Label	SAFETY100@2.0000
GENERAL INFORMATION		PREPACK	
Location	215	SPECIAL INSTRUCTIONS	COM FABRIC
Shade Configuration	Single, NonCoupled, NonBanded	Install Bracket Label	2478007052@1.0000
Width	45.875	Screws	4450000021@1.0000
Height	60.875	Instl Screw	2-70-9021@4.0000
Cord Position	R	Bracket Cover	2471100155T@2.0000
Mount Type	Inside Mount	Chain Stop	2474180027
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std	UL MOTOR	
		Production Model	RB500CO
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	43.5000		
Tube Width	44.2500		
Tube Size Label	37MM		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	57.1250		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	20.3750		
Side Chnl Hole Loc 3	36.7500		
Side Chnl Hole Loc 4	53.1250		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	43.5000		
Fabric Drop Total	70.4606		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	91.3125		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		

PTS Bar Code



130408996600006600066

Tube Cut Width



44.2500

Fab Cut Width



43.5000

BR Cut Width



43.5000

Fabric



660 INIF2598PG1