

Special Messages:

Quote Number: **13063558**Cust Reference: **PO# 99130**

Line item: 10

Total Line Qty: 1

Line Count : 1 OF 6

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		UL MOTOR	
SPECIAL INSTRUCTIONS	COM FABRIC	Production Model	RB500CO
GENERAL INFORMATION			
Location	421BO		
Shade Configuration	Single, NonCoupled, NonBanded		
Width	75.000		
Height	64.000		
Cord Position	L		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	73.5000		
Tube Width	73.5000		
Tube Size Label	37MM		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	73.5000		
Fabric Drop Total	73.5856		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	96.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	L		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
SPECIAL INSTRUCTIONS	COM FABRIC		
Install Bracket Label	2478017052@1.0000		
Screws	4450000021@1.0000		
Instl Screw	2-70-9021@4.0000		
Bracket Cover	2471120155T@2.0000		
Chain Stop	2474180027		

PTS Bar Code



130635580100000100006

Tube Cut Width



73.5000

Fab Cut Width



73.5000

BR Cut Width



73.5000

Fabric



010 INIF2598PG1

Special Messages:

Quote Number: **13063558**Cust Reference: **PO# 99130**

Line item: 20

Total Line Qty: 1

Line Count : 2 OF 6



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	421SH
Shade Configuration	Single, NonCoupled, NonBanded
Width	59.125
Height	55.750
Cord Position	L
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	57.5000
Tube Width	57.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	002
Fabric PCN	1019641
Fabric Description	Bleecker 6%
Color Description	White
Fab Cut Width	57.5000
Fabric Drop Total	65.2350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	83.6250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130635580200000200006

Tube Cut Width



57.5000

Fab Cut Width



57.5000

BR Cut Width



57.5000

Fabric



020 1019641

Special Messages:

Quote Number: **13063558**

Cust Reference: PO# 99130

Line item: 30

Total Line Qty: 1

Line Count : 3 OF 6



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		PREPACK	
SPECIAL INSTRUCTIONS	COM FABRIC	SPECIAL INSTRUCTIONS	COM FABRIC
GENERAL INFORMATION		Instl Bracket	2473017052T@2.0000
Location	221ADABO	Instl Screw	RC450067@4.0000
Shade Configuration	Single, NonCoupled, NonBanded	Screw Cover	2473080155T@2.0000
Width	75.000	Washer Lbl	RC450068@4.0000
Height	63.750	Bracket Adapter	2473550952@1.0000
Cord Position	L	Bracket Cover	2473040155T@2.0000
Mount Type	Outside Mount	Leveler	2473447060@1.0000
Mount Type 2	Wall Mount	Leveling Bracket	@0.0000
Operating System	Motorized	Leveler Key	2473590000
		Dry Contact Options	N
RAIL CUT		Power Supply Option	N
Bottomrail Type	RB500 Bottom Bar	Sensor Options	N
Bottomrail Color	0199	Switch	5CHSW
Bottomrail	247011019921	Timer	N
Bottomrail Color Over Opt	N	Transmitter	N
Bottomrail Width	73.0000		
Tube Width	73.0000	UL MOTOR	
Tube Size Label	62MM	Motor Description	506S2 Sonesse RTS
Motor Type Label	RTS3	Motor UL	1001809
UL Motor	YES	Production Model	RB500M
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	73.0000		
Fabric Drop Total	78.1198		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Plug In	1019543		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Plug In Length	10		
Switch Type	5CHSW		
Label: Wire Length	10.0000		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		

PTS Bar Code



130635580300000300006

Tube Cut Width



73 0000

Fab Cut Width



73.0000

BR Cut Width




73.0000

Fabric



030 INIF2598PG1

Special Messages:



Quote Number: 13063558

Cust Reference: PO# 99130

Line item: 40

Total Line Qty: 1

Line Count : 4 OF 6



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION		Washer Lbl	RC450068@4.0000
Location	221ADASH	Bracket Adapter	2473550952@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Bracket Cover	2473040952T@2.0000
Width	59.125	Leveler	2473447060@1.0000
Height	55.500	Leveling Bracket	@0.0000
Cord Position	L	Leveler Key	2473590000
Mount Type	Inside Mount	Dry Contact Options	N
Mount Type 2	Ceiling Mount	Power Supply Option	N
Operating System	Motorized	Sensor Options	N
		Switch	N
		Timer	N
		Transmitter	N
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	57.0000	Motor UL	1001809
Tube Width	57.0000	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fab Cut Width	57.0000		
Fabric Drop Total	69.7692		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Plug In	1019543		
Tube Bearing Plug	2473110952@1.0000		
MOTOR ASSY			
Plug In Length	10		
Label: Wire Length	10.0000		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		

PTS Bar Code



Tube Cut Width



Fab Cut Width



BR Cut Width



Fabric



Special Messages:

Quote Number: **13063558**

Cust Reference: PO# 99130

Line item: 50

Total Line Qty: 1

Line Count : 5 OF 6



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		PREPACK	
SPECIAL INSTRUCTIONS	COM FABRIC	SPECIAL INSTRUCTIONS	COM FABRIC
GENERAL INFORMATION		SPECIAL INSTRUCTIONS	
Location	321ADABO	Instl Bracket	2473017052T@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Instl Screw	RC450067@4.0000
Width	74.625	Screw Cover	2473080155T@2.0000
Height	63.000	Washer Lbl	RC450068@4.0000
Cord Position	L	Bracket Adapter	2473550952@1.0000
Mount Type	Outside Mount	Bracket Cover	2473040155T@2.0000
Mount Type 2	Wall Mount	Leveler	2473447060@1.0000
Operating System	Motorized	Leveling Bracket	@0.0000
		Leveler Key	2473590000
		Dry Contact Options	N
RAIL CUT		Power Supply Option	N
Bottomrail Type	RB500 Bottom Bar	Sensor Options	N
Bottomrail Color	0199	Switch	5CHSW
Bottomrail	247011019921	Timer	N
Bottomrail Color Over Opt	N	Transmitter	N
Bottomrail Width	72.6250		
Tube Width	72.6250	UL MOTOR	
Tube Size Label	62MM	Motor Description	506S2 Sonesse RTS
Motor Type Label	RTS3	Motor UL	1001809
UL Motor	YES	Production Model	RB500M
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	72.6250		
Fabric Drop Total	77.3698		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Plug In	1019543		
Tube Bearing Plug	2473110155@1.0000		
MOTOR ASSY			
Plug In Length	10		
Switch Type	5CHSW		
Label: Wire Length	10.0000		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		

PTS Bar Code



130635580500000500006

Tube Cut Width



72.6250

Fab Cut Width



72.6250

BR Cut Width




72.6250

Fabric



050 INIF2598PG1

Special Messages:



Quote Number: 13063558

Cust Reference: PO# 99130

Line item: 60

Total Line Qty: 1

Line Count : 6 OF 6



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION		Washer Lbl	RC450068@4.0000
Location	321ADASH	Bracket Adapter	2473550952@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Bracket Cover	2473040952T@2.0000
Width	58.750	Leveler	2473447060@1.0000
Height	54.750	Leveling Bracket	@0.0000
Cord Position	L	Leveler Key	2473590000
Mount Type	Inside Mount	Dry Contact Options	N
Mount Type 2	Ceiling Mount	Power Supply Option	N
Operating System	Motorized	Sensor Options	N
		Switch	N
		Timer	N
		Transmitter	N
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	506S2 Sonesse RTS
Bottomrail Width	56.6250	Motor UL	1001809
Tube Width	56.6250	Production Model	RB500M
Tube Size Label	62MM		
Motor Type Label	RTS3		
UL Motor	YES		
Motor	QT506R		
Motor Unit Quantity	1		
Motor Unit PCN	1001809		
Crown Drive Set	2473540000		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	002		
Fabric PCN	1019641		
Fabric Description	Bleecker 6%		
Color Description	White		
Fab Cut Width	56.6250		
Fabric Drop Total	69.0192		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Plug In	1019543		
Tube Bearing Plug	2473110952@1.0000		
MOTOR ASSY			
Plug In Length	10		
Label: Wire Length	10.0000		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		

PTS Bar Code



Tube Cut Width



Fab Cut Width



BR Cut Width



Fabric

