

Special Messages:

Quote Number: **13168846**Cust Reference: **PO# 20-0407-**

Line item: 10

Total Line Qty: 1

Line Count : 1 OF 8



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION		Chain Color	STAINLESS
Location	SALES	Chain Length	143.2500
Shade Configuration	Single, NonCoupled, NonBanded	Chain Length Dual	150.7500
Dual Shade	DUAL	Chain	2474180025
Width	70.500	Chain Connector	1048513
Height	95.500	Tensioner	1042237@2.0000
Top Treatment	Fascia Black 7"	Clutch Type	HD
Cord Position	R	Clutch Assy	94105330
Cord Position Dual	R	Clutch Assy Dual	94105330
Mount Type	Outside Mount	Clutch Position	R
Mount Type 2	Wall Mount	Clutch Position Dual	R
Operating System	Clutch Operated HD	Endcaps	247RC437048
Single Dual Shade	2.0000	Adapter	93006473
		Tube Bearing Plug	2473100952@2.0000
		Installation Label	SAFETY100@4.0000
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	1858	PREPACK	
Bottomrail	RC444968	Install Bracket Label	247RC43500L@1.0000
Bottomrail Type Dual	RB500 Bottom Bar	Instl Brkt 2 Lbl	247RC43600R@1.0000
Bottomrail Color Dual	7052	Fascia Screw Lbl	RC445246@2.0000
Bottomrail Dual	247011705221	Fascia Washer Lbl	RC445247@4.0000
Bottomrail Color Over Opt	N	Screws	4450000021@2.0000
Bottomrail Width	68.6250	End Plate	2479127052
Bottomrail Width Std	68.6250	Chain Stop	2474180027
Tube Width	68.6250		
Tube Width Dual	68.6250	UL MOTOR	
Tube Size Label	50MM	Production Model	RB500CO
Fascia Type	Fascia Black 7"		
Fascia 1	RC51104821		
Fascia Cut Width	70.5000		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Rear Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	006		
Fabric PCN	1019645		
Fabric Description	Bleecker 6%		
Color Description	Steel		
Fabric Dual	STRIATO		
Color Dual	004		
Fabric PCN Dual	20333BO3		
Fabric Description Dual	Striate 0%		
Color Description Dual	Mist		
Fab Cut Width	68.6250		
Fab Cut Width Dual	68.6250		
Fabric Drop Total	107.4885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
Cut Method Dual	SCISSORS		
Sealing Tape Dual	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Bottomrail Type Dual	RB500 Bottom Bar		
Bottomrail End Cap Dual	2471661858@2.0000		

PTS Bar Code



131688460100000100014

Tube Cut Width



68.6250

Tube Cut Width



68.6250

Fab Cut Width



68.6250

Fab Cut Width D




68.6250

BR Cut Width



68.6250

Special Messages:



Quote Number: **13168846**
Cust Reference: **PO# 20-0407-**
Line item: 10
Total Line Qty: 1
Line Count : 1 OF 8



Standard/Ground

AK Designs, LLC

BR Cut Width Du	
	68.6250
Fascia Cut Width	
	70.5000
Fabric	
	010 1019645

Special Messages:

Quote Number: **13168846**Cust Reference: **PO# 20-0407-**

Line item: 20

Total Line Qty: 6

Line Count : 2 OF 8



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION		Chain Stop	2474180027
Location	CORRIDORS	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	66.375	UL MOTOR	
Height	95.750	Production Model	RB500CO
Top Treatment	Fascia Black 4"		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	1858		
Bottomrail	RC444968		
Bottomrail Color Over Opt	N		
Bottomrail Width	64.5000		
Tube Width	64.5000		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Black 4"		
Fascia 1	247055185821		
Fascia Cut Width	65.7500		
Fascia Punch Side	R		
Chain Outlet	2473341858		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	006		
Fabric PCN	1019645		
Fabric Description	Bleecker 6%		
Color Description	Steel		
Fab Cut Width	64.5000		
Fabric Drop Total	107.7385		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	143.6250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473501858@1.0000		

PTS Bar Code



13168846020000200014

Tube Cut Width



64.5000

Fab Cut Width



64.5000

BR Cut Width



64.5000

Fascia Cut Width



65.7500

Fabric



020 1019645

Special Messages:



Quote Number: 13168846

Cust Reference: PO# 20-0407-

Line item: 30

Total Line Qty: 1

Line Count : 3 OF 8



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION		Chain Stop	2474180027
Location	FITNESS 1	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	58.500	UL MOTOR	
Height	88.000	Production Model	RB500CO
Top Treatment	Fascia Black 4"		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	1858		
Bottomrail	RC444968		
Bottomrail Color Over Opt	N		
Bottomrail Width	56.6250		
Tube Width	56.6250		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Black 4"		
Fascia 1	247055185821		
Fascia Cut Width	57.8750		
Fascia Punch Side	R		
Chain Outlet	2473341858		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	006		
Fabric PCN	1019645		
Fabric Description	Bleecker 6%		
Color Description	Steel		
Fab Cut Width	56.6250		
Fabric Drop Total	99.9885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	132.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473501858@1.0000		

PTS Bar Code



131688460300000300014

Tube Cut Width



56.6250

Fab Cut Width



56.6250

BR Cut Width



56.6250

Fascia Cut Width



57.8750

Fabric



030 1019645

Special Messages:

Quote Number: **13168846**Cust Reference: **PO# 20-0407-**

Line item: 40

Total Line Qty: 1

Line Count : 4 OF 8



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION		Tensioner	1042237@1.0000
Location	FITNESS 3	Clutch Type	HD SPRING
Shade Configuration	3 Coupled, Non-Banded	Clutch Assy	94105330
Width	128.500	Clutch Position	R
Height	88.000	Spring Assist	HEAVY DUTY SPRING
Couple Ordered Width	42.7500	Adapter	93006473
Couple 2 Ordered Width	42.7500	Adapter 62	2473260952T
Couple 3 Ordered Width	43.0000	Tube Bearing Plug	2473110952@3.0000
Top Treatment	Fascia Black 4"	Fine Adjuster	2473230952
Cord Position	R	Installation Label	SAFETY100@3.0000
Mount Type	Outside Mount		
Mount Type 2	Wall Mount	PREPACK	
Operating System	Clutch Operated HD Spring Assist	Fascia Brkt Lbl	2478377052R@1.0000
Fine Adjuster	Y	Screws	4450000021@1.0000
		Bracket Cover	2473501858@1.0000
RAIL CUT		Chain Stop	2474180027
Bottomrail Type	Fab Wrap Extrud Hem Bar	Intermed Bracket	2473457052S@2.0000
Bottomrail Color	1858	Locking Clip	2473430002@5.0000
Bottomrail	RC444968	Coupled Bracket Cover	@2.0000
Bottomrail Color Over Opt	N		
Bottomrail Width 1	41.5000	UL MOTOR	
Bottomrail Width 2	41.5000	Production Model	RB500CO
Bottomrail Width 3	41.1250		
Tube Width 1	41.5000		
Tube Width 2	41.5000		
Tube Width 3	41.1250		
Tube Size Label	62MM		
Plate 2	2473480003		
Fascia Type	Fascia Black 4"		
Fascia 1	247055185821		
Coupled Fascia	S		
Fascia Cut Width	131.0000		
Fascia Punch Side	R		
Chain Outlet	2473341858		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	006		
Fabric PCN	1019645		
Fabric Description	Bleecker 6%		
Color Description	Steel		
Fabric Width 1	41.5000		
Fabric Width 2	41.5000		
Fabric Width 3	41.1250		
Fabric Drop Total	102.2692		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@6.0000		
Spline PCN	ADHESIVE STRIP		
Chain Color	STAINLESS		
Chain Length	132.0000		
Chain	2474180025		
Chain Connector	1048513		

PTS Bar Code



131688460400000400014

Tube Cut Width 1



41.5000

Tube Cut Width 2



41.5000

Tube Cut Width 3



41.1250

Fab Cut Width 1




41.5000

Fab Cut Width 2



41.5000

Special Messages:



Quote Number: **13168846**
Cust Reference: **PO# 20-0407-**
Line item: 40
Total Line Qty: 1
Line Count : 4 OF 8



Standard/Ground

AK Designs, LLC

Fab Cut Width 3	
	41.1250
BR Cut Width 1	
	41.5000
BR Cut Width 2	
	41.5000
BR Cut Width 3	
	41.1250
Fascia Cut Width	
	131.0000
Fabric	
	040 1019645

Special Messages:



Quote Number: 13168846

Cust Reference: PO# 20-0407-

Line item: 50

Total Line Qty: 1

Line Count : 5 OF 8



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION		Chain Stop	2474180027
Location	LOBBY 1	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	58.375	UL MOTOR	
Height	90.500	Production Model	RB500CO
Top Treatment	Fascia Black 4"		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	1858		
Bottomrail	RC444968		
Bottomrail Color Over Opt	N		
Bottomrail Width	56.5000		
Tube Width	56.5000		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Black 4"		
Fascia 1	247055185821		
Fascia Cut Width	57.7500		
Fascia Punch Side	R		
Chain Outlet	2473341858		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	006		
Fabric PCN	1019645		
Fabric Description	Bleecker 6%		
Color Description	Steel		
Fab Cut Width	56.5000		
Fabric Drop Total	102.4885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	135.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473501858@1.0000		

PTS Bar Code



131688460500000500014

Tube Cut Width



56.5000

Fab Cut Width



56.5000

BR Cut Width



56.5000

Fascia Cut Width



57.7500

Fabric



050 1019645

Special Messages:



Quote Number: 13168846

Cust Reference: PO# 20-0407-

Line item: 60

Total Line Qty: 1

Line Count : 6 OF 8



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION		Chain Stop	2474180027
Location	LOBBY 2	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	83.000	UL MOTOR	
Height	90.500	Production Model	RB500CO
Top Treatment	Fascia Black 4"		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	1858		
Bottomrail	RC444968		
Bottomrail Color Over Opt	N		
Bottomrail Width	81.1250		
Tube Width	81.1250		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Black 4"		
Fascia 1	247055185821		
Fascia Cut Width	82.3750		
Fascia Punch Side	R		
Chain Outlet	2473341858		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	006		
Fabric PCN	1019645		
Fabric Description	Bleecker 6%		
Color Description	Steel		
Fab Cut Width	81.1250		
Fabric Drop Total	102.4885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	135.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@3.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473501858@1.0000		

PTS Bar Code



131688460600000600014

Tube Cut Width



81.1250

Fab Cut Width



81.1250

BR Cut Width



81.1250

Fascia Cut Width



82.3750

Fabric



060 1019645

Special Messages:

REVERSE ROLL DIRECTION

*** UL MOTOR ***

*** SPECIAL INSTRUCTIONS ***

Quote Number: 13168846

Cust Reference: PO# 20-0407-

Line item: 160

Total Line Qty: 1

Line Count : 7 OF 8



Standard/Ground

AK Designs, LLC

SPECIAL INSTRUCTIONS		Fabric	ECLIP0
SPECIAL INSTRUCTIONS	ZIP TRACK SYSTEM	Color	001
SPECIAL INSTRUCTIONS	EXTERNAL WEIGHT BAR WITH WOOL	Fabric PCN	DP4115203
		Fabric Description	GlacierScreen Plus 0% RD
GENERAL INFORMATION		Color Description	White
Location	PA-403 BREAKFAST	Fab Cut Width	173.0000
Shade Configuration	Single, NonCoupled, NonBanded	Fabric Drop Total	78.1687
Width	176.000	Cut Method	CRUSH CUT
Height	64.000	Sealing Tape Front	N
Top Treatment	Surface Pocket White 5"		
Cord Position	L	SHADE ASSY	
Mount Type	Inside Mount	Bottomrail Type	RB500 Bottom Bar
Mount Type 2	Ceiling Mount	Bottomrail End Cap	2471660155@2.0000
Operating System	Motorized	Bottomrail Spline	2471780000
Turn Fabric	Turn Fabric (No Seam)	Tube Bearing Plug	2473110155@1.0000
RAIL CUT		MOTOR ASSY	
Bottomrail Type	RB500 Bottom Bar	Rocker Switch	MORW
Bottomrail Color	0199		
Bottomrail	247011019921	PREPACK	
Bottomrail Color Over Opt	N	SPECIAL INSTRUCTIONS	ZIP TRACK SYSTEM
Bottomrail Width	173.0000	SPECIAL INSTRUCTIONS	EXTERNAL WEIGHT BAR WITH WOOL
Tube Width	173.7500	Instl Bracket	2473017052T@2.0000
Tube Size Label	62MM	Instl Screw	RC450067@4.0000
Motor Type Label	HW4	Screw Cover	2473080155T@2.0000
UL Motor	YES	Washer Lbl	RC450068@4.0000
Motor	QT506S	Bracket Adapter	2473550952@1.0000
Motor Unit Quantity	1	Leveler	2473447060@1.0000
Motor Unit PCN	1001814	Leveling Bracket	@0.0000
Crown Drive Set	2473540000	Leveler Key	2473590000
Plate 2	2473480003	Power Supply Option	N
Side Channel Color	WHITE	Switch	MORW
Side Channel Override	N	Transmitter	N
Side Channel Meas	58.5000	Cable Type	4 CONDUCTOR
Side Chnl Hole Loc 1	4.0000	Quick Disconnect Female	9020234
Side Chnl Hole Loc 2	20.8750	Quick Disconnect Male	9020235
Side Chnl Hole Loc 3	37.7500		
Side Chnl Hole Loc 4	54.5000	UL MOTOR	
PCN Side Channel	247012019921	Motor Description	506S2 Sonesse
Wool Pile Side	445010	Motor UL	1001814
Bo Side Chan Ec	2471690155	Production Model	RB500M
Sgl Sc Bo Ins Set	2471680155		
Bottom Closure	WPOCKET		
Bottom Closure Size	3 IN		
Bottom Closure Color	WHITE		
Bottom Closer Width	175.6250		
PCN Bottom Closure	RC50167521		
Pocket Color	WHITE		
Pocket Type	5 SURF		
Pocket Width	175.7500		
PCN Pockets	RC50367521		
Pocket Endcaps	Y		
Pocket End Plate	RC506675		
FABRIC CUT			
Front Shade Roll Dir	Reverse Roll		
Turn Fabric	Turn Fabric (No Seam)		

PTS Bar Code



131688461600000700014

Tube Cut Width



173.7500

Fab Cut Width



173.0000

BR Cut Width



173.0000

Fabric



160 DP4115203

Special Messages:

Quote Number: **13168846**Cust Reference: **PO# 20-0407-**

Line item: 200

Total Line Qty: 1

Line Count : 8 OF 8



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION		Chain Stop	2474180027
Location	FITNESS 2	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	58.250	UL MOTOR	
Height	88.000	Production Model	RB500CO
Top Treatment	Fascia Black 4"		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	1858		
Bottomrail	RC444968		
Bottomrail Color Over Opt	N		
Bottomrail Width	56.3750		
Tube Width	56.3750		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Black 4"		
Fascia 1	247055185821		
Fascia Cut Width	57.6250		
Fascia Punch Side	R		
Chain Outlet	2473341858		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	006		
Fabric PCN	1019645		
Fabric Description	Bleecker 6%		
Color Description	Steel		
Fab Cut Width	56.3750		
Fabric Drop Total	99.9885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	132.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473501858@1.0000		

PTS Bar Code



131688462000000800014

Tube Cut Width



56.3750

Fab Cut Width



56.3750

BR Cut Width



56.3750

Fascia Cut Width



57.6250

Fabric



200 1019645