

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 10

Total Line Qty: 1

Line Count : 1 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	312A
Shade Configuration	Single, NonCoupled, NonBanded
Width	84.000
Height	78.375
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	82.1250
Tube Width	82.1250
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	82.1250
Fabric Drop Total	90.3760
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	117.5625
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100952@1.0000
Installation Label	SAFETY100@3.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080952T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864920100000100032

Tube Cut Width



82.1250

Fab Cut Width



82.1250

BR Cut Width



82.1250

Fabric



010 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 20

Total Line Qty: 1

Line Count : 2 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	328C
Shade Configuration	Single, NonCoupled, NonBanded
Width	24.000
Height	78.375
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	22.5000
Tube Width	22.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	22.5000
Fabric Drop Total	87.8726
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	117.5625
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864920200000200032

Tube Cut Width



22.5000

Fab Cut Width



22.5000

BR Cut Width



22.5000

Fabric



020 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 30

Total Line Qty: 1

Line Count : 3 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	412A
Shade Configuration	Single, NonCoupled, NonBanded
Width	84.000
Height	78.750
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	82.1250
Tube Width	82.1250
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	82.1250
Fabric Drop Total	90.7510
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	118.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100952@1.0000
Installation Label	SAFETY100@3.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080952T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864920300000300032

Tube Cut Width



82.1250

Fab Cut Width



82.1250

BR Cut Width



82.1250

Fabric



030 1019646

Special Messages:



Quote Number: 13186492

Cust Reference: PO# HGIS2625

Line item: 40

Total Line Qty: 1

Line Count : 4 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	428C
Shade Configuration	Single, NonCoupled, NonBanded
Width	24.000
Height	79.000
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	22.5000
Tube Width	22.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	22.5000
Fabric Drop Total	88.4976
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	118.5000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864920400000400032

Tube Cut Width



22.5000

Fab Cut Width



22.5000

BR Cut Width



22.5000

Fabric



040 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 50

Total Line Qty: 1

Line Count : 5 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	512A
Shade Configuration	Single, NonCoupled, NonBanded
Width	24.000
Height	97.875
Cord Position	L
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	22.5000
Tube Width	22.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	22.5000
Fabric Drop Total	107.3726
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	146.8125
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478017052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471120952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864920500000500032

Tube Cut Width



22.5000

Fab Cut Width



22.5000

BR Cut Width



22.5000

Fabric



050 1019646

Special Messages:



Quote Number: 13186492

Cust Reference: PO# HGIS2625

Line item: 60

Total Line Qty: 1

Line Count : 6 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	512B
Shade Configuration	Single, NonCoupled, NonBanded
Width	60.000
Height	78.875
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	58.5000
Tube Width	58.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	58.5000
Fabric Drop Total	88.3726
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	118.3125
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864920600000600032

Tube Cut Width



58.5000

Fab Cut Width



58.5000

BR Cut Width



58.5000

Fabric



060 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 70

Total Line Qty: 1

Line Count : 7 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	528B
Shade Configuration	Single, NonCoupled, NonBanded
Width	24.000
Height	79.250
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	22.5000
Tube Width	22.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	22.5000
Fabric Drop Total	88.7476
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	118.8750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864920700000700032

Tube Cut Width



22.5000

Fab Cut Width



22.5000

BR Cut Width



22.5000

Fabric



070 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 80

Total Line Qty: 1

Line Count : 8 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	612A
Shade Configuration	Single, NonCoupled, NonBanded
Width	60.000
Height	78.500
Cord Position	L
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	58.5000
Tube Width	58.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	58.5000
Fabric Drop Total	87.9976
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	117.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864920800000800032

Tube Cut Width



58.5000

Fab Cut Width



58.5000

BR Cut Width



58.5000

Fabric



080 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 90

Total Line Qty: 1

Line Count : 9 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	612B
Shade Configuration	Single, NonCoupled, NonBanded
Width	24.000
Height	97.000
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	22.5000
Tube Width	22.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	22.5000
Fabric Drop Total	106.4976
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	145.5000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478017052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471120952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864920900000900032

Tube Cut Width



22.5000

Fab Cut Width



22.5000

BR Cut Width



22.5000

Fabric



090 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 100

Total Line Qty: 1

Line Count : 10 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	628B
Shade Configuration	Single, NonCoupled, NonBanded
Width	24.000
Height	52.000
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	22.5000
Tube Width	22.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	22.5000
Fabric Drop Total	61.4976
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	78.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864921000001000032

Tube Cut Width



22.5000

Fab Cut Width



22.5000

BR Cut Width



22.5000

Fabric



100 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 110

Total Line Qty: 1

Line Count : 11 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	712A
Shade Configuration	Single, NonCoupled, NonBanded
Width	84.000
Height	78.750
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	82.1250
Tube Width	82.1250
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	82.1250
Fabric Drop Total	90.7510
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	118.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100952@1.0000
Installation Label	SAFETY100@3.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080952T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864921100001100032

Tube Cut Width



82.1250

Fab Cut Width



82.1250

BR Cut Width



82.1250

Fabric



110 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 120

Total Line Qty: 1

Line Count : 12 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	728C
Shade Configuration	Single, NonCoupled, NonBanded
Width	24.000
Height	80.000
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	22.5000
Tube Width	22.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	22.5000
Fabric Drop Total	89.4976
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	120.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864921200001200032

Tube Cut Width



22.5000

Fab Cut Width



22.5000

BR Cut Width



22.5000

Fabric



120 1019646

Special Messages:



Quote Number: 13186492

Cust Reference: PO# HGIS2625

Line item: 130

Total Line Qty: 1

Line Count : 13 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	812A
Shade Configuration	Single, NonCoupled, NonBanded
Width	84.000
Height	78.250
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	82.1250
Tube Width	82.1250
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	82.1250
Fabric Drop Total	90.2510
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	117.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100952@1.0000
Installation Label	SAFETY100@3.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080952T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864921300001300032

Tube Cut Width



82.1250

Fab Cut Width



82.1250

BR Cut Width



82.1250

Fabric



130 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 140

Total Line Qty: 1

Line Count : 14 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	828C
Shade Configuration	Single, NonCoupled, NonBanded
Width	24.000
Height	79.125
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	22.5000
Tube Width	22.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	22.5000
Fabric Drop Total	88.6226
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	118.6875
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864921400001400032

Tube Cut Width



22.5000

Fab Cut Width



22.5000

BR Cut Width



22.5000

Fabric



140 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 150

Total Line Qty: 1

Line Count : 15 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	912A
Shade Configuration	Single, NonCoupled, NonBanded
Width	24.000
Height	97.250
Cord Position	L
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	22.5000
Tube Width	22.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	22.5000
Fabric Drop Total	106.7476
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	145.8750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478017052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471120952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864921500001500032

Tube Cut Width



22.5000

Fab Cut Width



22.5000

BR Cut Width



22.5000

Fabric



150 1019646

Special Messages:



Quote Number: 13186492

Cust Reference: PO# HGIS2625

Line item: 160

Total Line Qty: 1

Line Count : 16 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	912B
Shade Configuration	Single, NonCoupled, NonBanded
Width	60.000
Height	78.500
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	58.5000
Tube Width	58.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	58.5000
Fabric Drop Total	87.9976
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	117.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864921600001600032

Tube Cut Width



58.5000

Fab Cut Width



58.5000

BR Cut Width



58.5000

Fabric



160 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 170

Total Line Qty: 1

Line Count : 17 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	928B
Shade Configuration	Single, NonCoupled, NonBanded
Width	24.000
Height	79.125
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	22.5000
Tube Width	22.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	22.5000
Fabric Drop Total	88.6226
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	118.6875
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864921700001700032

Tube Cut Width



22.5000

Fab Cut Width



22.5000

BR Cut Width



22.5000

Fabric



170 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 180

Total Line Qty: 1

Line Count : 18 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	1012A
Shade Configuration	Single, NonCoupled, NonBanded
Width	60.000
Height	78.750
Cord Position	L
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	58.5000
Tube Width	58.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	58.5000
Fabric Drop Total	88.2476
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	118.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864921800001800032

Tube Cut Width



58.5000

Fab Cut Width



58.5000

BR Cut Width



58.5000

Fabric



180 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 190

Total Line Qty: 1

Line Count : 19 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	1012B
Shade Configuration	Single, NonCoupled, NonBanded
Width	24.000
Height	97.625
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	22.5000
Tube Width	22.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	22.5000
Fabric Drop Total	107.1226
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	146.4375
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478017052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471120952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864921900001900032

Tube Cut Width



22.5000

Fab Cut Width



22.5000

BR Cut Width



22.5000

Fabric



190 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 200

Total Line Qty: 1

Line Count : 20 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	1028B
Shade Configuration	Single, NonCoupled, NonBanded
Width	24.000
Height	79.250
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	22.5000
Tube Width	22.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	22.5000
Fabric Drop Total	88.7476
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	118.8750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864922000002000032

Tube Cut Width



22.5000

Fab Cut Width



22.5000

BR Cut Width



22.5000

Fabric



200 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 210

Total Line Qty: 1

Line Count : 21 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	1112A
Shade Configuration	Single, NonCoupled, NonBanded
Width	84.000
Height	78.750
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	82.1250
Tube Width	82.1250
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	82.1250
Fabric Drop Total	90.7510
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	118.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100952@1.0000
Installation Label	SAFETY100@3.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080952T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864922100002100032

Tube Cut Width



82.1250

Fab Cut Width



82.1250

BR Cut Width



82.1250

Fabric



210 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 220

Total Line Qty: 1

Line Count : 22 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	1128C
Shade Configuration	Single, NonCoupled, NonBanded
Width	24.000
Height	79.250
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	22.5000
Tube Width	22.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	22.5000
Fabric Drop Total	88.7476
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	118.8750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864922200002200032

Tube Cut Width



22.5000

Fab Cut Width



22.5000

BR Cut Width



22.5000

Fabric



220 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 230

Total Line Qty: 1

Line Count : 23 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	1212A
Shade Configuration	Single, NonCoupled, NonBanded
Width	84.000
Height	79.500
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	82.1250
Tube Width	82.1250
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	82.1250
Fabric Drop Total	91.5010
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	119.2500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100952@1.0000
Installation Label	SAFETY100@3.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080952T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864922300002300032

Tube Cut Width



82.1250

Fab Cut Width



82.1250

BR Cut Width



82.1250

Fabric



230 1019646

Special Messages:



Quote Number: 13186492

Cust Reference: PO# HGIS2625

Line item: 240

Total Line Qty: 1

Line Count : 24 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	1228C
Shade Configuration	Single, NonCoupled, NonBanded
Width	24.000
Height	79.750
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	22.5000
Tube Width	22.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	22.5000
Fabric Drop Total	89.2476
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	119.6250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864922400002400032

Tube Cut Width



22.5000

Fab Cut Width



22.5000

BR Cut Width



22.5000

Fabric



240 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 250

Total Line Qty: 1

Line Count : 25 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	1412A
Shade Configuration	Single, NonCoupled, NonBanded
Width	24.000
Height	97.750
Cord Position	L
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	22.5000
Tube Width	22.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	22.5000
Fabric Drop Total	107.2476
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	146.6250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478017052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471120952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864922500002500032

Tube Cut Width



22.5000

Fab Cut Width



22.5000

BR Cut Width



22.5000

Fabric



250 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 260

Total Line Qty: 1

Line Count : 26 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	1412B
Shade Configuration	Single, NonCoupled, NonBanded
Width	60.000
Height	78.875
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	58.5000
Tube Width	58.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	58.5000
Fabric Drop Total	88.3726
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	118.3125
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864922600002600032

Tube Cut Width



58.5000

Fab Cut Width



58.5000

BR Cut Width



58.5000

Fabric



260 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 270

Total Line Qty: 1

Line Count : 27 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	1428B
Shade Configuration	Single, NonCoupled, NonBanded
Width	24.000
Height	79.750
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	22.5000
Tube Width	22.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	22.5000
Fabric Drop Total	89.2476
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	119.6250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864922700002700032

Tube Cut Width



22.5000

Fab Cut Width



22.5000

BR Cut Width




22.5000

Fabric



270 1019646

Special Messages:



Quote Number: 13186492

Cust Reference: PO# HGIS2625

Line item: 280

Total Line Qty: 1

Line Count : 28 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION		Screw Cover	2473080952T@2.0000
Location	1512LVA	Washer Lbl	RC450068@4.0000
Shade Configuration	Single, NonCoupled, NonBanded	Bracket Adapter	2473550952@1.0000
Width	60.000	Leveler	2473447060@1.0000
Height	77.250	Leveling Bracket	@0.0000
Cord Position	L	Leveler Key	2473590000
Mount Type	Outside Mount	Dry Contact Options	N
Mount Type 2	Wall Mount	Motor Power Dist Panel	N
Operating System	Motorized	Power Supply Option	TR241
		Sensor Options	N
RAIL CUT		Switch	5CHSW
Bottomrail Type	Fab Wrap Extrud Hem Bar	Timer	N
Bottomrail Color	7052	Transmitter	N
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N	UL MOTOR	
Bottomrail Width	58.3750	Motor Description	Sonesse 30 RTS
Tube Width	58.3750	Motor UL	1026828
Tube Size Label	50MM	Production Model	RB500M
Motor Type Label	RTS2		
UL Motor	YES		
Motor	ST30R		
Motor Unit Quantity	1		
Motor Unit PCN	1026828		
Crown Drive Set	9014574		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BROOM0		
Color	001		
Fabric PCN	1019646		
Fabric Description	Broome 0 %		
Color Description	Concrete		
Fab Cut Width	58.3750		
Fabric Drop Total	89.2510		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Transmission Type	TR241		
Transformer	RC445117		
Adapter	9020676SOMFY		
Tube Bearing Plug	2473100952@1.0000		
MOTOR ASSY			
Switch Type	5CHSW		
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		

PTS Bar Code



Tube Cut Width



Fab Cut Width



BR Cut Width



Fabric



Special Messages:

*** UL MOTOR ***

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 290

Total Line Qty: 1

Line Count : 29 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION		Washer Lbl	RC450068@4.0000
Location	1512LVB	Bracket Adapter	2473550952@1.0000
Shade Configuration	Single, NonCoupled, NonBanded	Leveler	2473447060@1.0000
Width	24.000	Leveling Bracket	@0.0000
Height	95.750	Leveler Key	2473590000
Cord Position	R	Dry Contact Options	N
Mount Type	Outside Mount	Motor Power Dist Panel	N
Mount Type 2	Wall Mount	Power Supply Option	TR241
Operating System	Motorized	Sensor Options	N
		Switch	N
		Timer	N
		Transmitter	N
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052	UL MOTOR	
Bottomrail Color Over Opt	N	Motor Description	Sonesse 30 RTS
Bottomrail Width	22.3750	Motor UL	1026828
Tube Width	22.3750	Production Model	RB500M
Tube Size Label	50MM		
Motor Type Label	RTS2		
UL Motor	YES		
Motor	ST30R		
Motor Unit Quantity	1		
Motor Unit PCN	1026828		
Crown Drive Set	9014574		
Plate 2	2473480003		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BROOM0		
Color	001		
Fabric PCN	1019646		
Fabric Description	Broome 0 %		
Color Description	Concrete		
Fab Cut Width	22.3750		
Fabric Drop Total	107.7510		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Transmission Type	TR241		
Transformer	RC445117		
Adapter	9020676SOMFY		
Tube Bearing Plug	2473100952@1.0000		
MOTOR ASSY			
Channel 1	N		
Channel 2	N		
Channel 3	N		
Channel 4	N		
Channel 5	N		
PREPACK			
Instl Bracket	2473017052T@2.0000		
Instl Screw	RC450067@4.0000		
Screw Cover	2473080952T@2.0000		

PTS Bar Code



131864922900002900032

Tube Cut Width



22.3750

Fab Cut Width



22.3750

BR Cut Width



22.3750

Fabric



290 1019646

Special Messages:

Quote Number: **13186492**Cust Reference: **PO# HGIS2625**

Line item: 300

Total Line Qty: 1

Line Count : 30 OF 30



Standard/Ground

The Carroll Adams Group

GENERAL INFORMATION	
Location	1528LVB
Shade Configuration	Single, NonCoupled, NonBanded
Width	84.000
Height	76.875
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	82.1250
Tube Width	82.1250
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BROOM0
Color	001
Fabric PCN	1019646
Fabric Description	Broome 0 %
Color Description	Concrete
Fab Cut Width	82.1250
Fabric Drop Total	88.8760
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	115.3125
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100952@1.0000
Installation Label	SAFETY100@3.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080952T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131864923000003000032

Tube Cut Width



82.1250

Fab Cut Width



82.1250

BR Cut Width



82.1250

Fabric



300 1019646