

Special Messages:



Quote Number: 13224375

Cust Reference: RI Middletow

Line item: 10

Total Line Qty: 4

Line Count : 1 OF 15



Standard/Ground

Dra-Cor Industries

GENERAL INFORMATION		UL MOTOR	
Location	C-400,C-200,S-430,S-230	Production Model	RB500CO
Shade Configuration	Single, NonCoupled, NonBanded		
Width	28.000		
Height	58.000		
Top Treatment	Fascia White 3"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	0199		
Bottomrail	147RC0199		
Bottomrail Color Over Opt	N		
Bottomrail Width	26.3750		
Tube Width	26.3750		
Tube Size Label	37MM		
Fascia Type	Fascia White 3"		
Fascia 1	247005019921		
Fascia Cut Width	27.2500		
Fascia Punch Side	R		
Chain Outlet	2471460155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	013		
Fabric PCN	1046519		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	White/White		
Fab Cut Width	26.3750		
Fabric Drop Total	67.4850		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	87.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478347052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2471420155@1.0000		
Chain Stop	2474180027		

PTS Bar Code



132243750100000100029

Tube Cut Width



26.3750

Fab Cut Width



26.3750

BR Cut Width



26.3750

Fascia Cut Width



27.2500

Fabric



010 1046519

Special Messages:



Quote Number: 13224375

Cust Reference: RI Middletow

Line item: 20

Total Line Qty: 1

Line Count : 2 OF 15



Standard/Ground

Dra-Cor Industries

GENERAL INFORMATION		UL MOTOR	
Location	S-400	Production Model	RB500CO
Shade Configuration	Single, NonCoupled, NonBanded		
Width	58.000		
Height	58.000		
Top Treatment	Fascia White 3"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	0199		
Bottomrail	147RC0199		
Bottomrail Color Over Opt	N		
Bottomrail Width	56.3750		
Tube Width	56.3750		
Tube Size Label	37MM		
Fascia Type	Fascia White 3"		
Fascia 1	247005019921		
Fascia Cut Width	57.2500		
Fascia Punch Side	R		
Chain Outlet	2471460155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	013		
Fabric PCN	1046519		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	White/White		
Fab Cut Width	56.3750		
Fabric Drop Total	67.4850		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	87.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478347052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2471420155@1.0000		
Chain Stop	2474180027		

PTS Bar Code



132243750200000200029

Tube Cut Width



56.3750

Fab Cut Width



56.3750

BR Cut Width



56.3750

Fascia Cut Width



57.2500

Fabric



020 1046519

Special Messages:



Quote Number: 13224375

Cust Reference: RI Middletow

Line item: 30

Total Line Qty: 1

Line Count : 3 OF 15



Standard/Ground

Dra-Cor Industries

GENERAL INFORMATION		UL MOTOR	
Location	C-300	Production Model	RB500CO
Shade Configuration	Single, NonCoupled, NonBanded		
Width	28.000		
Height	59.000		
Top Treatment	Fascia White 3"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	0199		
Bottomrail	147RC0199		
Bottomrail Color Over Opt	N		
Bottomrail Width	26.3750		
Tube Width	26.3750		
Tube Size Label	37MM		
Fascia Type	Fascia White 3"		
Fascia 1	247005019921		
Fascia Cut Width	27.2500		
Fascia Punch Side	R		
Chain Outlet	2471460155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	013		
Fabric PCN	1046519		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	White/White		
Fab Cut Width	26.3750		
Fabric Drop Total	68.4850		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	88.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478347052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2471420155@1.0000		
Chain Stop	2474180027		

PTS Bar Code



132243750300000300029

Tube Cut Width



26.3750

Fab Cut Width



26.3750

BR Cut Width



26.3750

Fascia Cut Width



27.2500

Fabric



030 1046519

Special Messages:



Quote Number: 13224375

Cust Reference: RI Middletow

Line item: 40

Total Line Qty: 3

Line Count : 4 OF 15



Standard/Ground

Dra-Cor Industries

GENERAL INFORMATION		UL MOTOR	
Location	C-100,S-330,S-130	Production Model	RB500CO
Shade Configuration	Single, NonCoupled, NonBanded		
Width	27.875		
Height	58.000		
Top Treatment	Fascia White 3"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	0199		
Bottomrail	147RC0199		
Bottomrail Color Over Opt	N		
Bottomrail Width	26.2500		
Tube Width	26.2500		
Tube Size Label	37MM		
Fascia Type	Fascia White 3"		
Fascia 1	247005019921		
Fascia Cut Width	27.1250		
Fascia Punch Side	R		
Chain Outlet	2471460155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	013		
Fabric PCN	1046519		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	White/White		
Fab Cut Width	26.2500		
Fabric Drop Total	67.4850		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	87.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478347052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2471420155@1.0000		
Chain Stop	2474180027		

PTS Bar Code



132243750400000400029

Tube Cut Width



26.2500

Fab Cut Width



26.2500

BR Cut Width



26.2500

Fascia Cut Width



27.1250

Fabric



040 1046519

Special Messages:



Quote Number: 13224375

Cust Reference: RI Middletow

Line item: 50

Total Line Qty: 1

Line Count : 5 OF 15



Standard/Ground

Dra-Cor Industries

GENERAL INFORMATION		UL MOTOR	
Location	S-300	Production Model	RB500CO
Shade Configuration	Single, NonCoupled, NonBanded		
Width	57.875		
Height	58.000		
Top Treatment	Fascia White 3"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	0199		
Bottomrail	147RC0199		
Bottomrail Color Over Opt	N		
Bottomrail Width	56.2500		
Tube Width	56.2500		
Tube Size Label	37MM		
Fascia Type	Fascia White 3"		
Fascia 1	247005019921		
Fascia Cut Width	57.1250		
Fascia Punch Side	R		
Chain Outlet	2471460155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	013		
Fabric PCN	1046519		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	White/White		
Fab Cut Width	56.2500		
Fabric Drop Total	67.4850		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	87.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478347052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2471420155@1.0000		
Chain Stop	2474180027		

PTS Bar Code



132243750500000500029

Tube Cut Width



56.2500

Fab Cut Width



56.2500

BR Cut Width



56.2500

Fascia Cut Width



57.1250

Fabric



050 1046519

Special Messages:



Quote Number: 13224375

Cust Reference: RI Middletow

Line item: 60

Total Line Qty: 1

Line Count : 6 OF 15



Standard/Ground

Dra-Cor Industries

GENERAL INFORMATION		UL MOTOR	
Location	GM-1	Production Model	RB500CO
Shade Configuration	Single, NonCoupled, NonBanded		
Width	69.875		
Height	70.000		
Top Treatment	Fascia White 3"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	0199		
Bottomrail	147RC0199		
Bottomrail Color Over Opt	N		
Bottomrail Width	68.2500		
Tube Width	68.2500		
Tube Size Label	37MM		
Fascia Type	Fascia White 3"		
Fascia 1	247005019921		
Fascia Cut Width	69.1250		
Fascia Punch Side	R		
Chain Outlet	2471460155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	013		
Fabric PCN	1046519		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	White/White		
Fab Cut Width	68.2500		
Fabric Drop Total	79.4850		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	105.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478347052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2471420155@1.0000		
Chain Stop	2474180027		

PTS Bar Code



132243750600000600029

Tube Cut Width



68.2500

Fab Cut Width



68.2500

BR Cut Width



68.2500

Fascia Cut Width



69.1250

Fabric



060 1046519

Special Messages:



Quote Number: 13224375

Cust Reference: RI Middletow

Line item: 70

Total Line Qty: 1

Line Count : 7 OF 15



Standard/Ground

Dra-Cor Industries

GENERAL INFORMATION		UL MOTOR	
Location	GM-2	Production Model	RB500CO
Shade Configuration	Single, NonCoupled, NonBanded		
Width	58.125		
Height	70.000		
Top Treatment	Fascia White 3"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	0199		
Bottomrail	147RC0199		
Bottomrail Color Over Opt	N		
Bottomrail Width	56.5000		
Tube Width	56.5000		
Tube Size Label	37MM		
Fascia Type	Fascia White 3"		
Fascia 1	247005019921		
Fascia Cut Width	57.3750		
Fascia Punch Side	R		
Chain Outlet	2471460155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	013		
Fabric PCN	1046519		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	White/White		
Fab Cut Width	56.5000		
Fabric Drop Total	79.4850		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	105.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478347052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2471420155@1.0000		
Chain Stop	2474180027		

PTS Bar Code

132243750700000700029

Tube Cut Width

56.5000

Fab Cut Width

56.5000

BR Cut Width

56.5000

Fascia Cut Width

57.3750

Fabric

070 1046519

Special Messages:



Quote Number: 13224375

Cust Reference: RI Middletow

Line item: 80

Total Line Qty: 4

Line Count : 8 OF 15



Standard/Ground

Dra-Cor Industries

GENERAL INFORMATION		UL MOTOR	
Location	ASST GM,FIT RM1/2,FIT COR2	Production Model	RB500CO
Shade Configuration	Single, NonCoupled, NonBanded		
Width	57.875		
Height	70.000		
Top Treatment	Fascia White 3"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	0199		
Bottomrail	147RC0199		
Bottomrail Color Over Opt	N		
Bottomrail Width	56.2500		
Tube Width	56.2500		
Tube Size Label	37MM		
Fascia Type	Fascia White 3"		
Fascia 1	247005019921		
Fascia Cut Width	57.1250		
Fascia Punch Side	R		
Chain Outlet	2471460155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	013		
Fabric PCN	1046519		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	White/White		
Fab Cut Width	56.2500		
Fabric Drop Total	79.4850		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	105.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478347052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2471420155@1.0000		
Chain Stop	2474180027		

PTS Bar Code



132243750800000800029

Tube Cut Width



56.2500

Fab Cut Width



56.2500

BR Cut Width



56.2500

Fascia Cut Width



57.1250

Fabric



080 1046519

Special Messages:



Quote Number: 13224375

Cust Reference: RI Middletow

Line item: 90

Total Line Qty: 1

Line Count : 9 OF 15



Standard/Ground

Dra-Cor Industries

GENERAL INFORMATION		UL MOTOR	
Location	DINING 1	Production Model	RB500CO
Shade Configuration	Single, NonCoupled, NonBanded		
Width	57.250		
Height	70.000		
Top Treatment	Fascia White 3"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	0199		
Bottomrail	147RC0199		
Bottomrail Color Over Opt	N		
Bottomrail Width	55.6250		
Tube Width	55.6250		
Tube Size Label	37MM		
Fascia Type	Fascia White 3"		
Fascia 1	247005019921		
Fascia Cut Width	56.5000		
Fascia Punch Side	R		
Chain Outlet	2471460155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	013		
Fabric PCN	1046519		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	White/White		
Fab Cut Width	55.6250		
Fabric Drop Total	79.4850		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	105.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478347052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2471420155@1.0000		
Chain Stop	2474180027		

PTS Bar Code



13224375090000900029

Tube Cut Width



55.6250

Fab Cut Width



55.6250

BR Cut Width



55.6250

Fascia Cut Width



56.5000

Fabric



090 1046519

Special Messages:



Quote Number: 13224375

Cust Reference: RI Middletow

Line item: 100

Total Line Qty: 2

Line Count : 10 OF 15



Standard/Ground

Dra-Cor Industries

GENERAL INFORMATION		UL MOTOR	
Location	DINING 2,FIT CORR 1	Production Model	RB500CO
Shade Configuration	Single, NonCoupled, NonBanded		
Width	57.750		
Height	70.000		
Top Treatment	Fascia White 3"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	0199		
Bottomrail	147RC0199		
Bottomrail Color Over Opt	N		
Bottomrail Width	56.1250		
Tube Width	56.1250		
Tube Size Label	37MM		
Fascia Type	Fascia White 3"		
Fascia 1	247005019921		
Fascia Cut Width	57.0000		
Fascia Punch Side	R		
Chain Outlet	2471460155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	013		
Fabric PCN	1046519		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	White/White		
Fab Cut Width	56.1250		
Fabric Drop Total	79.4850		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	105.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478347052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2471420155@1.0000		
Chain Stop	2474180027		

PTS Bar Code



132243751000001000029

Tube Cut Width



56.1250

Fab Cut Width



56.1250

BR Cut Width



56.1250

Fascia Cut Width



57.0000

Fabric



100 1046519

Special Messages:



Quote Number: 13224375

Cust Reference: RI Middletow

Line item: 110

Total Line Qty: 2

Line Count : 11 OF 15



Standard/Ground

Dra-Cor Industries

GENERAL INFORMATION		UL MOTOR	
Location	BAR 1/3	Production Model	RB500CO
Shade Configuration	Single, NonCoupled, NonBanded		
Width	33.875		
Height	70.000		
Top Treatment	Fascia White 3"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	0199		
Bottomrail	147RC0199		
Bottomrail Color Over Opt	N		
Bottomrail Width	32.2500		
Tube Width	32.2500		
Tube Size Label	37MM		
Fascia Type	Fascia White 3"		
Fascia 1	247005019921		
Fascia Cut Width	33.1250		
Fascia Punch Side	R		
Chain Outlet	2471460155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	013		
Fabric PCN	1046519		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	White/White		
Fab Cut Width	32.2500		
Fabric Drop Total	79.4850		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	105.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478347052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2471420155@1.0000		
Chain Stop	2474180027		

PTS Bar Code



132243751100001100029

Tube Cut Width



32.2500

Fab Cut Width



32.2500

BR Cut Width



32.2500

Fascia Cut Width



33.1250

Fabric



110 1046519

Special Messages:



Quote Number: 13224375

Cust Reference: RI Middletow

Line item: 120

Total Line Qty: 1

Line Count : 12 OF 15



Standard/Ground

Dra-Cor Industries

GENERAL INFORMATION		UL MOTOR	
Location	BAR 2	Production Model	RB500CO
Shade Configuration	Single, NonCoupled, NonBanded		
Width	69.750		
Height	70.000		
Top Treatment	Fascia White 3"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	0199		
Bottomrail	147RC0199		
Bottomrail Color Over Opt	N		
Bottomrail Width	68.1250		
Tube Width	68.1250		
Tube Size Label	37MM		
Fascia Type	Fascia White 3"		
Fascia 1	247005019921		
Fascia Cut Width	69.0000		
Fascia Punch Side	R		
Chain Outlet	2471460155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	013		
Fabric PCN	1046519		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	White/White		
Fab Cut Width	68.1250		
Fabric Drop Total	79.4850		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	105.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478347052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2471420155@1.0000		
Chain Stop	2474180027		

PTS Bar Code



132243751200001200029

Tube Cut Width



68.1250

Fab Cut Width



68.1250

BR Cut Width



68.1250

Fascia Cut Width



69.0000

Fabric



120 1046519

Special Messages:



Quote Number: 13224375

Cust Reference: RI Middletow

Line item: 130

Total Line Qty: 1

Line Count : 13 OF 15



Standard/Ground

Dra-Cor Industries

GENERAL INFORMATION		UL MOTOR	
Location	BAR 4	Production Model	RB500CO
Shade Configuration	Single, NonCoupled, NonBanded		
Width	70.000		
Height	70.000		
Top Treatment	Fascia White 3"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	0199		
Bottomrail	147RC0199		
Bottomrail Color Over Opt	N		
Bottomrail Width	68.3750		
Tube Width	68.3750		
Tube Size Label	37MM		
Fascia Type	Fascia White 3"		
Fascia 1	247005019921		
Fascia Cut Width	69.2500		
Fascia Punch Side	R		
Chain Outlet	2471460155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	013		
Fabric PCN	1046519		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	White/White		
Fab Cut Width	68.3750		
Fabric Drop Total	79.4850		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	105.0000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478347052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2471420155@1.0000		
Chain Stop	2474180027		

PTS Bar Code



132243751300001300029

Tube Cut Width



68.3750

Fab Cut Width



68.3750

BR Cut Width



68.3750

Fascia Cut Width



69.2500

Fabric



130 1046519

Special Messages:



Quote Number: 13224375

Cust Reference: RI Middletow

Line item: 140

Total Line Qty: 1

Line Count : 14 OF 15



Standard/Ground

Dra-Cor Industries

GENERAL INFORMATION		UL MOTOR	
Location	LOBBY 2	Production Model	RB500CO
Shade Configuration	Single, NonCoupled, NonBanded		
Width	37.125		
Height	103.000		
Top Treatment	Fascia White 3"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	0199		
Bottomrail	147RC0199		
Bottomrail Color Over Opt	N		
Bottomrail Width	35.5000		
Tube Width	35.5000		
Tube Size Label	37MM		
Fascia Type	Fascia White 3"		
Fascia 1	247005019921		
Fascia Cut Width	36.3750		
Fascia Punch Side	R		
Chain Outlet	2471460155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	013		
Fabric PCN	1046519		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	White/White		
Fab Cut Width	35.5000		
Fabric Drop Total	112.4850		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	154.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478347052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2471420155@1.0000		
Chain Stop	2474180027		

PTS Bar Code



132243751400001400029

Tube Cut Width



35.5000

Fab Cut Width



35.5000

BR Cut Width



35.5000

Fascia Cut Width



36.3750

Fabric



140 1046519

Special Messages:



Quote Number: 13224375

Cust Reference: RI Middletow

Line item: 150

Total Line Qty: 3

Line Count : 15 OF 15



Standard/Ground

Dra-Cor Industries

GENERAL INFORMATION		UL MOTOR	
Location	LOBBY 1,3,4	Production Model	RB500CO
Shade Configuration	Single, NonCoupled, NonBanded		
Width	37.250		
Height	103.000		
Top Treatment	Fascia White 3"		
Cord Position	R		
Mount Type	Inside Mount		
Mount Type 2	Ceiling Mount		
Operating System	Clutch Operated Std		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	0199		
Bottomrail	147RC0199		
Bottomrail Color Over Opt	N		
Bottomrail Width	35.6250		
Tube Width	35.6250		
Tube Size Label	37MM		
Fascia Type	Fascia White 3"		
Fascia 1	247005019921		
Fascia Cut Width	36.5000		
Fascia Punch Side	R		
Chain Outlet	2471460155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	DAWN3		
Color	013		
Fabric PCN	1046519		
Fabric Description	M Screen 8503 (Contracts)		
Color Description	White/White		
Fab Cut Width	35.6250		
Fabric Drop Total	112.4850		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	154.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1049552@1.0000		
Clutch Type	STD		
Clutch Assy	94105388		
Clutch Position	R		
Tube Bearing Plug	2471290952T@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478347052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2471420155@1.0000		
Chain Stop	2474180027		

PTS Bar Code



132243751500001500029

Tube Cut Width



35.6250

Fab Cut Width



35.6250

BR Cut Width



35.6250

Fascia Cut Width



36.5000

Fabric



150 1046519