

Special Messages:



Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 10

Total Line Qty: 1

Line Count : 1 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION			
Location	900 LR A	Bottomrail Spline	2471780000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Color	STAINLESS
Width	65.250	Chain Length	87.7500
Height	58.500	Chain	2474180025
Top Treatment	Blockout White 3"	Chain Connector	1048513
Cord Position	L	Tensioner	1049552@1.0000
Mount Type	Inside Mount	Clutch Type	STD
Mount Type 2	Ceiling Mount	Clutch Assy	94105388
Operating System	Clutch Operated Std	Clutch Position	L
		Tube Bearing Plug	2471290952T@1.0000
		Installation Label	SAFETY100@2.0000
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar	PREPACK	
Bottomrail Color	0199	Fascia Brkt Lbl	2478347052L@1.0000
Bottomrail	247011019921	Mounting Clip	2471400199@3.0000
Bottomrail Color Over Opt	N	Screws	4450000021@1.0000
Wool Pile Btm	50018745BKGP	Bracket Cover	2471420155@1.0000
Bottomrail Width	62.8750	Chain Stop	2474180027
Tube Width	63.6250		
Tube Size Label	37MM	UL MOTOR	
Fascia Type	Blockout White 3"	Production Model	RB500CO
Fascia 1	247005019921		
Fascia Cut Width	64.5000		
Fascia Punch Side	L		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	64.5000		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	54.7500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	19.6250		
Side Chnl Hole Loc 3	35.2500		
Side Chnl Hole Loc 4	50.7500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	62.8750		
Fabric Drop Total	67.8845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		

PTS Bar Code



132362960100000100034

Tube Cut Width



63.6250

Fab Cut Width



62.8750

BR Cut Width



62.8750

Fascia Cut Width



64.5000

Fabric



010 DP4115203

Special Messages:



Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 20

Total Line Qty: 1

Line Count : 2 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION			
Location	900 LR B	Bottomrail Spline	2471780000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Color	STAINLESS
Width	65.250	Chain Length	87.7500
Height	58.500	Chain	2474180025
Top Treatment	Blockout White 3"	Chain Connector	1048513
Cord Position	R	Tensioner	1049552@1.0000
Mount Type	Inside Mount	Clutch Type	STD
Mount Type 2	Ceiling Mount	Clutch Assy	94105388
Operating System	Clutch Operated Std	Clutch Position	R
		Tube Bearing Plug	2471290952T@1.0000
		Installation Label	SAFETY100@2.0000
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar	PREPACK	
Bottomrail Color	0199	Fascia Brkt Lbl	2478347052R@1.0000
Bottomrail	247011019921	Mounting Clip	2471400199@3.0000
Bottomrail Color Over Opt	N	Screws	4450000021@1.0000
Wool Pile Btm	50018745BKGP	Bracket Cover	2471420155@1.0000
Bottomrail Width	62.8750	Chain Stop	2474180027
Tube Width	63.6250		
Tube Size Label	37MM	UL MOTOR	
Fascia Type	Blockout White 3"	Production Model	RB500CO
Fascia 1	247005019921		
Fascia Cut Width	64.5000		
Fascia Punch Side	R		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	64.5000		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	54.7500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	19.6250		
Side Chnl Hole Loc 3	35.2500		
Side Chnl Hole Loc 4	50.7500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	62.8750		
Fabric Drop Total	67.8845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		

PTS Bar Code



132362960200000200034

Tube Cut Width



63.6250

Fab Cut Width



62.8750

BR Cut Width



62.8750

Fascia Cut Width



64.5000

Fabric



020 DP4115203

Special Messages:



Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 30

Total Line Qty: 1

Line Count : 3 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION			
Location	900 BED 1	Bottomrail Spline	2471780000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Color	STAINLESS
Width	64.500	Chain Length	87.0000
Height	58.000	Chain	2474180025
Top Treatment	Blockout White 3"	Chain Connector	1048513
Cord Position	R	Tensioner	1049552@1.0000
Mount Type	Inside Mount	Clutch Type	STD
Mount Type 2	Ceiling Mount	Clutch Assy	94105388
Operating System	Clutch Operated Std	Clutch Position	R
		Tube Bearing Plug	2471290952T@1.0000
		Installation Label	SAFETY100@2.0000
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar	PREPACK	
Bottomrail Color	0199	Fascia Brkt Lbl	2478347052R@1.0000
Bottomrail	247011019921	Mounting Clip	2471400199@3.0000
Bottomrail Color Over Opt	N	Screws	4450000021@1.0000
Wool Pile Btm	50018745BKGP	Bracket Cover	2471420155@1.0000
Bottomrail Width	62.1250	Chain Stop	2474180027
Tube Width	62.8750		
Tube Size Label	37MM	UL MOTOR	
Fascia Type	Blockout White 3"	Production Model	RB500CO
Fascia 1	247005019921		
Fascia Cut Width	63.7500		
Fascia Punch Side	R		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	63.7500		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	54.2500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	19.5000		
Side Chnl Hole Loc 3	35.0000		
Side Chnl Hole Loc 4	50.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	62.1250		
Fabric Drop Total	67.3845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		

PTS Bar Code



132362960300000300034

Tube Cut Width



62.8750

Fab Cut Width



62.1250

BR Cut Width



62.1250

Fascia Cut Width



63.7500

Fabric



030 DP4115203

Special Messages:



Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 40

Total Line Qty: 1

Line Count : 4 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION			
Location	901A	Bottomrail Spline	2471780000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Color	STAINLESS
Width	64.500	Chain Length	87.7500
Height	58.500	Chain	2474180025
Top Treatment	Blockout White 3"	Chain Connector	1048513
Cord Position	R	Tensioner	1049552@1.0000
Mount Type	Inside Mount	Clutch Type	STD
Mount Type 2	Ceiling Mount	Clutch Assy	94105388
Operating System	Clutch Operated Std	Clutch Position	R
		Tube Bearing Plug	2471290952T@1.0000
		Installation Label	SAFETY100@2.0000
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar	PREPACK	
Bottomrail Color	0199	Fascia Brkt Lbl	2478347052R@1.0000
Bottomrail	247011019921	Mounting Clip	2471400199@3.0000
Bottomrail Color Over Opt	N	Screws	4450000021@1.0000
Wool Pile Btm	50018745BKGP	Bracket Cover	2471420155@1.0000
Bottomrail Width	62.1250	Chain Stop	2474180027
Tube Width	62.8750		
Tube Size Label	37MM	UL MOTOR	
Fascia Type	Blockout White 3"	Production Model	RB500CO
Fascia 1	247005019921		
Fascia Cut Width	63.7500		
Fascia Punch Side	R		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	63.7500		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	54.7500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	19.6250		
Side Chnl Hole Loc 3	35.2500		
Side Chnl Hole Loc 4	50.7500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	62.1250		
Fabric Drop Total	67.8845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		

PTS Bar Code



132362960400000400034

Tube Cut Width



62.8750

Fab Cut Width



62.1250

BR Cut Width



62.1250

Fascia Cut Width



63.7500

Fabric



040 DP4115203

Special Messages:



Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 50

Total Line Qty: 1

Line Count : 5 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION			
Location	901B	Bottomrail Spline	2471780000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Color	STAINLESS
Width	64.500	Chain Length	87.7500
Height	58.500	Chain	2474180025
Top Treatment	Blockout White 3"	Chain Connector	1048513
Cord Position	L	Tensioner	1049552@1.0000
Mount Type	Inside Mount	Clutch Type	STD
Mount Type 2	Ceiling Mount	Clutch Assy	94105388
Operating System	Clutch Operated Std	Clutch Position	L
		Tube Bearing Plug	2471290952T@1.0000
		Installation Label	SAFETY100@2.0000
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar	PREPACK	
Bottomrail Color	0199	Fascia Brkt Lbl	2478347052L@1.0000
Bottomrail	247011019921	Mounting Clip	2471400199@3.0000
Bottomrail Color Over Opt	N	Screws	4450000021@1.0000
Wool Pile Btm	50018745BKGP	Bracket Cover	2471420155@1.0000
Bottomrail Width	62.1250	Chain Stop	2474180027
Tube Width	62.8750		
Tube Size Label	37MM	UL MOTOR	
Fascia Type	Blockout White 3"	Production Model	RB500CO
Fascia 1	247005019921		
Fascia Cut Width	63.7500		
Fascia Punch Side	L		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	63.7500		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	54.7500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	19.6250		
Side Chnl Hole Loc 3	35.2500		
Side Chnl Hole Loc 4	50.7500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	62.1250		
Fabric Drop Total	67.8845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		

PTS Bar Code



132362960500000500034

Tube Cut Width



62.8750

Fab Cut Width



62.1250

BR Cut Width



62.1250

Fascia Cut Width



63.7500

Fabric



050 DP4115203

Special Messages:



Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 60

Total Line Qty: 1

Line Count : 6 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION			
Location	902	Bottomrail Spline	2471780000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Color	STAINLESS
Width	64.500	Chain Length	87.0000
Height	58.000	Chain	2474180025
Top Treatment	Blockout White 3"	Chain Connector	1048513
Cord Position	L	Tensioner	1049552@1.0000
Mount Type	Inside Mount	Clutch Type	STD
Mount Type 2	Ceiling Mount	Clutch Assy	94105388
Operating System	Clutch Operated Std	Clutch Position	L
		Tube Bearing Plug	2471290952T@1.0000
		Installation Label	SAFETY100@2.0000
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar	PREPACK	
Bottomrail Color	0199	Fascia Brkt Lbl	2478347052L@1.0000
Bottomrail	247011019921	Mounting Clip	2471400199@3.0000
Bottomrail Color Over Opt	N	Screws	4450000021@1.0000
Wool Pile Btm	50018745BKGP	Bracket Cover	2471420155@1.0000
Bottomrail Width	62.1250	Chain Stop	2474180027
Tube Width	62.8750		
Tube Size Label	37MM	UL MOTOR	
Fascia Type	Blockout White 3"	Production Model	RB500CO
Fascia 1	247005019921		
Fascia Cut Width	63.7500		
Fascia Punch Side	L		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	63.7500		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	54.2500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	19.5000		
Side Chnl Hole Loc 3	35.0000		
Side Chnl Hole Loc 4	50.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	62.1250		
Fabric Drop Total	67.3845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		

PTS Bar Code



132362960600000600034

Tube Cut Width



62.8750

Fab Cut Width



62.1250

BR Cut Width



62.1250

Fascia Cut Width



63.7500

Fabric



060 DP4115203

Special Messages:



Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 70

Total Line Qty: 1

Line Count : 7 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION			
Location	907	Bottomrail Spline	2471780000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Color	STAINLESS
Width	63.000	Chain Length	87.0000
Height	58.000	Chain	2474180025
Top Treatment	Blockout White 3"	Chain Connector	1048513
Cord Position	R	Tensioner	1049552@1.0000
Mount Type	Inside Mount	Clutch Type	STD
Mount Type 2	Ceiling Mount	Clutch Assy	94105388
Operating System	Clutch Operated Std	Clutch Position	R
		Tube Bearing Plug	2471290952T@1.0000
		Installation Label	SAFETY100@2.0000
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar	PREPACK	
Bottomrail Color	0199	Fascia Brkt Lbl	2478347052R@1.0000
Bottomrail	247011019921	Mounting Clip	2471400199@3.0000
Bottomrail Color Over Opt	N	Screws	4450000021@1.0000
Wool Pile Btm	50018745BKGP	Bracket Cover	2471420155@1.0000
Bottomrail Width	60.6250	Chain Stop	2474180027
Tube Width	61.3750		
Tube Size Label	37MM	UL MOTOR	
Fascia Type	Blockout White 3"	Production Model	RB500CO
Fascia 1	247005019921		
Fascia Cut Width	62.2500		
Fascia Punch Side	R		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	62.2500		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	54.2500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	19.5000		
Side Chnl Hole Loc 3	35.0000		
Side Chnl Hole Loc 4	50.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	60.6250		
Fabric Drop Total	67.3845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		

PTS Bar Code



132362960700000700034

Tube Cut Width



61.3750

Fab Cut Width



60.6250

BR Cut Width



60.6250

Fascia Cut Width



62.2500

Fabric



070 DP4115203

Special Messages:



Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 80

Total Line Qty: 1

Line Count : 8 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION			
Location	908	Bottomrail Spline	2471780000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Color	STAINLESS
Width	64.500	Chain Length	87.0000
Height	58.000	Chain	2474180025
Top Treatment	Blockout White 3"	Chain Connector	1048513
Cord Position	L	Tensioner	1049552@1.0000
Mount Type	Inside Mount	Clutch Type	STD
Mount Type 2	Ceiling Mount	Clutch Assy	94105388
Operating System	Clutch Operated Std	Clutch Position	L
		Tube Bearing Plug	2471290952T@1.0000
		Installation Label	SAFETY100@2.0000
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar	PREPACK	
Bottomrail Color	0199	Fascia Brkt Lbl	2478347052L@1.0000
Bottomrail	247011019921	Mounting Clip	2471400199@3.0000
Bottomrail Color Over Opt	N	Screws	4450000021@1.0000
Wool Pile Btm	50018745BKGP	Bracket Cover	2471420155@1.0000
Bottomrail Width	62.1250	Chain Stop	2474180027
Tube Width	62.8750		
Tube Size Label	37MM	UL MOTOR	
Fascia Type	Blockout White 3"	Production Model	RB500CO
Fascia 1	247005019921		
Fascia Cut Width	63.7500		
Fascia Punch Side	L		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	63.7500		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	54.2500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	19.5000		
Side Chnl Hole Loc 3	35.0000		
Side Chnl Hole Loc 4	50.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	62.1250		
Fabric Drop Total	67.3845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		

PTS Bar Code



132362960800000800034

Tube Cut Width



62.8750

Fab Cut Width



62.1250

BR Cut Width



62.1250

Fascia Cut Width



63.7500

Fabric



080 DP4115203

Special Messages:



Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 90

Total Line Qty: 1

Line Count : 9 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION			
Location	910	Bottomrail Spline	2471780000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Color	STAINLESS
Width	64.500	Chain Length	87.0000
Height	58.000	Chain	2474180025
Top Treatment	Blockout White 3"	Chain Connector	1048513
Cord Position	L	Tensioner	1049552@1.0000
Mount Type	Inside Mount	Clutch Type	STD
Mount Type 2	Ceiling Mount	Clutch Assy	94105388
Operating System	Clutch Operated Std	Clutch Position	L
		Tube Bearing Plug	2471290952T@1.0000
		Installation Label	SAFETY100@2.0000
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar	PREPACK	
Bottomrail Color	0199	Fascia Brkt Lbl	2478347052L@1.0000
Bottomrail	247011019921	Mounting Clip	2471400199@3.0000
Bottomrail Color Over Opt	N	Screws	4450000021@1.0000
Wool Pile Btm	50018745BKGP	Bracket Cover	2471420155@1.0000
Bottomrail Width	62.1250	Chain Stop	2474180027
Tube Width	62.8750		
Tube Size Label	37MM	UL MOTOR	
Fascia Type	Blockout White 3"	Production Model	RB500CO
Fascia 1	247005019921		
Fascia Cut Width	63.7500		
Fascia Punch Side	L		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	63.7500		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	54.2500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	19.5000		
Side Chnl Hole Loc 3	35.0000		
Side Chnl Hole Loc 4	50.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	62.1250		
Fabric Drop Total	67.3845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		

PTS Bar Code



132362960900000900034

Tube Cut Width



62.8750

Fab Cut Width



62.1250

BR Cut Width



62.1250

Fascia Cut Width



63.7500

Fabric



090 DP4115203

Special Messages:



Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 100

Total Line Qty: 1

Line Count : 10 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION			
Location	911	Bottomrail Spline	2471780000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Color	STAINLESS
Width	64.500	Chain Length	87.0000
Height	58.000	Chain	2474180025
Top Treatment	Blockout White 3"	Chain Connector	1048513
Cord Position	L	Tensioner	1049552@1.0000
Mount Type	Inside Mount	Clutch Type	STD
Mount Type 2	Ceiling Mount	Clutch Assy	94105388
Operating System	Clutch Operated Std	Clutch Position	L
		Tube Bearing Plug	2471290952T@1.0000
		Installation Label	SAFETY100@2.0000
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar	PREPACK	
Bottomrail Color	0199	Fascia Brkt Lbl	2478347052L@1.0000
Bottomrail	247011019921	Mounting Clip	2471400199@3.0000
Bottomrail Color Over Opt	N	Screws	4450000021@1.0000
Wool Pile Btm	50018745BKGP	Bracket Cover	2471420155@1.0000
Bottomrail Width	62.1250	Chain Stop	2474180027
Tube Width	62.8750		
Tube Size Label	37MM	UL MOTOR	
Fascia Type	Blockout White 3"	Production Model	RB500CO
Fascia 1	247005019921		
Fascia Cut Width	63.7500		
Fascia Punch Side	L		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	63.7500		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	54.2500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	19.5000		
Side Chnl Hole Loc 3	35.0000		
Side Chnl Hole Loc 4	50.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	62.1250		
Fabric Drop Total	67.3845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		

PTS Bar Code



132362961000001000034

Tube Cut Width



62.8750

Fab Cut Width



62.1250

BR Cut Width



62.1250

Fascia Cut Width



63.7500

Fabric



100 DP4115203

Special Messages:



Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 110

Total Line Qty: 1

Line Count : 11 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION			
Location	914	Bottomrail Spline	2471780000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Color	STAINLESS
Width	65.000	Chain Length	87.0000
Height	58.000	Chain	2474180025
Top Treatment	Blockout White 3"	Chain Connector	1048513
Cord Position	L	Tensioner	1049552@1.0000
Mount Type	Inside Mount	Clutch Type	STD
Mount Type 2	Ceiling Mount	Clutch Assy	94105388
Operating System	Clutch Operated Std	Clutch Position	L
		Tube Bearing Plug	2471290952T@1.0000
		Installation Label	SAFETY100@2.0000
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar	PREPACK	
Bottomrail Color	0199	Fascia Brkt Lbl	2478347052L@1.0000
Bottomrail	247011019921	Mounting Clip	2471400199@3.0000
Bottomrail Color Over Opt	N	Screws	4450000021@1.0000
Wool Pile Btm	50018745BKGP	Bracket Cover	2471420155@1.0000
Bottomrail Width	62.6250	Chain Stop	2474180027
Tube Width	63.3750		
Tube Size Label	37MM	UL MOTOR	
Fascia Type	Blockout White 3"	Production Model	RB500CO
Fascia 1	247005019921		
Fascia Cut Width	64.2500		
Fascia Punch Side	L		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	64.2500		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	54.2500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	19.5000		
Side Chnl Hole Loc 3	35.0000		
Side Chnl Hole Loc 4	50.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	62.6250		
Fabric Drop Total	67.3845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		

PTS Bar Code



132362961100001100034

Tube Cut Width



63.3750

Fab Cut Width



62.6250

BR Cut Width



62.6250

Fascia Cut Width



64.2500

Fabric



110 DP4115203

Special Messages:



Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 120

Total Line Qty: 1

Line Count : 12 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION			
Location	916	Bottomrail Spline	2471780000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Color	STAINLESS
Width	64.500	Chain Length	87.0000
Height	58.000	Chain	2474180025
Top Treatment	Blockout White 3"	Chain Connector	1048513
Cord Position	L	Tensioner	1049552@1.0000
Mount Type	Inside Mount	Clutch Type	STD
Mount Type 2	Ceiling Mount	Clutch Assy	94105388
Operating System	Clutch Operated Std	Clutch Position	L
		Tube Bearing Plug	2471290952T@1.0000
		Installation Label	SAFETY100@2.0000
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar	PREPACK	
Bottomrail Color	0199	Fascia Brkt Lbl	2478347052L@1.0000
Bottomrail	247011019921	Mounting Clip	2471400199@3.0000
Bottomrail Color Over Opt	N	Screws	4450000021@1.0000
Wool Pile Btm	50018745BKGP	Bracket Cover	2471420155@1.0000
Bottomrail Width	62.1250	Chain Stop	2474180027
Tube Width	62.8750		
Tube Size Label	37MM	UL MOTOR	
Fascia Type	Blockout White 3"	Production Model	RB500CO
Fascia 1	247005019921		
Fascia Cut Width	63.7500		
Fascia Punch Side	L		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	63.7500		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	54.2500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	19.5000		
Side Chnl Hole Loc 3	35.0000		
Side Chnl Hole Loc 4	50.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	62.1250		
Fabric Drop Total	67.3845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		

PTS Bar Code



132362961200001200034

Tube Cut Width



62.8750

Fab Cut Width



62.1250

BR Cut Width



62.1250

Fascia Cut Width



63.7500

Fabric



120 DP4115203

Special Messages:



Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 130

Total Line Qty: 1

Line Count : 13 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION			
Location	917	Bottomrail Spline	2471780000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Color	STAINLESS
Width	64.500	Chain Length	87.0000
Height	58.000	Chain	2474180025
Top Treatment	Blockout White 3"	Chain Connector	1048513
Cord Position	L	Tensioner	1049552@1.0000
Mount Type	Inside Mount	Clutch Type	STD
Mount Type 2	Ceiling Mount	Clutch Assy	94105388
Operating System	Clutch Operated Std	Clutch Position	L
		Tube Bearing Plug	2471290952T@1.0000
		Installation Label	SAFETY100@2.0000
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar	PREPACK	
Bottomrail Color	0199	Fascia Brkt Lbl	2478347052L@1.0000
Bottomrail	247011019921	Mounting Clip	2471400199@3.0000
Bottomrail Color Over Opt	N	Screws	4450000021@1.0000
Wool Pile Btm	50018745BKGP	Bracket Cover	2471420155@1.0000
Bottomrail Width	62.1250	Chain Stop	2474180027
Tube Width	62.8750		
Tube Size Label	37MM	UL MOTOR	
Fascia Type	Blockout White 3"	Production Model	RB500CO
Fascia 1	247005019921		
Fascia Cut Width	63.7500		
Fascia Punch Side	L		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	63.7500		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	54.2500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	19.5000		
Side Chnl Hole Loc 3	35.0000		
Side Chnl Hole Loc 4	50.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	62.1250		
Fabric Drop Total	67.3845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		

PTS Bar Code



132362961300001300034

Tube Cut Width



62.8750

Fab Cut Width



62.1250

BR Cut Width



62.1250

Fascia Cut Width



63.7500

Fabric



130 DP4115203

Special Messages:

Quote Number: **13236296**Cust Reference: **PO#2024425-A**

Line item: 140

Total Line Qty: 1

Line Count : 14 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION			
Location	919B	Bottomrail End Cap	2471660155@2.0000
Shade Configuration	Single, NonCoupled, NonBanded	Bottomrail Spline	2471780000
Width	77.000	Chain Color	STAINLESS
Height	68.000	Chain Length	102.0000
Top Treatment	Blockout White 3"	Chain	2474180025
Cord Position	L	Chain Connector	1048513
Mount Type	Inside Mount	Tensioner	1049552@1.0000
Mount Type 2	Ceiling Mount	Clutch Type	STD
Operating System	Clutch Operated Std	Clutch Assy	94105388
		Clutch Position	L
		Tube Bearing Plug	2471290952T@1.0000
		Installation Label	SAFETY100@2.0000
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199	PREPACK	
Bottomrail	247011019921	Fascia Brkt Lbl	2478347052L@1.0000
Bottomrail Color Over Opt	N	Mounting Clip	2471400199@4.0000
Wool Pile Btm	50018745BKGP	Screws	4450000021@1.0000
Bottomrail Width	74.6250	Bracket Cover	2471420155@1.0000
Tube Width	75.3750	Chain Stop	2474180027
Tube Size Label	37MM		
Fascia Type	Blockout White 3"	UL MOTOR	
Fascia 1	247005019921	Production Model	RB500CO
Fascia Cut Width	76.2500		
Fascia Punch Side	L		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	76.2500		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	64.2500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	18.1250		
Side Chnl Hole Loc 3	32.2500		
Side Chnl Hole Loc 4	46.3750		
Side Chnl Hole Loc 5	60.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	74.6250		
Fabric Drop Total	77.3845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		

PTS Bar Code



132362961400001400034

Tube Cut Width



75.3750

Fab Cut Width



74.6250

BR Cut Width



74.6250

Fascia Cut Width



76.2500

Fabric



140 DP4115203

Special Messages:



Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 150

Total Line Qty: 1

Line Count : 15 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION		Bottomrail Spline	2471780000
Shade Configuration	Single, NonCoupled, NonBanded	Chain Color	STAINLESS
Width	77.000	Chain Length	99.0000
Height	66.000	Chain	2474180025
Top Treatment	Blockout White 3"	Chain Connector	1048513
Cord Position	R	Tensioner	1049552@1.0000
Mount Type	Inside Mount	Clutch Type	STD
Mount Type 2	Ceiling Mount	Clutch Assy	94105388
Operating System	Clutch Operated Std	Clutch Position	R
		Tube Bearing Plug	2471290952T@1.0000
		Installation Label	SAFETY100@2.0000
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199	PREPACK	
Bottomrail	247011019921	Fascia Brkt Lbl	2478347052R@1.0000
Bottomrail Color Over Opt	N	Mounting Clip	2471400199@4.0000
Wool Pile Btm	50018745BKGP	Screws	4450000021@1.0000
Bottomrail Width	74.6250	Bracket Cover	2471420155@1.0000
Tube Width	75.3750	Chain Stop	2474180027
Tube Size Label	37MM		
Fascia Type	Blockout White 3"	UL MOTOR	
Fascia 1	247005019921	Production Model	RB500CO
Fascia Cut Width	76.2500		
Fascia Punch Side	R		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	76.2500		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	62.2500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	17.6250		
Side Chnl Hole Loc 3	31.2500		
Side Chnl Hole Loc 4	44.8750		
Side Chnl Hole Loc 5	58.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	74.6250		
Fabric Drop Total	75.3845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		

PTS Bar Code



132362961500001500034

Tube Cut Width



75.3750

Fab Cut Width



74.6250

BR Cut Width



74.6250

Fascia Cut Width



76.2500

Fabric



150 DP4115203

Special Messages:



Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 160

Total Line Qty: 1

Line Count : 16 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION		Chain Color	STAINLESS
Location	922A	Chain Length	79.5000
Shade Configuration	Single, NonCoupled, NonBanded	Chain	2474180025
Width	64.750	Chain Connector	1048513
Height	53.000	Tensioner	1049552@1.0000
Top Treatment	Blockout White 3"	Clutch Type	STD
Cord Position	R	Clutch Assy	94105388
Mount Type	Inside Mount	Clutch Position	R
Mount Type 2	Ceiling Mount	Tube Bearing Plug	2471290952T@1.0000
Operating System	Clutch Operated Std	Installation Label	SAFETY100@2.0000
RAIL CUT		PREPACK	
Bottomrail Type	RB500 Bottom Bar	Fascia Brkt Lbl	2478347052R@1.0000
Bottomrail Color	0199	Mounting Clip	2471400199@3.0000
Bottomrail	247011019921	Screws	4450000021@1.0000
Bottomrail Color Over Opt	N	Bracket Cover	2471420155@1.0000
Wool Pile Btm	50018745BKGP	Chain Stop	2474180027
Bottomrail Width	62.3750		
Tube Width	63.1250	UL MOTOR	
Tube Size Label	37MM	Production Model	RB500CO
Fascia Type	Blockout White 3"		
Fascia 1	247005019921		
Fascia Cut Width	64.0000		
Fascia Punch Side	R		
Chain Outlet	2471460155		
TBC Check	YES		
Back Cover	247004019921		
TBC Cut Width	64.0000		
Side Channel Color	WHITE		
Side Channel Override	N		
Side Channel Meas	49.2500		
Side Chnl Hole Loc 1	4.0000		
Side Chnl Hole Loc 2	24.6250		
Side Chnl Hole Loc 3	45.2500		
PCN Side Channel	247012019921		
Wool Pile Side	445010		
Wool Pile	24750921858		
Wool Pile Btm Rail	50018745BKGP		
Bo Side Chan Ec	2471690155		
Sgl Sc Bo Ins Set	2471680155		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	ECLIP0		
Color	001		
Fabric PCN	DP4115203		
Fabric Description	GlacierScreen Plus 0% RD		
Color Description	White		
Fab Cut Width	62.3750		
Fabric Drop Total	62.3845		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		

PTS Bar Code



132362961600001600034

Tube Cut Width



63.1250

Fab Cut Width



62.3750

BR Cut Width



62.3750

Fascia Cut Width



64.0000

Fabric



160 DP4115203

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 170

Total Line Qty: 1

Line Count : 17 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	907
Shade Configuration	Single, NonCoupled, NonBanded
Width	67.000
Height	64.000
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	0199
Bottomrail	147RC0199
Bottomrail Color Over Opt	N
Bottomrail Width	65.5000
Tube Width	65.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	65.5000
Fabric Drop Total	73.3971
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	96.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code

132362961700001700034

Tube Cut Width

65.5000

Fab Cut Width

65.5000

BR Cut Width

65.5000

Fabric

170 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 180

Total Line Qty: 1

Line Count : 18 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	908
Shade Configuration	Single, NonCoupled, NonBanded
Width	69.000
Height	64.000
Cord Position	L
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	0199
Bottomrail	147RC0199
Bottomrail Color Over Opt	N
Bottomrail Width	67.5000
Tube Width	67.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	67.5000
Fabric Drop Total	73.3971
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	96.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132362961800001800034

Tube Cut Width



67.5000

Fab Cut Width



67.5000

BR Cut Width



67.5000

Fabric



180 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 190

Total Line Qty: 1

Line Count : 19 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	909
Shade Configuration	Single, NonCoupled, NonBanded
Width	65.500
Height	60.000
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	0199
Bottomrail	147RC0199
Bottomrail Color Over Opt	N
Bottomrail Width	64.0000
Tube Width	64.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	64.0000
Fabric Drop Total	69.3971
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	90.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code

132362961900001900034

Tube Cut Width

64.0000

Fab Cut Width

64.0000

BR Cut Width

64.0000

Fabric

190 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 200

Total Line Qty: 1

Line Count : 20 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	911
Shade Configuration	Single, NonCoupled, NonBanded
Width	69.000
Height	64.000
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	0199
Bottomrail	147RC0199
Bottomrail Color Over Opt	N
Bottomrail Width	67.5000
Tube Width	67.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	67.5000
Fabric Drop Total	73.3971
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	96.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code

132362962000002000034

Tube Cut Width

67.5000

Fab Cut Width

67.5000

BR Cut Width

67.5000

Fabric

200 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 210

Total Line Qty: 1

Line Count : 21 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	912B
Shade Configuration	Single, NonCoupled, NonBanded
Width	69.000
Height	64.000
Cord Position	L
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	0199
Bottomrail	147RC0199
Bottomrail Color Over Opt	N
Bottomrail Width	67.5000
Tube Width	67.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	67.5000
Fabric Drop Total	73.3971
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	96.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code

132362962100002100034

Tube Cut Width

67.5000

Fab Cut Width

67.5000

BR Cut Width

67.5000

Fabric

210 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 220

Total Line Qty: 1

Line Count : 22 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	914
Shade Configuration	Single, NonCoupled, NonBanded
Width	69.000
Height	64.000
Cord Position	L
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	0199
Bottomrail	147RC0199
Bottomrail Color Over Opt	N
Bottomrail Width	67.5000
Tube Width	67.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	67.5000
Fabric Drop Total	73.3971
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	96.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132362962200002200034

Tube Cut Width



67.5000

Fab Cut Width



67.5000

BR Cut Width



67.5000

Fabric



220 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 230

Total Line Qty: 1

Line Count : 23 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	915
Shade Configuration	Single, NonCoupled, NonBanded
Width	66.000
Height	60.000
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	0199
Bottomrail	147RC0199
Bottomrail Color Over Opt	N
Bottomrail Width	64.5000
Tube Width	64.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	64.5000
Fabric Drop Total	69.3971
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	90.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code

132362962300002300034

Tube Cut Width

64.5000

Fab Cut Width

64.5000

BR Cut Width

64.5000

Fabric

230 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 240

Total Line Qty: 1

Line Count : 24 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	917
Shade Configuration	Single, NonCoupled, NonBanded
Width	69.000
Height	64.000
Cord Position	L
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	0199
Bottomrail	147RC0199
Bottomrail Color Over Opt	N
Bottomrail Width	67.5000
Tube Width	67.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	67.5000
Fabric Drop Total	73.3971
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	96.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



132362962400002400034

Tube Cut Width



67.5000

Fab Cut Width



67.5000

BR Cut Width



67.5000

Fabric



240 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 250

Total Line Qty: 1

Line Count : 25 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	918A
Shade Configuration	Single, NonCoupled, NonBanded
Width	81.000
Height	70.000
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	0199
Bottomrail	147RC0199
Bottomrail Color Over Opt	N
Bottomrail Width	79.1250
Tube Width	79.1250
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	79.1250
Fabric Drop Total	81.9005
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	105.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100155@1.0000
Installation Label	SAFETY100@3.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080155T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code

132362962500002500034

Tube Cut Width

79.1250

Fab Cut Width

79.1250

BR Cut Width

79.1250

Fabric

250 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 260

Total Line Qty: 1

Line Count : 26 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	918B
Shade Configuration	Single, NonCoupled, NonBanded
Width	51.000
Height	70.000
Cord Position	L
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	0199
Bottomrail	147RC0199
Bottomrail Color Over Opt	N
Bottomrail Width	49.5000
Tube Width	49.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	49.5000
Fabric Drop Total	79.3971
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	105.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code

132362962600002600034

Tube Cut Width

49.5000

Fab Cut Width

49.5000

BR Cut Width

49.5000

Fabric

260 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 270

Total Line Qty: 1

Line Count : 27 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	919B
Shade Configuration	Single, NonCoupled, NonBanded
Width	81.000
Height	70.000
Cord Position	L
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	0199
Bottomrail	147RC0199
Bottomrail Color Over Opt	N
Bottomrail Width	79.1250
Tube Width	79.1250
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	79.1250
Fabric Drop Total	81.9005
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	105.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	L
Adapter	93006473
Tube Bearing Plug	2473100155@1.0000
Installation Label	SAFETY100@3.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080155T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code

132362962700002700034

Tube Cut Width

79.1250

Fab Cut Width

79.1250

BR Cut Width

79.1250

Fabric

270 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 280

Total Line Qty: 1

Line Count : 28 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	920B
Shade Configuration	Single, NonCoupled, NonBanded
Width	72.500
Height	70.000
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	0199
Bottomrail	147RC0199
Bottomrail Color Over Opt	N
Bottomrail Width	70.6250
Tube Width	70.6250
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	70.6250
Fabric Drop Total	81.9005
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	105.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	R
Adapter	93006473
Tube Bearing Plug	2473100155@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080155T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code

132362962800002800034

Tube Cut Width

70.6250

Fab Cut Width

70.6250

BR Cut Width

70.6250

Fabric

280 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 290

Total Line Qty: 1

Line Count : 29 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	922A
Shade Configuration	Single, NonCoupled, NonBanded
Width	69.000
Height	57.000
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	0199
Bottomrail	147RC0199
Bottomrail Color Over Opt	N
Bottomrail Width	67.5000
Tube Width	67.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	67.5000
Fabric Drop Total	66.3971
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	85.5000
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code

132362962900002900034

Tube Cut Width

67.5000

Fab Cut Width

67.5000

BR Cut Width

67.5000

Fabric

290 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 300

Total Line Qty: 1

Line Count : 30 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	923A
Shade Configuration	Single, NonCoupled, NonBanded
Width	51.000
Height	70.000
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	0199
Bottomrail	147RC0199
Bottomrail Color Over Opt	N
Bottomrail Width	49.5000
Tube Width	49.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	49.5000
Fabric Drop Total	79.3971
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	105.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code

132362963000003000034

Tube Cut Width

49.5000

Fab Cut Width

49.5000

BR Cut Width

49.5000

Fabric

300 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 310

Total Line Qty: 1

Line Count : 31 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	923B
Shade Configuration	Single, NonCoupled, NonBanded
Width	81.000
Height	70.000
Cord Position	L
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated HD
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	0199
Bottomrail	147RC0199
Bottomrail Color Over Opt	N
Bottomrail Width	79.1250
Tube Width	79.1250
Tube Size Label	50MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	79.1250
Fabric Drop Total	81.9005
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	105.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	HD
Clutch Assy	94105330
Clutch Position	L
Adapter	93006473
Tube Bearing Plug	2473100155@1.0000
Installation Label	SAFETY100@3.0000
PREPACK	
Install Bracket Label	2478327052@1.0000
Screws	4450000021@1.0000
Instl Screw	RC450067@4.0000
Screw Cover	2473080155T@2.0000
Washer Lbl	RC450068@4.0000
Bracket Cover	2473040155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code

132362963100003100034

Tube Cut Width

79.1250

Fab Cut Width

79.1250

BR Cut Width

79.1250

Fabric

310 FL10194

Special Messages:

REVERSE ROLL DIRECTION

Quote Number: 13236296

Cust Reference: PO#2024425-A

Line item: 320

Total Line Qty: 1

Line Count : 32 OF 32



Standard/Ground

Liv Hospitality

GENERAL INFORMATION	
Location	924B
Shade Configuration	Single, NonCoupled, NonBanded
Width	48.000
Height	68.000
Cord Position	L
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	0199
Bottomrail	147RC0199
Bottomrail Color Over Opt	N
Bottomrail Width	46.5000
Tube Width	46.5000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Reverse Roll
Fabric	FINE30
Color	001
Fabric PCN	FL10194
Fabric Description	Fine Lines 30%
Color Description	White
Fab Cut Width	46.5000
Fabric Drop Total	77.3971
Cut Method	ULTRASONIC
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	102.0000
Chain	2474180025
Chain Connector	1048513
Tensioner	1049552@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	L
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100155T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code

132362963200003200034

Tube Cut Width

46.5000

Fab Cut Width

46.5000

BR Cut Width

46.5000

Fabric

320 FL10194