

Special Messages:



Quote Number: 13095426

Cust Reference: PO# 99130

Line item: 70

Total Line Qty: 1

Line Count : 1 OF 13



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	LOBBYA
Shade Configuration	Single, NonCoupled, NonBanded
Width	40.250
Height	100.250
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	38.7500
Tube Width	38.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	006
Fabric PCN	1019645
Fabric Description	Bleecker 6%
Color Description	Steel
Fab Cut Width	38.7500
Fabric Drop Total	109.7350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	150.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478017052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471120952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130954260700000100013

Tube Cut Width



38.7500

Fab Cut Width



38.7500

BR Cut Width



38.7500

Fabric



070 1019645

Special Messages:



Quote Number: 13095426

Cust Reference: PO# 99130

Line item: 80

Total Line Qty: 1

Line Count : 2 OF 13



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	LOBBYB
Shade Configuration	Single, NonCoupled, NonBanded
Width	39.750
Height	100.250
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	38.2500
Tube Width	38.2500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	006
Fabric PCN	1019645
Fabric Description	Bleecker 6%
Color Description	Steel
Fab Cut Width	38.2500
Fabric Drop Total	109.7350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	150.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478017052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471120952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



13095426080000200013

Tube Cut Width



38.2500

Fab Cut Width



38.2500

BR Cut Width



38.2500

Fabric



080 1019645

Special Messages:



Quote Number: 13095426

Cust Reference: PO# 99130

Line item: 90

Total Line Qty: 1

Line Count : 3 OF 13



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	LOBBYC
Shade Configuration	Single, NonCoupled, NonBanded
Width	39.750
Height	100.250
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	38.2500
Tube Width	38.2500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	006
Fabric PCN	1019645
Fabric Description	Bleecker 6%
Color Description	Steel
Fab Cut Width	38.2500
Fabric Drop Total	109.7350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	150.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478017052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471120952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



13095426090000300013

Tube Cut Width



38.2500

Fab Cut Width



38.2500

BR Cut Width



38.2500

Fabric



090 1019645

Special Messages:



Quote Number: 13095426

Cust Reference: PO# 99130

Line item: 100

Total Line Qty: 1

Line Count : 4 OF 13



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	LOBBYD
Shade Configuration	Single, NonCoupled, NonBanded
Width	39.750
Height	100.250
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	38.2500
Tube Width	38.2500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	006
Fabric PCN	1019645
Fabric Description	Bleecker 6%
Color Description	Steel
Fab Cut Width	38.2500
Fabric Drop Total	109.7350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	150.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478017052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471120952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130954261000000400013

Tube Cut Width



38.2500

Fab Cut Width



38.2500

BR Cut Width



38.2500

Fabric



100 1019645

Special Messages:



Quote Number: 13095426

Cust Reference: PO# 99130

Line item: 110

Total Line Qty: 1

Line Count : 5 OF 13



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION	
Location	LOBBYE
Shade Configuration	Single, NonCoupled, NonBanded
Width	39.750
Height	100.250
Cord Position	R
Mount Type	Outside Mount
Mount Type 2	Wall Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	38.2500
Tube Width	38.2500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	BLEEC6
Color	006
Fabric PCN	1019645
Fabric Description	Bleecker 6%
Color Description	Steel
Fab Cut Width	38.2500
Fabric Drop Total	109.7350
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	150.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478017052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471120952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



130954261100000500013

Tube Cut Width



38.2500

Fab Cut Width



38.2500

BR Cut Width



38.2500

Fabric



110 1019645

Special Messages:

Quote Number: **13095426**Cust Reference: **PO# 99130**

Line item: 130

Total Line Qty: 1

Line Count : 6 OF 13



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION		Chain Stop	2474180027
Location	FITNESS	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	64.375	UL MOTOR	
Height	58.250	Production Model	RB500CO
Top Treatment	Fascia Anodized 4"		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	62.5000		
Tube Width	62.5000		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Anodized 4"		
Fascia 1	247055705221		
Fascia Cut Width	63.7500		
Fascia Punch Side	R		
Chain Outlet	2473340952		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	006		
Fabric PCN	1019645		
Fabric Description	Bleecker 6%		
Color Description	Steel		
Fab Cut Width	62.5000		
Fabric Drop Total	70.2385		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	87.3750		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473500952@1.0000		

PTS Bar Code



130954261300000600013

Tube Cut Width



62.5000

Fab Cut Width



62.5000

BR Cut Width



62.5000

Fascia Cut Width



63.7500

Fabric



130 1019645

Special Messages:



Quote Number: 13095426

Cust Reference: PO# 99130

Line item: 140

Total Line Qty: 1

Line Count : 7 OF 13



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION		Chain Stop	2474180027
Location	CORR202	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	51.000	UL MOTOR	
Height	71.000	Production Model	RB500CO
Top Treatment	Fascia Anodized 4"		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	49.1250		
Tube Width	49.1250		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Anodized 4"		
Fascia 1	247055705221		
Fascia Cut Width	50.3750		
Fascia Punch Side	R		
Chain Outlet	2473340952		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	006		
Fabric PCN	1019645		
Fabric Description	Bleecker 6%		
Color Description	Steel		
Fab Cut Width	49.1250		
Fabric Drop Total	82.9885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	106.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473500952@1.0000		

PTS Bar Code



130954261400000700013

Tube Cut Width



49.1250

Fab Cut Width



49.1250

BR Cut Width



49.1250

Fascia Cut Width



50.3750

Fabric



140 1019645

Special Messages:

Quote Number: **13095426**Cust Reference: **PO# 99130**

Line item: 150

Total Line Qty: 1

Line Count : 8 OF 13



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION		Chain Stop	2474180027
Location	CORR233	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	50.750	UL MOTOR	
Height	70.750	Production Model	RB500CO
Top Treatment	Fascia Anodized 4"		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.8750		
Tube Width	48.8750		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Anodized 4"		
Fascia 1	247055705221		
Fascia Cut Width	50.1250		
Fascia Punch Side	R		
Chain Outlet	2473340952		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	006		
Fabric PCN	1019645		
Fabric Description	Bleecker 6%		
Color Description	Steel		
Fab Cut Width	48.8750		
Fabric Drop Total	82.7385		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	106.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473500952@1.0000		

PTS Bar Code



130954261500000800013

Tube Cut Width



48.8750

Fab Cut Width



48.8750

BR Cut Width



48.8750

Fascia Cut Width



50.1250

Fabric



150 1019645

Special Messages:



Quote Number: 13095426

Cust Reference: PO# 99130

Line item: 160

Total Line Qty: 1

Line Count : 9 OF 13



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION		Chain Stop	2474180027
Location	CORR302	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	50.875	UL MOTOR	
Height	71.000	Production Model	RB500CO
Top Treatment	Fascia Anodized 4"		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	49.0000		
Tube Width	49.0000		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Anodized 4"		
Fascia 1	247055705221		
Fascia Cut Width	50.2500		
Fascia Punch Side	R		
Chain Outlet	2473340952		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	006		
Fabric PCN	1019645		
Fabric Description	Bleecker 6%		
Color Description	Steel		
Fab Cut Width	49.0000		
Fabric Drop Total	82.9885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	106.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473500952@1.0000		

PTS Bar Code



130954261600000900013

Tube Cut Width



49.0000

Fab Cut Width



49.0000

BR Cut Width



49.0000

Fascia Cut Width



50.2500

Fabric



160 1019645

Special Messages:

Quote Number: **13095426**Cust Reference: **PO# 99130**

Line item: 170

Total Line Qty: 1

Line Count : 10 OF 13



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION		Chain Stop	2474180027
Location	CORR333	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	50.375	UL MOTOR	
Height	71.000	Production Model	RB500CO
Top Treatment	Fascia Anodized 4"		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.5000		
Tube Width	48.5000		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Anodized 4"		
Fascia 1	247055705221		
Fascia Cut Width	49.7500		
Fascia Punch Side	R		
Chain Outlet	2473340952		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	006		
Fabric PCN	1019645		
Fabric Description	Bleecker 6%		
Color Description	Steel		
Fab Cut Width	48.5000		
Fabric Drop Total	82.9885		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	106.5000		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473500952@1.0000		

PTS Bar Code



130954261700001000013

Tube Cut Width



48.5000

Fab Cut Width



48.5000

BR Cut Width



48.5000

Fascia Cut Width



49.7500

Fabric



170 1019645

Special Messages:



Quote Number: 13095426

Cust Reference: PO# 99130

Line item: 180

Total Line Qty: 1

Line Count : 11 OF 13



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION		Chain Stop	2474180027
Location	CORR402	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	51.125	UL MOTOR	
Height	71.250	Production Model	RB500CO
Top Treatment	Fascia Anodized 4"		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	49.2500		
Tube Width	49.2500		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Anodized 4"		
Fascia 1	247055705221		
Fascia Cut Width	50.5000		
Fascia Punch Side	R		
Chain Outlet	2473340952		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	006		
Fabric PCN	1019645		
Fabric Description	Bleecker 6%		
Color Description	Steel		
Fab Cut Width	49.2500		
Fabric Drop Total	83.2385		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	106.8750		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473500952@1.0000		

PTS Bar Code



130954261800001100013

Tube Cut Width



49.2500

Fab Cut Width



49.2500

BR Cut Width



49.2500

Fascia Cut Width



50.5000

Fabric



180 1019645

Special Messages:

Quote Number: **13095426**Cust Reference: **PO# 99130**

Line item: 190

Total Line Qty: 1

Line Count : 12 OF 13



Standard/Ground

Hilton Supply Management

GENERAL INFORMATION		Chain Stop	2474180027
Location	CORR433	Locking Clip	2473430002@1.0000
Shade Configuration	Single, NonCoupled, NonBanded		
Width	50.750	UL MOTOR	
Height	71.125	Production Model	RB500CO
Top Treatment	Fascia Anodized 4"		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail Color	7052		
Bottomrail	147RC7052		
Bottomrail Color Over Opt	N		
Bottomrail Width	48.8750		
Tube Width	48.8750		
Tube Size Label	50MM		
Plate 2	2473480003		
Fascia Type	Fascia Anodized 4"		
Fascia 1	247055705221		
Fascia Cut Width	50.1250		
Fascia Punch Side	R		
Chain Outlet	2473340952		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	BLEEC6		
Color	006		
Fabric PCN	1019645		
Fabric Description	Bleecker 6%		
Color Description	Steel		
Fab Cut Width	48.8750		
Fabric Drop Total	83.1135		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	Fab Wrap Extrud Hem Bar		
Bottomrail End Cap	147RC443000@2.0000		
Chain Color	STAINLESS		
Chain Length	106.6875		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100952@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
Fascia Brkt Lbl	2478377052R@1.0000		
Screws	4450000021@1.0000		
Bracket Cover	2473500952@1.0000		

PTS Bar Code



130954261900001200013

Tube Cut Width



48.8750

Fab Cut Width



48.8750

BR Cut Width



48.8750

Fascia Cut Width



50.1250

Fabric



190 1019645

Special Messages:

REVERSE ROLL DIRECTION

TURN FABRIC (NO SEAM)

*** UL MOTOR ***

*** SPECIAL INSTRUCTIONS ***

Quote Number: 13095426

Cust Reference: PO# 99130

Line item: 200

Total Line Qty: 1

Line Count : 13 OF 13



Standard/Ground

Hilton Supply Management

SPECIAL INSTRUCTIONS		Fabric	ECLIP0
SPECIAL INSTRUCTIONS	ZIP TRACK SYSTEM	Color	001
SPECIAL INSTRUCTIONS	EXTERNAL WEIGHT BAR	Fabric PCN	DP4115203
		Fabric Description	GlacierScreen Plus 0% RD
GENERAL INFORMATION		Color Description	White
Location	BREAKFAST	Fab Cut Width	250.6250
Shade Configuration	Single, NonCoupled, NonBanded	Fabric Drop Total	78.2937
Width	253.625	Cut Method	CRUSH CUT
Height	64.125	Sealing Tape Front	N
Top Treatment	Surface Pocket White 5"		
Cord Position	L	SHADE ASSY	
Mount Type	Inside Mount	Bottomrail Type	RB500 Bottom Bar
Mount Type 2	Wall Mount	Bottomrail End Cap	2471660155@2.0000
Operating System	Motorized	Bottomrail Spline	2471780000
Turn Fabric	Turn Fabric (No Seam)	Tube Bearing Plug	2473110155@1.0000
RAIL CUT		MOTOR ASSY	
Bottomrail Type	RB500 Bottom Bar	Rocker Switch	MRW
Bottomrail Color	0199		
Bottomrail	247011019921	PREPACK	
Bottomrail Color Over Opt	N	SPECIAL INSTRUCTIONS	ZIP TRACK SYSTEM
Bottomrail Width	250.6250	SPECIAL INSTRUCTIONS	EXTERNAL WEIGHT BAR
Tube Width	251.3750	Instl Bracket	2473017052T@2.0000
Tube Size Label	62MM	Instl Screw	RC450067@4.0000
Motor Type Label	HW4	Screw Cover	2473080155T@2.0000
UL Motor	YES	Washer Lbl	RC450068@4.0000
Motor	QT506S	Bracket Adapter	2473550952@1.0000
Motor Unit Quantity	1	Leveler	2473447060@1.0000
Motor Unit PCN	1001814	Leveling Bracket	@0.0000
Crown Drive Set	2473540000	Leveler Key	2473590000
Plate 2	2473480003	Power Supply Option	N
Side Channel Color	WHITE	Switch	MRW
Side Channel Override	N	Transmitter	N
Side Channel Meas	58.6250	Cable Type	4 CONDUCTOR
Side Chnl Hole Loc 1	4.0000	Quick Disconnect Female	9020234
Side Chnl Hole Loc 2	20.8750	Quick Disconnect Male	9020235
Side Chnl Hole Loc 3	37.7500		
Side Chnl Hole Loc 4	54.6250	UL MOTOR	
PCN Side Channel	247012019921	Motor Description	506S2 Sonesse
Wool Pile Side	445010	Motor UL	1001814
Bo Side Chan Ec	2471690155	Production Model	RB500M
Sgl Sc Bo Ins Set	2471680155		
Bottom Closure	WPOCKET		
Bottom Closure Size	3 IN		
Bottom Closure Color	WHITE		
Bottom Closer Width	253.2500		
PCN Bottom Closure	RC50167521		
Pocket Color	WHITE		
Pocket Type	5 SURF		
Pocket Width	253.3750		
PCN Pockets	RC50367521		
Pocket Endcaps	Y		
Pocket End Plate	RC506675		
FABRIC CUT			
Front Shade Roll Dir	Reverse Roll		
Turn Fabric	Turn Fabric (No Seam)		

PTS Bar Code



130954262000001300013

Tube Cut Width



251.3750

Fab Cut Width



250.6250

BR Cut Width



250.6250

Fabric



200 DP4115203