

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 10

Total Line Qty: 1

Line Count : 1 OF 24



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION	
Location	ROOM 100
Shade Configuration	Single, NonCoupled, NonBanded
Width	58.250
Height	66.750
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	56.6250
Tube Width	56.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	FRANK19
Color	002
Fabric PCN	RBFR19WH
Fabric Description	Franklin 19%
Color Description	White
Fab Cut Width	56.6250
Fabric Drop Total	76.0842
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	100.1250
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131213600100000100024

Tube Cut Width



56.6250

Fab Cut Width



56.6250

BR Cut Width



56.6250

Fabric



010 RBFR19WH

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 20

Total Line Qty: 1

Line Count : 2 OF 24



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION	
Location	ROOM 101 BED
Shade Configuration	Single, NonCoupled, NonBanded
Width	58.250
Height	66.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	56.6250
Tube Width	56.6250
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	FRANK19
Color	002
Fabric PCN	RBFR19WH
Fabric Description	Franklin 19%
Color Description	White
Fab Cut Width	56.6250
Fabric Drop Total	75.8342
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	99.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131213600200000200024

Tube Cut Width



56.6250

Fab Cut Width



56.6250

BR Cut Width



56.6250

Fabric



020 RBFR19WH

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 30

Total Line Qty: 1

Line Count : 3 OF 24



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION	
Location	ROOM 101 LIV
Shade Configuration	Single, NonCoupled, NonBanded
Width	58.375
Height	66.250
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	56.7500
Tube Width	56.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	FRANK19
Color	002
Fabric PCN	RBFR19WH
Fabric Description	Franklin 19%
Color Description	White
Fab Cut Width	56.7500
Fabric Drop Total	75.5842
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	99.3750
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131213600300000300024

Tube Cut Width



56.7500

Fab Cut Width



56.7500

BR Cut Width



56.7500

Fabric



030 RBFR19WH

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 40

Total Line Qty: 1

Line Count : 4 OF 24



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION	
Location	ROOM 102
Shade Configuration	Single, NonCoupled, NonBanded
Width	58.375
Height	66.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	56.7500
Tube Width	56.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	FRANK19
Color	002
Fabric PCN	RBFR19WH
Fabric Description	Franklin 19%
Color Description	White
Fab Cut Width	56.7500
Fabric Drop Total	75.8342
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	99.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131213600400000400024

Tube Cut Width



56.7500

Fab Cut Width



56.7500

BR Cut Width



56.7500

Fabric



040 RBFR19WH

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 50

Total Line Qty: 1

Line Count : 5 OF 24



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION	
Location	ROOM 103
Shade Configuration	Single, NonCoupled, NonBanded
Width	58.625
Height	66.375
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	57.0000
Tube Width	57.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	FRANK19
Color	002
Fabric PCN	RBFR19WH
Fabric Description	Franklin 19%
Color Description	White
Fab Cut Width	57.0000
Fabric Drop Total	75.7092
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	99.5625
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131213600500000500024

Tube Cut Width



57.0000

Fab Cut Width



57.0000

BR Cut Width



57.0000

Fabric



050 RBFR19WH

Special Messages:



Quote Number: 13121360

Cust Reference: PO# 20-0407-

Line item: 60

Total Line Qty: 1

Line Count : 6 OF 24



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION	
Location	ROOM 104
Shade Configuration	Single, NonCoupled, NonBanded
Width	58.375
Height	66.375
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	56.7500
Tube Width	56.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	FRANK19
Color	002
Fabric PCN	RBFR19WH
Fabric Description	Franklin 19%
Color Description	White
Fab Cut Width	56.7500
Fabric Drop Total	75.7092
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	99.5625
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131213600600000600024

Tube Cut Width



56.7500

Fab Cut Width



56.7500

BR Cut Width



56.7500

Fabric



060 RBFR19WH

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 70

Total Line Qty: 1

Line Count : 7 OF 24



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION	
Location	ROOM 106
Shade Configuration	Single, NonCoupled, NonBanded
Width	58.500
Height	66.375
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	56.8750
Tube Width	56.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	FRANK19
Color	002
Fabric PCN	RBFR19WH
Fabric Description	Franklin 19%
Color Description	White
Fab Cut Width	56.8750
Fabric Drop Total	75.7092
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	99.5625
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131213600700000700024

Tube Cut Width



56.8750

Fab Cut Width



56.8750

BR Cut Width



56.8750

Fabric



070 RBFR19WH

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 80

Total Line Qty: 1

Line Count : 8 OF 24



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION	
Location	ROOM 121
Shade Configuration	Single, NonCoupled, NonBanded
Width	58.500
Height	66.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	56.8750
Tube Width	56.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	FRANK19
Color	002
Fabric PCN	RBFR19WH
Fabric Description	Franklin 19%
Color Description	White
Fab Cut Width	56.8750
Fabric Drop Total	75.8342
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	99.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131213600800000800024

Tube Cut Width



56.8750

Fab Cut Width



56.8750

BR Cut Width



56.8750

Fabric



080 RBFR19WH

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 90

Total Line Qty: 1

Line Count : 9 OF 24



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION	
Location	ROOM 122
Shade Configuration	Single, NonCoupled, NonBanded
Width	58.500
Height	66.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	56.8750
Tube Width	56.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	FRANK19
Color	002
Fabric PCN	RBFR19WH
Fabric Description	Franklin 19%
Color Description	White
Fab Cut Width	56.8750
Fabric Drop Total	75.8342
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	99.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131213600900000900024

Tube Cut Width



56.8750

Fab Cut Width



56.8750

BR Cut Width



56.8750

Fabric



090 RBFR19WH

Special Messages:



Quote Number: 13121360

Cust Reference: PO# 20-0407-

Line item: 100

Total Line Qty: 1

Line Count : 10 OF 24



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION	
Location	ROOM 123 BED
Shade Configuration	Single, NonCoupled, NonBanded
Width	58.625
Height	66.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	57.0000
Tube Width	57.0000
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	FRANK19
Color	002
Fabric PCN	RBFR19WH
Fabric Description	Franklin 19%
Color Description	White
Fab Cut Width	57.0000
Fabric Drop Total	75.8342
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	99.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131213601000001000024

Tube Cut Width



57.0000

Fab Cut Width



57.0000

BR Cut Width



57.0000

Fabric



100 RBFR19WH

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 110

Total Line Qty: 1

Line Count : 11 OF 24



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION	
Location	ROOM 123 LIV
Shade Configuration	Single, NonCoupled, NonBanded
Width	58.500
Height	66.375
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	56.8750
Tube Width	56.8750
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	FRANK19
Color	002
Fabric PCN	RBFR19WH
Fabric Description	Franklin 19%
Color Description	White
Fab Cut Width	56.8750
Fabric Drop Total	75.7092
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	99.5625
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131213601100001100024

Tube Cut Width



56.8750

Fab Cut Width



56.8750

BR Cut Width



56.8750

Fabric



110 RBFR19WH

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 120

Total Line Qty: 1

Line Count : 12 OF 24



Standard/Ground

AK Designs, LLC

GENERAL INFORMATION	
Location	ROOM 124
Shade Configuration	Single, NonCoupled, NonBanded
Width	58.375
Height	66.500
Cord Position	R
Mount Type	Inside Mount
Mount Type 2	Ceiling Mount
Operating System	Clutch Operated Std
RAIL CUT	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail Color	7052
Bottomrail	147RC7052
Bottomrail Color Over Opt	N
Bottomrail Width	56.7500
Tube Width	56.7500
Tube Size Label	37MM
FABRIC CUT	
Front Shade Roll Dir	Standard Roll
Fabric	FRANK19
Color	002
Fabric PCN	RBFR19WH
Fabric Description	Franklin 19%
Color Description	White
Fab Cut Width	56.7500
Fabric Drop Total	75.8342
Cut Method	CRUSH CUT
Sealing Tape Front	N
SHADE ASSY	
Bottomrail Type	Fab Wrap Extrud Hem Bar
Bottomrail End Cap	147RC443000@2.0000
Chain Color	STAINLESS
Chain Length	99.7500
Chain	2474180025
Chain Connector	1048513
Tensioner	1042237@1.0000
Clutch Type	STD
Clutch Assy	94105388
Clutch Position	R
Tube Bearing Plug	2471290952T@1.0000
Installation Label	SAFETY100@2.0000
PREPACK	
Install Bracket Label	2478007052@1.0000
Screws	4450000021@1.0000
Instl Screw	2-70-9021@4.0000
Bracket Cover	2471100952T@2.0000
Chain Stop	2474180027
UL MOTOR	
Production Model	RB500CO

PTS Bar Code



131213601200001200024

Tube Cut Width



56.7500

Fab Cut Width



56.7500

BR Cut Width



56.7500

Fabric



120 RBFR19WH

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 130

Total Line Qty: 1

Line Count : 13 OF 24

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

AK Designs, LLC

SPECIAL INSTRUCTIONS		Screws	4450000021@1.0000
SPECIAL INSTRUCTIONS	COM FABRIC	Instl Screw	RC450067@4.0000
SPECIAL INSTRUCTIONS	RS WGR PICKET	Screw Cover	2473080155T@2.0000
SPECIAL INSTRUCTIONS	SLATE BLUE	Washer Lbl	RC450068@4.0000
		Bracket Cover	2473040155T@2.0000
		Chain Stop	2474180027
GENERAL INFORMATION			
Location	ROOM 100		
Shade Configuration	Single, NonCoupled, NonBanded	UL MOTOR	
Width	70.250	Production Model	RB500CO
Height	78.750		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	68.3750		
Tube Width	68.3750		
Tube Size Label	50MM		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	68.3750		
Fabric Drop Total	90.8390		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	118.1250		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100155@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
SPECIAL INSTRUCTIONS	COM FABRIC		
SPECIAL INSTRUCTIONS	RS WGR PICKET		
SPECIAL INSTRUCTIONS	SLATE BLUE		
Install Bracket Label	2478327052@1.0000		

PTS Bar Code



131213601300001300024

Tube Cut Width



68.3750

Fab Cut Width



68.3750

BR Cut Width



68.3750

Fabric



130 INIF2598PG1

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 140

Total Line Qty: 1

Line Count : 14 OF 24

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

AK Designs, LLC

SPECIAL INSTRUCTIONS		Screws	4450000021@1.0000
SPECIAL INSTRUCTIONS	COM FABRIC	Instl Screw	RC450067@4.0000
SPECIAL INSTRUCTIONS	RS WGR PICKET	Screw Cover	2473080155T@2.0000
SPECIAL INSTRUCTIONS	SLATE BLUE	Washer Lbl	RC450068@4.0000
		Bracket Cover	2473040155T@2.0000
		Chain Stop	2474180027
GENERAL INFORMATION			
Location	ROOM 101 BED		
Shade Configuration	Single, NonCoupled, NonBanded	UL MOTOR	
Width	70.250	Production Model	RB500CO
Height	78.500		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	68.3750		
Tube Width	68.3750		
Tube Size Label	50MM		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	68.3750		
Fabric Drop Total	90.5890		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	117.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100155@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
SPECIAL INSTRUCTIONS	COM FABRIC		
SPECIAL INSTRUCTIONS	RS WGR PICKET		
SPECIAL INSTRUCTIONS	SLATE BLUE		
Install Bracket Label	2478327052@1.0000		

PTS Bar Code



131213601400001400024

Tube Cut Width



68.3750

Fab Cut Width



68.3750

BR Cut Width



68.3750

Fabric



140 INIF2598PG1

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 150

Total Line Qty: 1

Line Count : 15 OF 24

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

AK Designs, LLC

SPECIAL INSTRUCTIONS		Screws	4450000021@1.0000
SPECIAL INSTRUCTIONS	COM FABRIC	Instl Screw	RC450067@4.0000
SPECIAL INSTRUCTIONS	RS WGR PICKET	Screw Cover	2473080155T@2.0000
SPECIAL INSTRUCTIONS	SLATE BLUE	Washer Lbl	RC450068@4.0000
		Bracket Cover	2473040155T@2.0000
		Chain Stop	2474180027
GENERAL INFORMATION			
Location	ROOM 101 LIV		
Shade Configuration	Single, NonCoupled, NonBanded	UL MOTOR	
Width	70.375	Production Model	RB500CO
Height	78.250		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	68.5000		
Tube Width	68.5000		
Tube Size Label	50MM		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	68.5000		
Fabric Drop Total	90.3390		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	117.3750		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100155@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
SPECIAL INSTRUCTIONS	COM FABRIC		
SPECIAL INSTRUCTIONS	RS WGR PICKET		
SPECIAL INSTRUCTIONS	SLATE BLUE		
Install Bracket Label	2478327052@1.0000		

PTS Bar Code



131213601500001500024

Tube Cut Width



68.5000

Fab Cut Width



68.5000

BR Cut Width



68.5000

Fabric



150 INIF2598PG1

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 160

Total Line Qty: 1

Line Count : 16 OF 24

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

AK Designs, LLC

SPECIAL INSTRUCTIONS		Screws	4450000021@1.0000
SPECIAL INSTRUCTIONS	COM FABRIC	Instl Screw	RC450067@4.0000
SPECIAL INSTRUCTIONS	RS WGR PICKET	Screw Cover	2473080155T@2.0000
SPECIAL INSTRUCTIONS	SLATE BLUE	Washer Lbl	RC450068@4.0000
		Bracket Cover	2473040155T@2.0000
		Chain Stop	2474180027
GENERAL INFORMATION			
Location	ROOM 102		
Shade Configuration	Single, NonCoupled, NonBanded	UL MOTOR	
Width	70.375	Production Model	RB500CO
Height	78.500		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	68.5000		
Tube Width	68.5000		
Tube Size Label	50MM		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	68.5000		
Fabric Drop Total	90.5890		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	117.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100155@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
SPECIAL INSTRUCTIONS	COM FABRIC		
SPECIAL INSTRUCTIONS	RS WGR PICKET		
SPECIAL INSTRUCTIONS	SLATE BLUE		
Install Bracket Label	2478327052@1.0000		

PTS Bar Code



131213601600001600024

Tube Cut Width



68.5000

Fab Cut Width



68.5000

BR Cut Width



68.5000

Fabric



160 INIF2598PG1

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 170

Total Line Qty: 1

Line Count : 17 OF 24

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

AK Designs, LLC

SPECIAL INSTRUCTIONS		Screws	4450000021@1.0000
SPECIAL INSTRUCTIONS	COM FABRIC	Instl Screw	RC450067@4.0000
SPECIAL INSTRUCTIONS	RS WGR PICKET	Screw Cover	2473080155T@2.0000
SPECIAL INSTRUCTIONS	SLATE BLUE	Washer Lbl	RC450068@4.0000
		Bracket Cover	2473040155T@2.0000
		Chain Stop	2474180027
GENERAL INFORMATION			
Location	ROOM 103		
Shade Configuration	Single, NonCoupled, NonBanded	UL MOTOR	
Width	70.625	Production Model	RB500CO
Height	78.375		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	68.7500		
Tube Width	68.7500		
Tube Size Label	50MM		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	68.7500		
Fabric Drop Total	90.4640		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	117.5625		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100155@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
SPECIAL INSTRUCTIONS	COM FABRIC		
SPECIAL INSTRUCTIONS	RS WGR PICKET		
SPECIAL INSTRUCTIONS	SLATE BLUE		
Install Bracket Label	2478327052@1.0000		

PTS Bar Code



131213601700001700024

Tube Cut Width



68.7500

Fab Cut Width



68.7500

BR Cut Width



68.7500

Fabric



170 INIF2598PG1

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 180

Total Line Qty: 1

Line Count : 18 OF 24

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

AK Designs, LLC

SPECIAL INSTRUCTIONS		Screws	4450000021@1.0000
SPECIAL INSTRUCTIONS	COM FABRIC	Instl Screw	RC450067@4.0000
SPECIAL INSTRUCTIONS	RS WGR PICKET	Screw Cover	2473080155T@2.0000
SPECIAL INSTRUCTIONS	SLATE BLUE	Washer Lbl	RC450068@4.0000
		Bracket Cover	2473040155T@2.0000
		Chain Stop	2474180027
GENERAL INFORMATION			
Location	ROOM 104		
Shade Configuration	Single, NonCoupled, NonBanded	UL MOTOR	
Width	70.375	Production Model	RB500CO
Height	78.375		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	68.5000		
Tube Width	68.5000		
Tube Size Label	50MM		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	68.5000		
Fabric Drop Total	90.4640		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	117.5625		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100155@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
SPECIAL INSTRUCTIONS	COM FABRIC		
SPECIAL INSTRUCTIONS	RS WGR PICKET		
SPECIAL INSTRUCTIONS	SLATE BLUE		
Install Bracket Label	2478327052@1.0000		

PTS Bar Code



131213601800001800024

Tube Cut Width



68.5000

Fab Cut Width



68.5000

BR Cut Width



68.5000

Fabric



180 INIF2598PG1

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 190

Total Line Qty: 1

Line Count : 19 OF 24

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

AK Designs, LLC

SPECIAL INSTRUCTIONS		Screws	4450000021@1.0000
SPECIAL INSTRUCTIONS	COM FABRIC	Instl Screw	RC450067@4.0000
SPECIAL INSTRUCTIONS	RS WGR PICKET	Screw Cover	2473080155T@2.0000
SPECIAL INSTRUCTIONS	SLATE BLUE	Washer Lbl	RC450068@4.0000
		Bracket Cover	2473040155T@2.0000
		Chain Stop	2474180027
GENERAL INFORMATION			
Location	ROOM 106		
Shade Configuration	Single, NonCoupled, NonBanded	UL MOTOR	
Width	70.500	Production Model	RB500CO
Height	78.375		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	68.6250		
Tube Width	68.6250		
Tube Size Label	50MM		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	68.6250		
Fabric Drop Total	90.4640		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	117.5625		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100155@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
SPECIAL INSTRUCTIONS	COM FABRIC		
SPECIAL INSTRUCTIONS	RS WGR PICKET		
SPECIAL INSTRUCTIONS	SLATE BLUE		
Install Bracket Label	2478327052@1.0000		

PTS Bar Code



131213601900001900024

Tube Cut Width



68.6250

Fab Cut Width



68.6250

BR Cut Width



68.6250

Fabric



190 INIF2598PG1

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 200

Total Line Qty: 1

Line Count : 20 OF 24

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

AK Designs, LLC

SPECIAL INSTRUCTIONS		Screws	4450000021@1.0000
SPECIAL INSTRUCTIONS	COM FABRIC	Instl Screw	RC450067@4.0000
SPECIAL INSTRUCTIONS	RS WGR PICKET	Screw Cover	2473080155T@2.0000
SPECIAL INSTRUCTIONS	SLATE BLUE	Washer Lbl	RC450068@4.0000
		Bracket Cover	2473040155T@2.0000
		Chain Stop	2474180027
GENERAL INFORMATION			
Location	ROOM 121		
Shade Configuration	Single, NonCoupled, NonBanded	UL MOTOR	
Width	70.500	Production Model	RB500CO
Height	78.500		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	68.6250		
Tube Width	68.6250		
Tube Size Label	50MM		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	68.6250		
Fabric Drop Total	90.5890		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	117.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100155@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
SPECIAL INSTRUCTIONS	COM FABRIC		
SPECIAL INSTRUCTIONS	RS WGR PICKET		
SPECIAL INSTRUCTIONS	SLATE BLUE		
Install Bracket Label	2478327052@1.0000		

PTS Bar Code



131213602000002000024

Tube Cut Width



68.6250

Fab Cut Width



68.6250

BR Cut Width



68.6250

Fabric



200 INIF2598PG1

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 210

Total Line Qty: 1

Line Count : 21 OF 24

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

AK Designs, LLC

SPECIAL INSTRUCTIONS		Screws	4450000021@1.0000
SPECIAL INSTRUCTIONS	COM FABRIC	Instl Screw	RC450067@4.0000
SPECIAL INSTRUCTIONS	RS WGR PICKET	Screw Cover	2473080155T@2.0000
SPECIAL INSTRUCTIONS	SLATE BLUE	Washer Lbl	RC450068@4.0000
		Bracket Cover	2473040155T@2.0000
		Chain Stop	2474180027
GENERAL INFORMATION			
Location	ROOM 122		
Shade Configuration	Single, NonCoupled, NonBanded	UL MOTOR	
Width	70.500	Production Model	RB500CO
Height	78.500		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	68.6250		
Tube Width	68.6250		
Tube Size Label	50MM		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	68.6250		
Fabric Drop Total	90.5890		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	117.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100155@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
SPECIAL INSTRUCTIONS	COM FABRIC		
SPECIAL INSTRUCTIONS	RS WGR PICKET		
SPECIAL INSTRUCTIONS	SLATE BLUE		
Install Bracket Label	2478327052@1.0000		

PTS Bar Code



131213602100002100024

Tube Cut Width



68.6250

Fab Cut Width



68.6250

BR Cut Width



68.6250

Fabric



210 INIF2598PG1

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 220

Total Line Qty: 1

Line Count : 22 OF 24

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

AK Designs, LLC

SPECIAL INSTRUCTIONS		Screws	4450000021@1.0000
SPECIAL INSTRUCTIONS	COM FABRIC	Instl Screw	RC450067@4.0000
SPECIAL INSTRUCTIONS	RS WGR PICKET	Screw Cover	2473080155T@2.0000
SPECIAL INSTRUCTIONS	SLATE BLUE	Washer Lbl	RC450068@4.0000
		Bracket Cover	2473040155T@2.0000
		Chain Stop	2474180027
GENERAL INFORMATION			
Location	ROOM 123 BED		
Shade Configuration	Single, NonCoupled, NonBanded	UL MOTOR	
Width	70.625	Production Model	RB500CO
Height	78.500		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	68.7500		
Tube Width	68.7500		
Tube Size Label	50MM		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	68.7500		
Fabric Drop Total	90.5890		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	117.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100155@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
SPECIAL INSTRUCTIONS	COM FABRIC		
SPECIAL INSTRUCTIONS	RS WGR PICKET		
SPECIAL INSTRUCTIONS	SLATE BLUE		
Install Bracket Label	2478327052@1.0000		

PTS Bar Code



131213602200002200024

Tube Cut Width



68.7500

Fab Cut Width



68.7500

BR Cut Width



68.7500

Fabric



220 INIF2598PG1

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 230

Total Line Qty: 1

Line Count : 23 OF 24

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

AK Designs, LLC

SPECIAL INSTRUCTIONS		Screws	4450000021@1.0000
SPECIAL INSTRUCTIONS	COM FABRIC	Instl Screw	RC450067@4.0000
SPECIAL INSTRUCTIONS	RS WGR PICKET	Screw Cover	2473080155T@2.0000
SPECIAL INSTRUCTIONS	SLATE BLUE	Washer Lbl	RC450068@4.0000
		Bracket Cover	2473040155T@2.0000
		Chain Stop	2474180027
GENERAL INFORMATION			
Location	ROOM 123 LIV		
Shade Configuration	Single, NonCoupled, NonBanded	UL MOTOR	
Width	70.500	Production Model	RB500CO
Height	78.375		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	68.6250		
Tube Width	68.6250		
Tube Size Label	50MM		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	68.6250		
Fabric Drop Total	90.4640		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	117.5625		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100155@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
SPECIAL INSTRUCTIONS	COM FABRIC		
SPECIAL INSTRUCTIONS	RS WGR PICKET		
SPECIAL INSTRUCTIONS	SLATE BLUE		
Install Bracket Label	2478327052@1.0000		

PTS Bar Code



131213602300002300024

Tube Cut Width



68.6250

Fab Cut Width



68.6250

BR Cut Width



68.6250

Fabric



230 INIF2598PG1

Special Messages:

Quote Number: **13121360**Cust Reference: **PO# 20-0407-**

Line item: 240

Total Line Qty: 1

Line Count : 24 OF 24

*** SPECIAL INSTRUCTIONS ***



Standard/Ground

AK Designs, LLC

SPECIAL INSTRUCTIONS		Screws	4450000021@1.0000
SPECIAL INSTRUCTIONS	COM FABRIC	Instl Screw	RC450067@4.0000
SPECIAL INSTRUCTIONS	RS WGR PICKET	Screw Cover	2473080155T@2.0000
SPECIAL INSTRUCTIONS	SLATE BLUE	Washer Lbl	RC450068@4.0000
		Bracket Cover	2473040155T@2.0000
		Chain Stop	2474180027
GENERAL INFORMATION			
Location	ROOM 124		
Shade Configuration	Single, NonCoupled, NonBanded	UL MOTOR	
Width	70.375	Production Model	RB500CO
Height	78.500		
Cord Position	R		
Mount Type	Outside Mount		
Mount Type 2	Wall Mount		
Operating System	Clutch Operated HD		
RAIL CUT			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail Color	0199		
Bottomrail	247011019921		
Bottomrail Color Over Opt	N		
Bottomrail Width	68.5000		
Tube Width	68.5000		
Tube Size Label	50MM		
FABRIC CUT			
Front Shade Roll Dir	Standard Roll		
Fabric	SAMPLE3		
Color	0155		
Fabric PCN	INIF2598PG1		
Fabric Description	Sheerweave Infinity2 5%		
Color Description	Cotton		
Fab Cut Width	68.5000		
Fabric Drop Total	90.5890		
Cut Method	CRUSH CUT		
Sealing Tape Front	N		
SHADE ASSY			
Bottomrail Type	RB500 Bottom Bar		
Bottomrail End Cap	2471660155@2.0000		
Bottomrail Spline	2471780000		
Chain Color	STAINLESS		
Chain Length	117.7500		
Chain	2474180025		
Chain Connector	1048513		
Tensioner	1042237@1.0000		
Clutch Type	HD		
Clutch Assy	94105330		
Clutch Position	R		
Adapter	93006473		
Tube Bearing Plug	2473100155@1.0000		
Installation Label	SAFETY100@2.0000		
PREPACK			
SPECIAL INSTRUCTIONS	COM FABRIC		
SPECIAL INSTRUCTIONS	RS WGR PICKET		
SPECIAL INSTRUCTIONS	SLATE BLUE		
Install Bracket Label	2478327052@1.0000		

PTS Bar Code



131213602400002400024

Tube Cut Width



68.5000

Fab Cut Width



68.5000

BR Cut Width



68.5000

Fabric



240 INIF2598PG1