














Cao County Hengda Wood Products Co.,Ltd.																	
ZHUANGZHAI TOWN, CAO COUNTY, HEZE CITY, SHANDONG PROVINCE, CHINA																	
TEL:0086-530-6160072 FAX:0086-530-6160078																	
Pricing list																	
Buyer: Strictly Shutters Inc															S/C No.: HDW-NW		
Add: 3120 SW 42 ave, Palm City Fl. 34990,USA															Date: Jan 15,2025		
This Sales Contract is made out as per the following terms/conditions mutually confirmed by both parties.																	
tem	CommodityD escription	Size	Size (mm)				Qua ntity	FOB Qingdao port,Chi na	FOB Qingda o port,Ch ina	FOB Qingda o port,Chi na	FOB Qingdao port,Chin a	FOB Qingdao port,Chi na	FOB Qingdao port,Chi na	FOB Qingda o port,Ch ina	Drawings		
								Gesso paulown ia	Gesso poplar	top coated poplar(Gesso)	Primed poplar (No Gesso)	top coated poplar (No Gesso)	Primed Basswo od (No Gesso)	Top coated Basswo od (No Gesso)			
						PCS/ Carton	Carton	USD/Foot	USD/Foot	USD/Foot	USD/Foot	USD/Foot	USD/Foot	USD/Foot			
1	2.5L	2-1/2"x7/16"x12.5'	63.5	11.1	3810	20		0.225	0.257	0.360	0.296	0.398	0.387	0.490			0.219
2	3.5L	3-1/2"x7/16"x12.5'	88.9	11.1	3810	20		0.290	0.331	0.463	0.381	0.513	0.514	0.646			0.289
3	4.5L	4-1/2"x7/16"x12.5'	114.3	11.1	3810	10		0.375	0.425	0.595	0.489	0.659	0.660	0.830			0.371
4	SSS	1-1/16"x1-1/2"x12.5'	38.1	27	3810	16		0.240	0.310	0.419	0.357	0.465	0.517	0.626			0.368
5	SSS	1-1/16"x2"x12.5'	50.8	27	3810	16		0.320	0.387	0.522	0.445	0.581	0.682	0.817			0.368
6	SSR	1-1/16"x2"x12.5'	50.8	27	3810	16		0.320	0.387	0.522	0.445	0.581	0.682	0.817			0.368
7	SSR	2-7/16"x2-1/4"x12.5'	61.9	31.8	3810	16		0.472	0.558	0.753	0.642	0.837	0.978	1.173			0.536
8	3"Mid rail	3" X 3/4"x12.5'	76.2	19.05	3810	10		0.332	0.401	0.541	0.461	0.602	0.719	0.859			
9	4"Mid rail	4" X 3/4"x12.5'	101.6	19.05	3810	10		0.442	0.535	0.722	0.615	0.803	0.962	1.149			
10	SR	4 1/2" X 3/4"x12.5'	114.3	19.05	3810	6		0.510	0.602	0.813	0.692	0.903	1.109	1.320			0.576
11	LR	5 1/4" X 3/4"x12.5'	133.0	19.05	3810	6		0.619	0.704	0.950	0.810	1.056	1.260	1.506			
12	LR	5 1/2" X 3/4"x12.5'	139.7	19.05	3810	6		0.647	0.736	0.994	0.846	1.104	1.320	1.578			0.696
13	SR	4 5/8" X 3/4"x12.5'	117.5	19.05	3810	6		0.510	0.619	0.836	0.712	0.929	1.109	1.326			

14	LR	5 7/8" X 3/4"	149.2	19.0	3810	6			0.647	0.786	1.061	0.904	1.179	1.404	1.679			
15	LR	6" X 3/4"	152.4	19.0	3810	6			0.680	0.803	1.084	0.923	1.205	1.404	1.685			
16	Hanging strip	1" X 3/4"	25.4	19	3810	30			0.176	0.206	0.278	0.237	0.309	0.308	0.380		0.368	
17	CPB-2"L FOG 2" L frame Ogee Face (Wilmin gton)	2"x1-1/8"x 12	50.8	28.6	3810	12			0.354	0.443	0.598	0.509	0.664	0.722	0.877			0.326
18	CPB-2"L FOG 2.5" L frame Ogee Face (Wilmin gton)	2.5"x1-1/8"x	63.5	28.6	3810	12			0.443	0.554	0.747	0.637	0.830	0.902	1.096			0.326
20	Tilt Rod (pine wood)		12.7	15.9		54						0.120	0.150	0.152	0.180			
21	SLF-No beaded	1-7/8"x1-1/8"	47.6	28.6	3810	12			0.332	0.415	0.560	0.477	0.623	0.685	0.830		0.326	
22	SLF	1-7/8"x1-1/8"	47.6	28.6	3810	12			0.332	0.415	0.560	0.477	0.623	0.685	0.830		0.326	
23	LF	1-7/8"x1-3/8"	47.6	35.0	3810	12			0.406	0.508	0.686	0.584	0.762	0.838	1.016			
24	Sillframe	2"x3/4" x 12	50.8	19.0	3810	12			0.236	0.309	0.417	0.355	0.464	0.487	0.595			
25	T post	2"x1-7/8"x12	50.8	47.6	3810	12			0.590	0.737	0.995	0.848	1.106	1.216	1.474			
26	CLZF		61.2	43.8	3810	12			0.654	0.817	1.103	0.940	1.226	1.348	1.634			
27	JTZ	2-3/4"x1-3/4"	70.0	44.5	3810	12			0.760	0.949	1.281	1.091	1.424	1.567	1.899			

[illegible]

[illegible]

0.366			
0.366			
0.366			

