


**SG-201**

CLOISTER | MODEL ROOM

ISSUED: 2/28/2025

REVISED: 3/6/2025,  
4/18/2025**LUMBAR BED PILLOW**

AREAS: MR | Double Double, MR | King  
QUANTITY: 3 ea  
DESCRIPTION: Custom indoor lumbar bed pillow  
LOCATION: King and double double model rooms  
SHAPE: Lumbar  
WIDTH: 24 in  
HEIGHT: 12 in  
EDGE DETAIL: Decorative trim  
FILL: Down-like synthetic fill. 80/20 blend  
CLOSURE TYPE: Concealed zipper, color to match fabric  
STITCHING: Concealed  
THREAD COLOR: To match fabric  
COM/ COL/ TRIM: Fabric: FB-215  
Trim: FBT-205  
Refer attached specifications



OFCI      **OFOI**      CFCI      CFOI      Arch      FFE

FB-215, FABRIC

FBT-205, TRIM



## NOTES

IMAGE FOR INSPIRATION ONLY. FINAL DESIGN PENDING SHOP DRAWING REVIEW, FINISH SUBMITTALS AND SIGN OFF.

## VENDOR

## MANUFACTURER

TO BID

## MANUFACTURER CONTACT

## REQUIRED ITEMS FOR DESIGNER APPROVAL PRIOR TO FABRICATION

FINISH SAMPLE       FLAME CERT       SEAMING DIAGRAM       SHOP DWGS       WARRANTY

## INSTRUCTIONS:

- ALL PRODUCTS MUST COMPLY WITH CLIENT/ BRAND STANDARDS.
- ATTIC STOCK QUANTITIES NOT INCLUDED. TO BE VERIFIED BY PROCUREMENT AGENT PRIOR TO PLACING ORDER.
- MANUFACTURER TO NOTIFY CURIOSO DESIGNER OF ANY SUBSTITUTIONS AND/OR CHANGES TO SPECIFICATION, MANUFACTURER, ETC. ALL SUBSTITUTIONS AND/OR CHANGES MUST BE APPROVED BY CURIOSO DESIGNER IN WRITING PRIOR TO PURCHASE.
- MANUFACTURER TO PROVIDE ALL FIRE RETARDANT MATERIALS NECESSARY TO MEET OR EXCEED APPROPRIATE NFPA STANDARDS, OR LOCAL STANDARDS, WHICHEVER IS MORE STRINGENT.
- MANUFACTURER/ FABRICATOR RESPONSIBLE FOR PACKAGING, SHIPPING, CRATING, HANDLING, ENVIRONMENTAL CONTROLS AND FOR COORDINATING WITH ON-SITE INSTALLER AND PURCHASING AGENT.
- MANUFACTURER/ FABRICATOR TO SIDEMARK OR TAG OUTSIDE OF SHIPPING BOX WITH PROPERTY AND ITEM SPEC NUMBER
- PURCHASING AGENT AND FABRICATOR ARE RESPONSIBLE FOR VERIFYING ALL QUANTITIES, DIMENSIONS, YARDAGES AND MATERIAL REQUIREMENTS PRIOR TO PURCHASING, MANUFACTURING OR INSTALLING GOODS. CURIOSO DESIGNER'S SPECIFICATIONS ARE GENERAL ESTIMATES ONLY.
- PURCHASING AGENT MUST PROVIDE OWNER WITH MANUAL, CERTIFICATES OF COMPLIANCE, INSTALLATION GUIDELINES AND MAINTENANCE INSTRUCTIONS IN ADDITION TO WARRANTIES IF APPLICABLE.
- REFER TO DRAWINGS FOR ALL ASSOCIATED DETAILS. NOTIFY CURIOSO DESIGNER OF ANY DISCREPANCIES IN DESIGNER'S AND/ OR ANY OTHER THIRD PARTY'S DOCUMENTATION.
- ALL PILLOWS TO BE A 80/20 BLEND OF FEATHERS AND DOWN ENCASED IN A FLAME RETARDANT MUSLIN ENVELOPE.

**SG-201**

**LUMBAR BED PILLOW**

CLOISTER | MODEL ROOM

ISSUED: 2/28/2025

REVISED: 3/6/2025,  
4/18/2025



Trim application

**Curioso**


**SG-201**

CLOISTER | MODEL ROOM

ISSUED: 2/28/2025

REVISED: 3/6/2025,  
4/18/2025**LUMBAR BED PILLOW**

AREAS: MR | Double Double, MR | King  
QUANTITY: 3 ea  
DESCRIPTION: Custom indoor lumbar bed pillow  
LOCATION: King and double double model rooms  
SHAPE: Lumbar  
WIDTH: 24 in  
HEIGHT: 12 in  
EDGE DETAIL: Decorative trim  
FILL: Down-like synthetic fill. 80/20 blend  
CLOSURE TYPE: Concealed zipper, color to match fabric  
STITCHING: Concealed  
THREAD COLOR: To match fabric  
COM/ COL/ TRIM: Fabric: FB-215  
Trim: FBT-205  
Refer attached specifications



OFCI      **OFOI**      CFCI      CFOI      Arch      FFE

FB-215, FABRIC

FBT-205, TRIM



## NOTES

IMAGE FOR INSPIRATION ONLY. FINAL DESIGN PENDING SHOP DRAWING REVIEW, FINISH SUBMITTALS AND SIGN OFF.

## VENDOR

## MANUFACTURER

TO BID

## MANUFACTURER CONTACT

## REQUIRED ITEMS FOR DESIGNER APPROVAL PRIOR TO FABRICATION

 FINISH SAMPLE FLAME CERT SEAMING DIAGRAM SHOP DWGS WARRANTY

## INSTRUCTIONS:

- ALL PRODUCTS MUST COMPLY WITH CLIENT/ BRAND STANDARDS.
- ATTIC STOCK QUANTITIES NOT INCLUDED. TO BE VERIFIED BY PROCUREMENT AGENT PRIOR TO PLACING ORDER.
- MANUFACTURER TO NOTIFY CURIOSO DESIGNER OF ANY SUBSTITUTIONS AND/OR CHANGES TO SPECIFICATION, MANUFACTURER, ETC. ALL SUBSTITUTIONS AND/OR CHANGES MUST BE APPROVED BY CURIOSO DESIGNER IN WRITING PRIOR TO PURCHASE.
- MANUFACTURER TO PROVIDE ALL FIRE RETARDANT MATERIALS NECESSARY TO MEET OR EXCEED APPROPRIATE NFPA STANDARDS, OR LOCAL STANDARDS, WHICHEVER IS MORE STRINGENT.
- MANUFACTURER/ FABRICATOR RESPONSIBLE FOR PACKAGING, SHIPPING, CRATING, HANDLING, ENVIRONMENTAL CONTROLS AND FOR COORDINATING WITH ON-SITE INSTALLER AND PURCHASING AGENT.
- MANUFACTURER/ FABRICATOR TO SIDEMARK OR TAG OUTSIDE OF SHIPPING BOX WITH PROPERTY AND ITEM SPEC NUMBER
- PURCHASING AGENT AND FABRICATOR ARE RESPONSIBLE FOR VERIFYING ALL QUANTITIES, DIMENSIONS, YARDAGES AND MATERIAL REQUIREMENTS PRIOR TO PURCHASING, MANUFACTURING OR INSTALLING GOODS. CURIOSO DESIGNER'S SPECIFICATIONS ARE GENERAL ESTIMATES ONLY.
- PURCHASING AGENT MUST PROVIDE OWNER WITH MANUAL, CERTIFICATES OF COMPLIANCE, INSTALLATION GUIDELINES AND MAINTENANCE INSTRUCTIONS IN ADDITION TO WARRANTIES IF APPLICABLE.
- REFER TO DRAWINGS FOR ALL ASSOCIATED DETAILS. NOTIFY CURIOSO DESIGNER OF ANY DISCREPANCIES IN DESIGNER'S AND/ OR ANY OTHER THIRD PARTY'S DOCUMENTATION.
- ALL PILLOWS TO BE A 80/20 BLEND OF FEATHERS AND DOWN ENCASED IN A FLAME RETARDANT MUSLIN ENVELOPE.

**SG-201**

**LUMBAR BED PILLOW**

CLOISTER | MODEL ROOM

ISSUED: 2/28/2025

REVISED: 3/6/2025,  
4/18/2025



Trim application

**Curioso**

## SQUARE PILLOW

AREAS: MR | Double Double  
 QUANTITY: 1 ea  
 DESCRIPTION: Custom indoor throw pillow  
 LOCATION: Double double model room settee  
 SHAPE: Square  
 WIDTH: 18 in  
 HEIGHT: 18 in  
 EDGE DETAIL: Trim Edge to be folded into the seam as a marabout, see application image attached  
 FILL: Down-like synthetic fill. 80/20 blend  
 CLOSURE TYPE: Concealed zipper, color to match fabric  
 STITCHING: Concealed  
 COM/ COL/ TRIM: Fabric: FB-216  
 Trim: FBT-206  
 Refer attached specifications



OFCl    **OFOI**    CFCI    CFOI    |    Arch    FFE



## NOTES

IMAGE FOR INSPIRATION ONLY. FINAL DESIGN PENDING SHOP DRAWING REVIEW, FINISH SUBMITTALS AND SIGN OFF.

## VENDOR

## MANUFACTURER

## TO BID

## MANUFACTURER CONTACT

## REQUIRED ITEMS FOR DESIGNER APPROVAL PRIOR TO FABRICATION

FINISH SAMPLE     FLAME CERT     SEAMING DIAGRAM     SHOP DWGS     WARRANTY

## INSTRUCTIONS:

- ALL PRODUCTS MUST COMPLY WITH CLIENT/ BRAND STANDARDS.
- ATTIC STOCK QUANTITIES NOT INCLUDED. TO BE VERIFIED BY PROCUREMENT AGENT PRIOR TO PLACING ORDER.
- MANUFACTURER TO NOTIFY CURIOSO DESIGNER OF ANY SUBSTITUTIONS AND/OR CHANGES TO SPECIFICATION, MANUFACTURER, ETC. ALL SUBSTITUTIONS AND/OR CHANGES MUST BE APPROVED BY CURIOSO DESIGNER IN WRITING PRIOR TO PURCHASE.
- MANUFACTURER TO PROVIDE ALL FIRE RETARDANT MATERIALS NECESSARY TO MEET OR EXCEED APPROPRIATE NFPA STANDARDS, OR LOCAL STANDARDS, WHICHEVER IS MORE STRINGENT.
- MANUFACTURER/ FABRICATOR RESPONSIBLE FOR PACKAGING, SHIPPING, CRATING, HANDLING, ENVIRONMENTAL CONTROLS AND FOR COORDINATING WITH ON-SITE INSTALLER AND PURCHASING AGENT.
- MANUFACTURER/ FABRICATOR TO SIDEMARK OR TAG OUTSIDE OF SHIPPING BOX WITH PROPERTY AND ITEM SPEC NUMBER
- PURCHASING AGENT AND FABRICATOR ARE RESPONSIBLE FOR VERIFYING ALL QUANTITIES, DIMENSIONS, YARDAGES AND MATERIAL REQUIREMENTS PRIOR TO PURCHASING, MANUFACTURING OR INSTALLING GOODS. CURIOSO DESIGNER'S SPECIFICATIONS ARE GENERAL ESTIMATES ONLY.
- PURCHASING AGENT MUST PROVIDE OWNER WITH MANUAL, CERTIFICATES OF COMPLIANCE, INSTALLATION GUIDELINES AND MAINTENANCE INSTRUCTIONS IN ADDITION TO WARRANTIES IF APPLICABLE.
- REFER TO DRAWINGS FOR ALL ASSOCIATED DETAILS. NOTIFY CURIOSO DESIGNER OF ANY DISCREPANCIES IN DESIGNER'S AND/ OR ANY OTHER THIRD PARTY'S DOCUMENTATION.
- ALL PILLOWS TO BE A 80/20 BLEND OF FEATHERS AND DOWN ENCASED IN A FLAME RETARDANT MUSLIN ENVELOPE.

**SG-202**

**SQUARE PILLOW**

CLOISTER | MODEL ROOM

ISSUED: 2/28/2025

REVISED: 3/19/2025,  
4/18/2025



Trim application

**Curioso**

**SG-203**

CLOISTER | MODEL ROOM

ISSUED: 2/28/2025

REVISED: 3/19/2025,  
4/18/2025**LUMBAR PILLOW**

AREAS: MR | Double Double

QUANTITY: 1 ea

DESCRIPTION: Custom lumbar pillow

LOCATION: Double double model room

SHAPE: Lumbar

WIDTH: 20

HEIGHT: 14

EDGE DETAIL: Knife edge

FILL: Down-like synthetic fill. 80/20 blend

CLOSURE TYPE: Concealed zipper, color to match fabric

STITCHING: Concealed

COM/ COL/ TRIM: Refer attached specification



OFCI	OFOI	CFCI	CFOI	Arch	FFE
<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

FB-217, FABRIC



## NOTES

IMAGE FOR INSPIRATION ONLY. FINAL DESIGN PENDING SHOP DRAWING REVIEW, FINISH SUBMITTALS AND SIGN OFF.

## VENDOR

## MANUFACTURER

TO BID

## MANUFACTURER CONTACT

## REQUIRED ITEMS FOR DESIGNER APPROVAL PRIOR TO FABRICATION

 FINISH SAMPLE FLAME CERT SEAMING DIAGRAM SHOP DWGS WARRANTY

## INSTRUCTIONS:

- ALL PRODUCTS MUST COMPLY WITH CLIENT/ BRAND STANDARDS.
- ATTIC STOCK QUANTITIES NOT INCLUDED. TO BE VERIFIED BY PROCUREMENT AGENT PRIOR TO PLACING ORDER.
- MANUFACTURER TO NOTIFY CURIOSO DESIGNER OF ANY SUBSTITUTIONS AND/OR CHANGES TO SPECIFICATION, MANUFACTURER, ETC. ALL SUBSTITUTIONS AND/OR CHANGES MUST BE APPROVED BY CURIOSO DESIGNER IN WRITING PRIOR TO PURCHASE.
- MANUFACTURER TO PROVIDE ALL FIRE RETARDANT MATERIALS NECESSARY TO MEET OR EXCEED APPROPRIATE NFPA STANDARDS, OR LOCAL STANDARDS, WHICHEVER IS MORE STRINGENT.
- MANUFACTURER/ FABRICATOR RESPONSIBLE FOR PACKAGING, SHIPPING, CRATING, HANDLING, ENVIRONMENTAL CONTROLS AND FOR COORDINATING WITH ON-SITE INSTALLER AND PURCHASING AGENT.
- MANUFACTURER/ FABRICATOR TO SIDEMARK OR TAG OUTSIDE OF SHIPPING BOX WITH PROPERTY AND ITEM SPEC NUMBER
- PURCHASING AGENT AND FABRICATOR ARE RESPONSIBLE FOR VERIFYING ALL QUANTITIES, DIMENSIONS, YARDAGES AND MATERIAL REQUIREMENTS PRIOR TO PURCHASING, MANUFACTURING OR INSTALLING GOODS. CURIOSO DESIGNER'S SPECIFICATIONS ARE GENERAL ESTIMATES ONLY.
- PURCHASING AGENT MUST PROVIDE OWNER WITH MANUAL, CERTIFICATES OF COMPLIANCE, INSTALLATION GUIDELINES AND MAINTENANCE INSTRUCTIONS IN ADDITION TO WARRANTIES IF APPLICABLE.
- REFER TO DRAWINGS FOR ALL ASSOCIATED DETAILS. NOTIFY CURIOSO DESIGNER OF ANY DISCREPANCIES IN DESIGNER'S AND/OR ANY OTHER THIRD PARTY'S DOCUMENTATION.
- ALL PILLOWS TO BE A 80/20 BLEND OF FEATHERS AND DOWN ENCASED IN A FLAME RETARDANT MUSLIN ENVELOPE.