


EXIT CAPACITY	
REQUIRED:	45 OCCUPANTS X 0.2" PER OCCUPANT = 9" EGRESS WIDTH
PROVIDED:	(1) EXIT X 64" EGRESS WIDTH PER EXIT = 320 OCCUPANTS ACCESS EXIT
TOTAL:	64" OF EGRESS WIDTH AND 320 OCCUPANTS ACCESS EXIT PROVIDED
REQUIRED:	MINIMUM CORRIDOR WIDTH = 44"
PROVIDED:	MINIMUM CORRIDOR WIDTH = 54"

### LIFE SAFETY PLAN LEGEND




45 (OCCUPANT LOAD) / 2 (MALE/FEMALE) = 23 MEN & 23 WOMEN  
REQUIRED:  
(1) MALE W/ LAVATORY  
(1) FEMALE W/ LAVATORY  
(1) DRINKING FOUNTAIN

## TABLE 2902.1 WITH TN AMENDMENTS (2020 &amp; 2022)

REQUIRED:	TOTAL: 2	TOTAL: 1	TOTAL: 1
PROVIDED:	TOTAL: 4 UNISEX	TOTAL: 1	TOTAL: 1



THIS DRAWING AS INSTRUMENT OF SERVICE IS AND SHALL REMAIN THE PROPERTY OF THE DESIGNER AND SHALL NOT BE REPRODUCED, PUBLISHED OR USED IN ANY WAY WITHOUT THE PERMISSION OF SAID DESIGNER OR ON ANY OTHER SITE

[illegible]

Optum

1651 GUNBARREL RD. SUITE 103

LIFE SAFETY PLAN

FOR CONSTRUCTION

2025-098

NEW/ JLP

JLG

10/6/2025

ARCH E1

1511

L3.11

